

Access 2002 and Jet 4 Errors

APPENDIX

E

PART VI

Access lets you trap some errors that can occur during program execution. By using the error-trapping commands mentioned in Chapter 7, “Handling Your Errors in Access with VBA,” you can anticipate errors and handle them accordingly.

The following table lists both Access 2002 application/VBA errors and Jet 4.0 errors. The error numbers can potentially go up to 32767, with user-definable errors from 30000 on.

The code in Listing E.1 creates the data in the upcoming table.

LISTING E.1 Storing All Access and Jet Errors to a Table

```
Sub CreateErrorTable()  
    Dim cnn As ADODB.Connection  
    Dim rst As New ADODB.Recordset  
    Dim lngCurr As Long  
  
    Set cnn = CurrentProject.Connection  
    cnn.Execute "Delete * From tblErrors"  
    rst.Open "tblErrors", cnn, adOpenKeyset, adLockOptimistic  
  
    For lngCurr = 1 To 33000  
        If Len(AccessError(lngCurr)) > 0 And AccessError(lngCurr) <> _  
            "Application-defined or object-defined error" Then  
            rst.AddNew  
            rst![Error Number] = lngCurr  
            rst!Description = AccessError(lngCurr)  
            rst.Update  
        End If  
    Next lngCurr  
  
End Sub
```

A few items to note:

- Some Jet errors use the | symbol, which is a placeholder for variables passed to the errors. An example of this is error number 3006, Database '|' is exclusively locked., in which the pipe would be replaced with the name of the database exclusively locked.
- It's best to create user-defined errors by using error numbers 30000 and above. By starting at 30000, you have a smaller chance of Access expanding its own errors up that far.
- Errors in which the message is an * are special errors that Access handles in different ways.

- Errors not listed here are either application-defined or object-defined errors, or are reserved for future use in new versions of Access or with the Jet engine.

<i>ErrorCode</i>	<i>ErrorString</i>
5	Invalid procedure call or argument
6	Overflow
7	Out of memory
9	Subscript out of range
10	This array is fixed or temporarily locked
11	Division by zero
13	Type mismatch
14	Out of string space
16	Expression too complex
17	Can't perform requested operation
18	User interrupt occurred
28	Out of stack space
47	Too many DLL application clients
48	Error in loading DLL
49	Bad DLL calling convention
51	Internal error
52	Bad file name or number
53	File not found
54	Bad file mode
55	File already open
57	Device I/O error
58	File already exists
59	Bad record length
61	Disk full
62	Input past end of file
63	Bad record number
67	Too many files
68	Device unavailable
70	Permission denied
71	Disk not ready

<i>ErrorCode</i>	<i>ErrorString</i>
74	Can't rename with different drive
75	Path/File access error
76	Path not found
93	Invalid pattern string
96	Unable to sink events of object because the object is already firing events to the maximum number of event receivers that it supports
97	Can not call friend function on object which is not an instance of defining class
98	A property or method call cannot include a reference to a private object, either as an argument or as a return value
321	Invalid file format
322	Can't create necessary temporary file
325	Invalid format in resource file
380	Invalid property value
381	Invalid property array index
382	Set not supported at runtime
383	Set not supported (read-only property)
385	Need property array index
387	Set not permitted
393	Get not supported at runtime
394	Get not supported (write-only property)
422	Property not found
423	Property or method not found
424	Object required
429	ActiveX component can't create object
430	Class does not support Automation or does not support expected interface
432	File name or class name not found during Automation operation
438	Object doesn't support this property or method
440	Automation error
442	Connection to type library or object library for remote process has been lost. Press OK for dialog to remove reference.
443	Automation object does not have a default value

<i>ErrorCode</i>	<i>ErrorString</i>
445	Object doesn't support this action
446	Object doesn't support named arguments
447	Object doesn't support current locale setting
448	Named argument not found
449	Argument not optional
450	Wrong number of arguments or invalid property assignment
451	Property let procedure not defined and property get procedure did not return an object
452	Invalid ordinal
453	Specified DLL function not found
454	Code resource not found
455	Code resource lock error
457	This key is already associated with an element of this collection
458	Variable uses an Automation type not supported in Visual Basic
459	Object or class does not support the set of events
460	Invalid clipboard format
461	Method or data member not found
462	The remote server machine does not exist or is unavailable
463	Class not registered on local machine
481	Invalid picture
482	Printer error
735	Can't save file to TEMP
744	Search text not found
746	Replacements too long
2001	You canceled the previous operation.
2002	You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Access.
2004	There isn't enough memory to perform this operation. Close unneeded programs and try the operation again.
2005	There isn't enough free memory to start Microsoft Access. Close unneeded programs and try again. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

<i>ErrorCode</i>	<i>ErrorString</i>
2006	The object name 'l' you entered doesn't follow Microsoft Access object-naming rules. For more information about naming objects, click Help.
2007	You already have an open database object named 'l.' Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help.
2008	You can't delete the database object 'l' while it's open. Close the database object, and then delete it.
2009	You can't rename the database object 'l' while it's open. Close the database object, and then rename it.
2010	You can't delete the database object 'l' while it's open. Close the database object, and then delete it.
2011	The password you entered is incorrect.
2014	You have given this l1 the same name as an existing l2 in your database. You can't give a table and a query the same name. Give this object a name that isn't already used by another table or query.
2015	There are no registered wizards of this type. Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2016	You can't modify the attributes of System Tables.
2017	This Visual Basic for Applications Project has been protected with a password. You must supply the password in the Visual Basic Editor before you can perform this operation.
2018	The data access page name 'l' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.
2019	The number you used to refer to the data access page is invalid. Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.
2020	The data access page theme name 'l' you entered is misspelled or refers to a theme name that doesn't exist.
2021	One or more operators in the filter expression is invalid. For a valid list of operators refer to the help file.

<i>ErrorCode</i>	<i>ErrorString</i>
2022	You entered an expression that requires a data access page to be the active window.
2023	The file name you specified for the data access page already exists.
2024	The report snapshot was not created because you don't have enough free disk space for temporary work files. To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).
2025	The file is not in the correct format for a Microsoft Access project.
2026	Your computer is missing at least one of the Microsoft Access 97 object libraries. Your converted database will not work until you open this database using Access 97 and then fix any missing references. Press OK to continue saving this database in the Access 97 format with missing references, or press Cancel if you no longer wish to save this database.
2027	This operation is not supported for Microsoft Access 1.X databases.
2028	Microsoft Access was unable to close the database object.
2029	Microsoft Office applications cannot suspend while you have documents open from a network location. Exit the applications or close the open documents and try again.
2030	The Microsoft Access project 'l' will be opened read-only because one of the following occurred: The file is locked for editing by another user, or the file (or the folder in which it is located,) is marked as read-only, or you specified that you wanted to open this file read-only.
2031	You can't convert or enable an MDE file.
2032	Some errors happened during the conversion. No converted database was generated.
2033	Name conflicts with existing module, project, or object library.
2034	Cannot Compile Project.
2035	Cannot Load Project of wrong version.
2036	Microsoft Access does not support using ADP Projects when running in Runtime Mode.
2037	Microsoft Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.
2038	The file 'l' cannot be opened because it has been locked by another user.
2039	You cannot convert a workgroup file from Microsoft Access2000 to Access 97. You must create new security settings in Access 97.

<i>ErrorCode</i>	<i>ErrorString</i>
2040	Microsoft Access can't run.
2041	Microsoft Access couldn't find file 'l'. This file is required for startup.
2042	A system error occurred, or there isn't enough free memory to start Microsoft Access. Close unneeded programs and try again.
2043	Microsoft Access can't find the database file 'l.' Make sure you entered the correct path and file name.
2044	You can't exit Microsoft Access now. If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.
2045	The command line you used to start Microsoft Access contains an option that Microsoft Access doesn't recognize. Exit and restart Microsoft Access using valid command-line options.
2046	The command or action 'l' isn't available now. <ul style="list-style-type: none"> You may be in a read-only database or an unconverted database from an earlier version of Microsoft Access. The type of object the action applies to isn't currently selected or isn't in the active view. Use only those commands and macro actions that are currently available for this database.
2048	There isn't enough free memory to open the file 'l.' Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2049	The Tahoma font is not present. To restore it, please run Detect and Repair from the Help menu.
2050	Enter an OLE/DDE Timeout setting from 0 through 300 seconds.
2051	The object name 'l1' can't be longer than l2 characters according to Microsoft Access object-naming rules.
2052	There isn't enough free memory to update the display. Close unneeded programs and try again.
2053	The command name can't be blank. Please choose a name.
2054	Microsoft Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6. Rerun the Microsoft Access Setup program.
2055	The expression 'l' you entered is invalid.
2056	Microsoft Access can't supply context-sensitive Help.
2057	There isn't enough stack memory left to perform the operation. The operation is too complicated. Try simplifying the operation.

<i>ErrorCode</i>	<i>ErrorString</i>
2058	The file 'l' is incompatible. Microsoft Access needs to be reinstalled. Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2059	Microsoft Access cannot find the object 'l'. Make sure the object exists and that you spell its name correctly.
2060	You can't create a field list based on the action query 'l.' Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query. Change the RecordSource property for the form or report, or open the action query and change it to a select query.
2061	Enter a zero or greater-than-zero number for this option.
2062	The command name must be shorter than 255 Characters. Please choose a name.
2063	Microsoft Access can't create, open, or write to the index file 'l'; the information (.inf) file it uses to keep track of dBASE indexes. The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to. You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.
2064	The menu bar value 'l' is invalid. You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid. Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.
2065	The name for the menu, command, or subcommand you entered is invalid. You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid. Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.
2066	A video adapter resolution of at least 640 x 480 pixels is required to run Microsoft Access.
2067	A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options. You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: <ul style="list-style-type: none"> • The MenuBar property of a form or report. • The ShortcutMenuBar property of a form, report, or control.

<i>ErrorCode</i>	<i>ErrorString</i>
	<ul style="list-style-type: none"> • The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. <p>This error also occurs if Microsoft Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action.</p>
2068	The selected item is customized and doesn't have context-sensitive Help. For more information on creating custom Help for a form, report, or control, click Help.
2069	The key or key combination l1 in l2 has invalid syntax or is not allowed. Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help.
2070	You already assigned the key or key combination l1 in l2 to another macro. Only the first key or key combination will be used.
2071	The Docking property can't be set to 'l1' at this time. If you want to set the Docking property to 'l2', move the toolbar from its current position and try again.
2072	Successfully imported 'l'.
2073	Successfully exported 'l'.
2074	This operation is not supported within transactions.
2075	This operation requires an open database.
2076	Successfully linked 'l'.
2077	This Recordset is not updateable.
2078	Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Access. For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'. If you need to reinstall Microsoft Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2079	Form is read-only, because the Unique Table property is not set.
2080	The toolbar or menu l already exists. Do you want to replace the existing toolbar or menu?
2081	The Create From Macro command only works when a macro is selected in the Database window.
2082	Only fields from the Unique Table can be edited.

<i>ErrorCode</i>	<i>ErrorString</i>
2083	The database 'l' is read-only. You can't save changes made to data or object definitions in this database.
2084	Field 'l' is based on an expression and can't be edited.
2085	The ODBC Refresh Interval setting must be from 1 through 32,766 seconds.
2086	Recordset requires a form to be updateable.
2087	Microsoft Access can't display the Add-ins submenu. The Add-ins submenu expression 'l' you entered exceeds the 256-character limit. Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help.
2088	Microsoft Access can't display the Add-ins submenu l because a setting you entered in the Windows Registry is missing a macro name or function name expression. Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help.
2089	Microsoft Access can't display the same menu more than once in a menu bar.
2090	An action within the current global menu's macro group can't change the global menu bar. Microsoft Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu. Check your menu bar macros, and make sure that you set the global menu bar only once.
2091	'l' is an invalid name.
2092	The value you specified for the setting argument in the SetOption method isn't the correct type of Variant for this option. You specified a string when Microsoft Access expected a number. Check the Options dialog box (Tools menu) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.

<i>ErrorCode</i>	<i>ErrorString</i>
2093	The numeric value for the setting argument in the SetOption method doesn't correspond to any list box or option group settings in the Options dialog box. Valid settings are 0 (the first item in the list) through l (the last item in the list).
2094	Microsoft Access can't find the toolbar 'l.' You tried to run a macro that includes a ShowToolbar action or a Visual Basic procedure that includes a ShowToolbar method. <ul style="list-style-type: none">• The toolbar name may be misspelled.• This action may refer to a custom toolbar that was deleted from or renamed in the current database.• This action may refer to a custom toolbar that exists in a different database.
2095	Microsoft Access can't switch to l. The Microsoft application you tried to open can't be found or hasn't been installed on your computer.
2096	Microsoft Access can't open the Microsoft Office application because it can't find the dynamic-link library Mstool32. Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2097	The table you tried to create an import/export specification for was created in an earlier version of Microsoft Access. Convert this database to the current version of Microsoft Access by using the Convert Database command (Tools menu, Database Utilities submenu).
2100	The control or subform control is too large for this location. The number you entered for the Left, Top, Height, or Width property is too large or is a negative number. Reduce the size of the control or subform control, or enter a positive number.
2101	The setting you entered isn't valid for this property. To see the valid settings for this property, search the Help index for the name of the property.
2102	The form name 'l' is misspelled or refers to a form that doesn't exist. If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name.

<i>ErrorCode</i>	<i>ErrorString</i>
2103	The report name 'l' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist. If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name.
2104	You entered the control name 'l,' which is already in use. You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.
2105	You can't go to the specified record. You may be at the end of a record-set.
2106	l errors occurred when you loaded the form or report. You loaded a form or report that has controls or properties that Microsoft Access doesn't recognize and will ignore.
2107	The value you entered doesn't meet the validation rule defined for the field or control. To see the validation rule, click Design view, click the appropriate field, and then, if the property sheet isn't open, click the Properties button on the toolbar. Then click the Data tab. To solve this problem, enter a value that meets the validation rule, or press ESC to undo your changes.
2108	You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method. You tried to move the focus to another control using the SetFocus method, GoToControl action, or the GoToControl method. Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.
2109	There is no field named 'l' in the current record.
2110	Microsoft Access can't move the focus to the control l. <ul style="list-style-type: none"> • The control may be a type that can't receive the focus, such as a label. • The control's Visible property may be set to No. • The control's Enabled property may be set to No.
2111	The changes you made can't be saved. The save operation may have failed due to the temporary locking of the records by another user. <ul style="list-style-type: none"> • Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). • Click Cancel if repeated attempts to save your changes fail.

<i>ErrorCode</i>	<i>ErrorString</i>
2112	The item on the Clipboard can't be pasted into this control.
2113	The value you entered isn't valid for this field. For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.
2114	Microsoft Access doesn't support the format of the file 'l,' or file is too large. Try converting the file to BMP or GIF format.
2115	The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Access from saving the data in the field. <ul style="list-style-type: none"> • If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). • If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. • If this is a function, redefine the function in the Module window.
2116	The value in the field or record violates the validation rule for the record or field. For example, you may have changed a validation rule without verifying whether the existing data matches the new validation rule. Click Undo on the Edit menu to restore the previous value, or enter a new value that meets the validation rule for the field.
2117	Microsoft Access has canceled the Paste operation. The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property. Paste smaller sections. For labels, you must paste fewer than 2,048 characters.
2118	You must save the current field before you run the Requery action. <ul style="list-style-type: none"> • If you are running a macro from the Database window, save the field first, and then run the macro. • If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.
2119	The Requery action can't be used on the control 'l.' Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.
2120	To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.

<i>ErrorCode</i>	<i>ErrorString</i>
2121	Microsoft Access can't open the form 'l.' It contains data that Microsoft Access doesn't recognize. Re-create the form or, if you maintain backup copies of your database, retrieve a copy of the form.
2122	You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart. Set the DefaultView property of the form to Single Form, Datasheet, PivotTable, or PivotChart.
2123	The control name you entered doesn't follow Microsoft Access object-naming rules.
2124	The form name you entered doesn't follow Microsoft Access object-naming rules.
2125	The setting for the FontSize property must be from 1 through 127.
2126	The setting for the ColumnCount property must be from 1 through 255.
2127	The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.
2128	Microsoft Access encountered errors while importing l1. For more detailed error information, see the file 'l2'.
2129	The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records. Enter 1, 2, 3, or 4 for the DefaultEditing property.
2130	The settings for the GridX and GridY properties must be from 1 through 64.
2131	An expression can't be longer than 2,048 characters.
2132	The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default).
2133	You can't place a form (or report) within itself. Select or enter a different form or report to serve as the subform or subreport.
2134	The setting for the Width property must be from 0 through 22 inches (55.87 cm).
2135	This property is read-only and can't be set.
2136	To set this property, open the form or report in Design view. For more information on this property, search the Help index for the name of the property.
2137	You can't use Find or Replace now. The fields are not searchable due to one of the following: <ul style="list-style-type: none"> • The fields are controls (such as buttons or OLE objects). • The fields have no data. • There are no fields to search.

<i>ErrorCode</i>	<i>ErrorString</i>
2138	You can't search the field for the specified value. Resolve the error given in the previous error message before you attempt to search again.
2139	You can't replace the current value of the field with the replacement text. Resolve any errors before making further replacements.
2140	Microsoft Access can't save the change you made to the record in the Replace operation for the reason given in the previous error message. Click Undo Current Record on the Edit menu, or enter a new value in the field.
2141	Microsoft Access can't find the text you specified in the Find What box.
2142	The FindRecord action requires a Find What argument. You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank. When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again.
2143	You didn't specify search criteria with a FindRecord action. In the Macro window, insert a FindRecord action before the FindNext action.
2144	The setting for the ListRows property must be from 1 through 255.
2145	The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box. If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel.
2146	Microsoft Access can't save the last change for the reason given in the previous error message. For example, you may have entered a duplicate value in a field with an index that prohibits duplicate values. Click Undo on the Edit menu, or enter a new value in the field.
2147	You must be in Design view to create or delete controls.
2148	The number you used to refer to the form or report section is invalid. Make sure that the number is less than the number of sections in the form or report.
2149	The constant you entered for the control type is invalid. For a list of valid constants you can use to create a control, click Help.
2150	This type of control can't contain other controls.
2151	The parent control can't contain the type of control you selected. For example, you used the CreateControl function to designate an option group as the parent of a text box.

<i>ErrorCode</i>	<i>ErrorString</i>
2152	You can set group levels for reports only, not for forms.
2153	You can't specify more than 10 group levels.
2154	You can't call this function when the Sorting and Grouping box is open.
2155	Microsoft Access has encountered an error in compiling the Visual Basic code. You don't have permission to edit code; inform someone who does have permission about this error.
2156	Microsoft Access has encountered an error in compiling the Visual Basic code. Do you want to view the error in its context?
2157	The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on.
2158	You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property.
2159	There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2160	Microsoft Access couldn't create the graphic or text. An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2161	The text or expression you entered doesn't match the type of data you are searching for. Redefine the text or expression, or search in a different field.
2162	A macro set to one of the current field's properties failed because of an error in a FindRecord action argument. In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: <ul style="list-style-type: none"> • Select No for the Match Case argument. • Select Yes for the Only Current Field argument. • Make sure you are searching in a bound control.

<i>ErrorCode</i>	<i>ErrorString</i>
2163	The page number you used as an argument for the GoToPage action or method doesn't exist in this form.
2164	You can't disable a control while it has the focus.
2165	You can't hide a control that has the focus.
2166	You can't lock a control while it has unsaved changes.
2167	This property is read-only and can't be modified.
2169	You can't save this record at this time. Microsoft Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway?
2170	There isn't enough memory to retrieve data for the list box. Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2171	You can't have more than seven nested subforms in a main form. Remove the eighth nested subform.
2172	You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport. Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property.
2173	The control 'l' the macro is attempting to search can't be searched. Try one of the following: <ul style="list-style-type: none">• Add a GoToControl action before the FindRecord action.• For the FindRecord action, change the Only Current Field action argument from Yes to No.• Change the focus to a searchable control.
2174	You can't switch to a different view at this time. Code was executing when you tried to switch views. If you are debugging code, you must end the debugging operation before switching views.
2175	There isn't enough free memory to continue the Search operation. Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2176	The setting for this property is too long. You can enter up to either 255 or 2,048 characters for this property, depending on the data type.
2177	You can't insert a report into a form. A report can be inserted only into a report.

<i>ErrorCode</i>	<i>ErrorString</i>
2178	You can't add another section now. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove or reduce the height of at least one section, and then add the new section.
2181	You can't sort on a calculated field in a form. You can sort on a calculated field only in a query. Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly.
2182	You can't sort on this field.
2183	Microsoft Access can't create an object of the type requested. You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.
2184	The value you used for the TabIndex property isn't valid. The correct values are from 0 through l.
2185	You can't reference a property or method for a control unless the control has the focus. Try one of the following: <ul style="list-style-type: none"> • Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. • Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs.
2186	This property isn't available in Design view. Switch to Form view to access this property, or remove the reference to the property.
2187	This property is available only in Design view.
2188	The object you attempted to load from text has an invalid value for the property 'l1' on a l2.
2189	Your code contains a syntax error, or a Microsoft Access function you need isn't available. If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Access section of the Windows Registry to verify that the entries you need are listed and available. If the entries are correct, you need to correct the Microsoft Access Utility Add-in or the file acWzlib or this wizard has been disabled. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access. Before you reinstall, delete the Windows Registry keys for the Microsoft Access Utility Add-in and acWzlib.

<i>ErrorCode</i>	<i>ErrorString</i>
2190	This property has been replaced by a new property; use the new property instead.
2191	You can't set the <i>l</i> property in print preview or after printing has started. Try setting this property in the OnOpen event.
2192	The bitmap you specified is not in a device-independent bitmap (.dib) format. You tried to set the PictureData property of a form, report, button, or image control.
2193	The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box.
2194	You can't set the PictureData property in Datasheet view. To see the valid settings for this property, search the Help index for 'PictureData property'.
2195	The section name you entered doesn't follow Microsoft Access object-naming rules.
2196	Microsoft Access can't retrieve the value of this property. The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.
2197	You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view. You can set this property to a zero-length string from Design view, Datasheet view, or Print Preview.
2200	The number you entered is invalid.
2201	There was a problem retrieving printer information for the <i>l1</i> on <i>l2</i> . The object may have been sent to a printer that is unavailable.
2202	You must install a printer before you print. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.
2203	The dynamic-link library Commdlg failed: error code '0xl'. The printer driver for the selected printer may be incorrectly installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.
2204	The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.

<i>ErrorCode</i>	<i>ErrorString</i>
2205	The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
2206	The page number you entered is invalid. For example, it may be a negative number or an invalid range, such as 6 to 3.
2207	Microsoft Access can't print macros. You tried to use the PrintOut action or method, but the active object is a macro. If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.
2210	Microsoft Access can't print or preview the page because the page size you selected is larger than 22.75 inches.
2211	Microsoft Access can't print or preview the Debug window.
2212	Microsoft Access couldn't print your object. Make sure that the specified printer is available. For information on setting a default printer, search the Windows Help index for 'default printer, setting'.
2213	There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.
2214	There was a problem retrieving information from the printer. New printer has not been set.
2220	Microsoft Access can't open the file 'l'.
2221	The text is too long to be edited.
2222	This control is read-only and can't be modified.
2223	The file name 'l' is too long. Enter a file name that's 256 characters or less.
2225	Microsoft Access couldn't open the Clipboard. The Clipboard isn't responding, probably because another application is using it. Close all other applications and try the operation again.
2226	The Clipboard isn't responding, so Microsoft Access can't paste the Clipboard's contents. <ul style="list-style-type: none"> • Another application may be using the Clipboard. • There may not be enough free memory for the paste operation. Close all other applications, and then copy and paste again.
2227	The data on the Clipboard is damaged, so Microsoft Access can't paste it. There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.

<i>ErrorCode</i>	<i>ErrorString</i>
2229	Microsoft Access can't start the OLE server. You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.
2234	Microsoft Access can't paste the OLE object.
2237	The text you entered isn't an item in the list. Select an item from the list, or enter text that matches one of the listed items.
2239	The database 'l' needs to be repaired or isn't a Microsoft Access database file. You may have quit Microsoft Access unexpectedly with the database open. To repair the database, click the Repair Database command on the Tools menu (Database Utilities submenu). If the database can't be repaired, the .mdb file is unusable. Restore the database from a backup copy or create a new database.
2243	The data in the Clipboard isn't recognizable; Microsoft Access can't paste the OLE object.
2244	The file name you specified in the Picture property for a command button or toggle button can't be read. <ul style="list-style-type: none"> • The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. • The disk where the file is located may be unreadable.
2245	The file you specified doesn't contain valid icon data. Specify a valid icon file.
2246	Microsoft Access can't run the query; the parameter values are too large. The total length of all the values entered for the parameters cannot exceed 1,024 characters.
2260	An error occurred while sending data to the OLE server (the application used to create the object). <ul style="list-style-type: none"> • You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. • You may be using an OLE server that doesn't accept the Clipboard format. • You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. • Your computer may be low on memory. Close other application windows to free up memory.

<i>ErrorCode</i>	<i>ErrorString</i>
2262	This value must be a number.
2263	The number is too large.
2264	Microsoft Access didn't recognize the unit of measurement. Type a valid unit, such as inches (in) or centimeters (cm).
2265	You must specify a unit of measurement, such as inches (in) or centimeters (cm).
2266	'I' may not be a valid setting for the RowSourceType property, or there was a compile error in the function. For information on valid settings for the RowSourceType property, click Help.
2267	There is not enough disk space to create a temporary buffer file for printing. Free up some disk space to make room for the temporary buffer file.
2269	Some library databases couldn't be loaded because too many were specified. To change library database references, click References on the Tools menu.
2272	The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.
2273	The setting for Update Retries must be from 0 through 10.
2274	The database 'I' is already open as a library database.
2275	The string returned by the builder was too long. The result will be truncated.
2276	The custom builder you're using caused an error by changing the focus to a different window while you were using it. Enter a value without using the custom builder.
2277	There was a font initialization error.
2278	Microsoft Access can't save your changes to this bound OLE object. Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.
2279	The value you entered isn't appropriate for the input mask 'I' specified for this field.
2280	You have added more output formats to the Windows Registry than Microsoft Access can initialize. Some output formats will not be available. Remove those formats that you never or least often use.

<i>ErrorCode</i>	<i>ErrorString</i>
2281	The formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing or incorrectly registered in the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information about the Registry, click Help.
2282	The format in which you are attempting to output the current object is not available. Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
2283	The format specification for 'l' is invalid. You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
2284	Microsoft Access can't write to the file. <ul style="list-style-type: none"> • The network may not be working. Wait until the network is working, and then try again. • You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
2285	Microsoft Access can't create the output file. <ul style="list-style-type: none"> • You may be out of disk space on the destination drive. • The network may not be working. Wait until the network is working, and then try again. • You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
2286	Microsoft Access can't close the file. <ul style="list-style-type: none"> • The network may not be working. Wait until the network is working, and then try again. • You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
2287	Microsoft Access can't open the mail session. Check your mail application to make sure that it's working properly.

<i>ErrorCode</i>	<i>ErrorString</i>
2288	Microsoft Access can't load the 'l' format. The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
2289	Microsoft Access can't output the module in the requested format.
2290	There were too many message recipients; the message was not sent.
2291	There are too many message attachments; the message was not sent.
2292	The message text is too long, so it was not sent.
2293	Microsoft Access can't send this e-mail message. Before attempting to send an e-mail message from Microsoft Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages.
2294	Microsoft Access can't attach the object; the message was not sent. <ul style="list-style-type: none"> • The network may not be working. Wait until the network is working, and then try again. • You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
2295	Unknown message recipient(s); the message was not sent.
2296	The password is invalid; the message wasn't sent.
2297	Microsoft Access can't open the mail session. You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly.
2298	Microsoft Access can't start the wizard, builder, or add-in. <ul style="list-style-type: none"> • The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed. • The wizard, builder, or add-in code may not be compiled and Microsoft Access can't compile it. There may be a syntax error in the code. • The key for the add-in in the Windows Registry file may be incorrect.
2299	Microsoft Access can't open the Zoom box. The Microsoft Access Utility add-in is missing or was modified. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility add-in.

<i>ErrorCode</i>	<i>ErrorString</i>
2300	Microsoft Access can't output because there are too many controls selected that have different styles, such as color and font. Select fewer controls, and then try again.
2301	There are not enough system resources to output the data. Close one or more Microsoft Access windows and close other applications. Then try to output the data again.
2302	Microsoft Access can't save the output data to the file you've selected. <ul style="list-style-type: none"> • The file may be open. If so, close it, and then save the output data to the file again. • If you are using a template, check to make sure the template exists. • If the file isn't open, check to make sure that you have enough free disk space. • Make sure that the file exists on the path specified.
2303	Microsoft Access can't output data now. <ul style="list-style-type: none"> • The network may not be working. Wait until the network is working, and then try again. • You may be out of disk space. Free up disk space and try again.
2304	Microsoft Access can't save output data to the specified file. Make sure that you have enough free disk space on your destination drive.
2305	There are too many columns to output, based on the limitation specified in the output format or by Microsoft Access.
2306	There are too many rows to output, based on the limitation specified by the output format or by Microsoft Access.
2307	You haven't selected any data, or the object you've selected is blank.
2308	The file 'l' already exists. Do you want to replace the existing file?
2309	There is an invalid add-in entry for 'l.' There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Access. For information on the Registry, click Help.
2311	There isn't enough memory to run the NotInList event procedure.
2312	The shortcut 'l' must be re-created. The file may be missing, damaged, or in an older format that can't be read.
2313	Microsoft Access can't find the shortcut databases 'l1' or 'l2.' Re-create the shortcut with the correct locations of the databases.
2314	Microsoft Access can't find the shortcut database 'l.' Re-create the shortcut with the correct location of the database.

<i>ErrorCode</i>	<i>ErrorString</i>
2315	The input string is too long.
2316	This table or query can't be opened because it has no visible fields. This can result if the table or query has only system fields, and the Show System Objects option is off. To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.
2317	The database 'l' can't be repaired or isn't a Microsoft Access database file.
2319	Microsoft Access can't import the object 'l' while it is open.
2320	Microsoft Access can't display the field for which you entered Where in the Total row. Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice. For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.
2321	You can't set criteria before you add a field or expression to the Field row. Either add a field from the field list to the column and enter an expression, or delete the criteria.
2322	You can't sort on the asterisk (*). Because the asterisk represents all fields in the underlying table or query, you can't sort on it. Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.
2323	You can't specify criteria for the asterisk (*). Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it. Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.
2324	You can't calculate totals on the asterisk (*). Because the asterisk represents all the fields in the table, you can't calculate totals on it. Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.
2325	The field name you entered exceeds the LinkMasterFields property's 64-character limit. When you use the Relationships command (Tools menu) to define a relationship between the tables underlying a form and subform, Microsoft Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
2326	You can't specify Group By, Expression, or Where in the Total row for this column. Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query. For more information on aggregate functions, click Help.
2327	You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row. The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.
2328	You can't run an update query on the asterisk (*). Because the asterisk represents all the fields in the table, you can't update it. Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.
2329	To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.
2330	Microsoft Access can't represent the join expression in Design view. <ul style="list-style-type: none"> • One or more fields may have been deleted or renamed. • The name of one or more fields or tables specified in the join expression may be misspelled. • The join may use an operator that isn't supported in Design view, such as > or <.
2331	You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.
2332	Microsoft Access can't match the fields you added using the asterisk (*) in the append query. Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk. Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.
2333	You must enter the name of the table you are creating or appending records to. You tried to define a make-table or append query without specifying a destination table.
2334	Microsoft Access can't print '!' because it is an action query. Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Database window marks an action query. To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.

<i>ErrorCode</i>	<i>ErrorString</i>
2335	You must use the same number of fields when you set the LinkChildFields and LinkMasterFields properties. You entered a different number of fields for one property than you did for the other. If you use the Relationships command (Tools menu) to define a relationship between the tables underlying the form and subform, Microsoft Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.
2337	You can't specify criteria on the same field for which you entered Value in the Crosstab row. You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row. If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.
2338	Microsoft Access truncated the expression you entered. The expression ' ' exceeds the 1,024-character limit for the query design grid.
2339	Microsoft Access can't create a temporary link. You reached the limit for the number of links in your database. Microsoft Access needs to create a temporary link in order to import your ODBC table. Remove all unneeded links or tables.
2340	The expression you entered exceeds the 1,024-character limit for the query design grid.
2342	A RunSQL action requires an argument consisting of an SQL statement. For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.
2343	The value you entered exceeds the Alias property's 64-character limit.
2344	For the TopValues property in the query property sheet, you must enter an integer greater than zero.
2345	For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.
2346	For the TopValues property in the query property sheet, you must enter a number greater than zero.
2347	Microsoft Access can't find the file name you entered for the DestinationDB property in an action query's property sheet. You may have misspelled the database file name, or the file may have been deleted or renamed.
2348	You can't leave the Alias property blank.

<i>ErrorCode</i>	<i>ErrorString</i>
2349	For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.
2350	Microsoft Access can't save the query. <ul style="list-style-type: none">• The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Access will fill the RecordSource or RowSource property with the saved query name.• Make sure the query doesn't have an SQL syntax error.
2351	Microsoft Access can't represent an implicit VALUES clause in the query design grid. Edit this in SQL view.
2352	You can't modify this query because it has been deleted or renamed by another user.
2353	Bad query parameter 'l'.
2360	A field name is missing. You have defined a data type or a description for a field without specifying the field name. Enter a name for the field, or delete the row.
2361	Microsoft Access can't save this table. There are no fields in this table. Define at least one field by entering a field name and selecting a data type.
2362	You already have a field named 'l.'
2363	Microsoft Access allows only one AutoNumber field per table. Use the Number data type for similar fields.
2364	Microsoft Access can't open the table in Datasheet view.
2366	Microsoft Access was unable to save the field ordering. All other changes were saved successfully. Close this database and choose the Repair Database command on the Tools menu (Database Utilities sub-menu).
2370	Removing or changing the index for this field would require removal of the primary key. If you want to delete the primary key, select that field and click the Primary Key button.
2371	Microsoft Access can't create a primary key. Your changes weren't saved.
2372	The field name is not valid. Make sure that the name doesn't contain a period (.), exclamation point (!), bracket ([]), leading space, or non-printable character such as a carriage return. If you have pasted the name from another application, try pressing ESC and typing the name again.

<i>ErrorCode</i>	<i>ErrorString</i>
2373	The setting for the FieldSize property must be from 0 through 255.
2374	You can't create an index or primary key on more than 10 fields.
2375	You can't paste beyond the end of a table. You have attempted to paste fields beyond the 255th row in a table in Design view.
2376	Microsoft Access can't create a primary key. You have selected too many fields for a multiple-field primary key.
2377	Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field. Add a new field to the table, and define its data type as AutoNumber. Microsoft Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.
2378	This table is read-only. Use a different name in the Save As dialog box to save your changes.
2379	You can't create a primary key on a field of this data type. You can't define a primary key on fields with an OLE Object data type.
2380	Microsoft Access can't create a primary key because no fields have been selected. You have selected a row with no fields defined. Place the insertion point somewhere in the row of the field you want to define as the primary key.
2381	Microsoft Access can't create a primary key because the field doesn't have a name. Name the field, and then define it as a primary key field.
2382	You can't switch to Datasheet view and you can't return to Design view. Another user has opened this table or a query, form, or report that is bound to this table.
2383	Microsoft Access can't change the data type. There isn't enough disk space or memory.
2384	You can't change one field from an AutoNumber data type and add another AutoNumber field at the same time. Do the following: <ol style="list-style-type: none"> 1. Delete the AutoNumber field you added, and click Save on the File menu. 2. Add the new AutoNumber field, and save the table again.
2385	Errors were encountered during the save operation. l
2386	Microsoft Access was unable to create the table.
2387	You can't delete the table 'l'; it is participating in one or more relationships. If you want to delete this table, first delete its relationships in the Relationships window.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
2388	You can't change the primary key. This table is the primary table in one or more relationships. If you want to change or remove the primary key, first delete the relationship in the Relationships window.
2389	You can't delete the field '1.' It is part of one or more relationships. If you want to delete this field, first delete its relationships in the Relationships window.
2390	You can't change the data type or field size of this field; it is part of one or more relationships. If you want to change the data type of this field, first delete its relationships in the Relationships window.
2391	Field '11' doesn't exist in destination table '12.' Microsoft Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.
2392	You can't set the Unique property of a primary key to No. A primary key, by definition, contains only unique values. If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No.
2393	You can't set the IgnoreNulls property of a primary key to Yes. A primary key, by definition, can't allow null values. If you want null values in this field, remove the primary key definition by setting the Primary property to No.
2394	The index name is invalid. The index name may be too long (over 64 characters) or contain invalid characters.
2395	Indexes must have names.
2396	Microsoft Access can't create an index or primary key. One or more field names are missing. Enter or select at least one field in the Field Name column for each index you name.
2397	You already have an index named '1.'
2398	The primary key has been changed. This table is the primary table in one or more relationships. Changes to the primary key won't be saved.
2399	The setting for the FieldSize property must be from 1 through 8000.
2400	The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro.
2420	The expression you entered has an invalid number.
2421	The expression you entered has an invalid date value.
2422	The expression you entered has an invalid string. A string can be up to 2048 characters long, including opening and closing quotation marks.

<i>ErrorCode</i>	<i>ErrorString</i>
2423	The expression you entered has an invalid . (dot) or ! operator or invalid parentheses. You may have entered an invalid identifier or typed parentheses following the Null constant.
2424	The expression you entered has a field, control, or property name that Microsoft Access can't find.
2425	The expression you entered has a function name that Microsoft Access can't find.
2426	The function you entered can't be used in this expression. <ul style="list-style-type: none"> • You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression. • You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.
2427	You entered an expression that has no value. The expression may refer to an object that has no value, such as a form, a report, or a label control.
2428	You entered an invalid argument in a domain aggregate function. <ul style="list-style-type: none"> • A field in the string expression may not be in the domain. • A field specified in the criteria expression may not be in the domain.
2429	The In operator you entered requires parentheses.
2430	You did not enter the keyword And in the Between...And operator. The correct syntax is as follows: expression [Not] Between value1 And value2
2431	The expression you entered contains invalid syntax. You may have entered a comma without a preceding value or identifier.
2432	The expression you entered contains invalid syntax, or you need to enclose your text data in quotes. You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey".
2433	The expression you entered contains invalid syntax. You may have entered an operator, such as the + operator, in an expression without a corresponding operand.
2434	The expression you entered contains invalid syntax. You may have entered an operand without an operator.
2435	The expression you entered has too many closing parentheses.

<i>ErrorCode</i>	<i>ErrorString</i>
2436	The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar ().
2437	The expression you entered has invalid vertical bars ().
2438	The expression you entered contains invalid syntax. You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks.
2439	The expression you entered has a function containing the wrong number of arguments.
2440	You must enclose IIf function arguments in parentheses.
2442	The expression you entered has invalid parentheses. You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax: Forms![Form]![Control].
2443	You can use the Is operator only in an expression with Null or Not Null.
2445	The expression you entered is too complex.
2446	There isn't enough memory available to perform this calculation. Close unneeded programs, and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2447	There is an invalid use of the . (dot) or ! operator or invalid parentheses. You may have entered an invalid identifier or typed parentheses following the Null constant.
2448	You can't assign a value to this object. <ul style="list-style-type: none"> • The object may be a control on a read-only form. • The object may be on a form that is open in Design view. • The value may be too large for this field.
2449	There is an invalid method in an expression. For example, you may have tried to use the Print method with an object other than Report or Debug.
2450	Microsoft Access can't find the form '!' referred to in a macro expression or Visual Basic code. <ul style="list-style-type: none"> • The form you referenced may be closed or may not exist in this database. • Microsoft Access may have encountered a compile error in a Visual Basic module for the form.

<i>ErrorCode</i>	<i>ErrorString</i>
2451	The report name 'l' you entered is misspelled or refers to a report that isn't open or doesn't exist.
2452	The expression you entered has an invalid reference to the Parent property. For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.
2453	The control name 'l' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.
2454	The object name 'l' you entered following the ! operator in the expression is invalid. For example, you may have tried to enter an identifier with two control names separated by the ! operator.
2455	You entered an expression that has an invalid reference to the property l. The property may not exist or may not apply to the object you specified.
2456	The number you used to refer to the form is invalid. Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.
2457	The number you used to refer to the report is invalid. Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.
2458	The control number you specified is greater than the number of controls. Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.
2459	You can't refer to the Parent property of a form or report when either is open in Design view.
2460	You can't refer to the RecordsetClone property of a form open in Design view.
2461	Use a section number, not a string, to refer to a form or report section.
2462	The section number you entered is invalid.
2463	Use a number, not a string, to refer to a group level.
2464	There is no sorting or grouping field or expression defined for the group level number you used. A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.
2465	Microsoft Access can't find the field 'l' referred to in your expression. You may have misspelled the field name, or the field may have been renamed or deleted.

<i>ErrorCode</i>	<i>ErrorString</i>
2466	The expression you entered has an invalid reference to the Dynaset property. For example, you may have used the Dynaset property with a form that isn't based on a table or query.
2467	The expression you entered refers to an object that is closed or doesn't exist. For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.
2468	The value you entered for the interval, number, or date argument in the function is invalid. Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.
2469	The expression 2 you entered in the form control's ValidationRule property contains the error 1. Microsoft Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Access displays the following message: Unknown function name in validation rule: 'MyFunction'. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.
2470	There is a(n) 'l' in the form control's ValidationRule property. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.
2471	The expression you entered as a query parameter produced this error: 'l'
2472	The LinkMasterFields property setting has produced this error: 'l'
2473	The expression 2 you entered as the event property setting produced the following error: 1. <ul style="list-style-type: none"> • The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. • There may have been an error evaluating the function, event, or macro.
2474	The expression you entered requires the control to be in the active window. Try one of the following: <ul style="list-style-type: none"> • Open or select a form or report containing the control. • Create a new control in the active window, and try the operation again.

<i>ErrorCode</i>	<i>ErrorString</i>
2475	You entered an expression that requires a form to be the active window.
2476	You entered an expression that requires a report to be the active window.
2477	You entered an invalid objecttype value 'l' in an If TypeOf object Is objecttype condition of an If...Then...Else statement. The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.
2478	Microsoft Access doesn't allow you to use this method in the current view. Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.
2479	The event procedure 'l' can't be a Function procedure; it must be a Sub procedure. If you want to run a Function procedure when an event occurs, try one of the following: <ul style="list-style-type: none"> • Set the event property to the name of a macro containing a RunCode action that runs the Function procedure. • Set the event property to =FunctionName().
2480	You referred to a property by a numeric argument that isn't one of the property numbers in the collection. Check the property numbers in the collection.
2481	You can't set a value while a document is in Print Preview.
2482	Microsoft Access can't find the name 'l' you entered in the expression. You may have specified a control that wasn't on the current object without specifying the correct form or report context. To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs. For example, Forms![Products]![Units In Stock].
2483	You can't move to a previous control when only one control has had the focus. Use the PreviousControl property only after you've moved the focus to a second control.
2484	There is no active datasheet.
2485	Microsoft Access can't find the macro 'l.' The macro (or its macro group) doesn't exist, or the macro is new but hasn't been saved. Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.

<i>ErrorCode</i>	<i>ErrorString</i>
2486	You can't carry out this action at the present time. You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Access is repainting a control or calculating an expression. Carry out the action later.
2487	The Object Type argument for the action or method is blank or invalid. <ul style="list-style-type: none"> • For a Close, GoToRecord, or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. • For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Database window. • For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you want the action performed on the active object of the specified object type. • If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name.
2488	You can't use the ApplyFilter action on this window. <ul style="list-style-type: none"> • You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. • You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. • You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting. Use the SelectObject action or method to select the table, query, form, or report before applying the filter.
2489	The object 'l' isn't open. <ul style="list-style-type: none"> • The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. • The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed. Use one of the Open actions or methods to open the object so that you can carry out the desired action.

<i>ErrorCode</i>	<i>ErrorString</i>
2491	The action or method is invalid because the form or report isn't bound to a table or query. You tried to use the ApplyFilter action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to. Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. To base a form or report on a table or query, open the form or report in Design view, and enter the table or query name in the RecordSource property.
2492	Microsoft Access can't find the macro 'l2' in the macro group 'l1.' You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group. Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.
2493	This action requires an Object Name argument.
2494	The action or method requires a Form Name argument. You tried to use the OpenForm action or method, but you left the Form Name argument blank. In the Form Name argument, enter the name of a form in the current database.
2495	The action or method requires a Table Name argument. You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank. In the Table Name argument, enter the name of a table that is in the current database.
2496	The action or method requires a Query Name argument. You tried to use the OpenQuery action or method, but you left the Query Name argument blank. In the Query Name argument, enter a query name.
2497	The action or method requires a Report Name argument. You tried to use the OpenReport action or method, but you left the Report Name argument blank. In the Report Name argument, enter the name of a report.
2498	An expression you entered is the wrong data type for one of the arguments. You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type. For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric equivalents.

<i>ErrorCode</i>	<i>ErrorString</i>
2499	<p>You can't use the GoToRecord action or method on an object in Design view. Try one of the following:</p> <ul style="list-style-type: none"> • Switch to Form or Datasheet view for a form. • Switch to Datasheet view for a query or table. • If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.
2500	<p>You must enter a number greater than zero for a Repeat Count argument. You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument. To run the macro once, leave this argument blank.</p>
2501	<p>The I action was canceled. You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.</p>
2502	<p>The action or method requires a Macro Name argument.</p> <ul style="list-style-type: none"> • You tried to use the RunMacro action or method, but you left the Macro Name argument blank. • Microsoft Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank. In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.
2503	<p>You can't use this action with the DoCmd object. For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Any actions that aren't in this list can be used with the DoCmd object.</p>
2504	<p>The action or method requires at least I argument(s). You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.</p>
2505	<p>An expression in argument I has an invalid value. You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object). Try one of the following:</p>

<i>ErrorCode</i>	<i>ErrorString</i>
	<ul style="list-style-type: none"> • Select a setting from the drop-down list box in each argument. • Use an intrinsic constant equating to a valid object type. • Substitute the correct corresponding expression.
2506	<p>A value you entered for the Transfer Type argument is invalid. An expression in the Transfer Type argument doesn't evaluate to a valid numeric value. Valid values for the Transfer Type argument are as follows:</p> <ul style="list-style-type: none"> • 0, 1, and 2 for the TransferDatabase action. • 0, 1, and 2 for the TransferSpreadsheet action. • 0 through 6 for the TransferText action.
2507	<p>The l type isn't an installed database type or doesn't support the operation you chose. You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.</p>
2508	<p>A value you entered for the spreadsheettype argument is invalid. You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value. Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.</p>
2509	<p>The setting for the Range argument can't be longer than 255 characters.</p>
2510	<p>The expression you entered in the Specification Name argument exceeds the 64-character limit. Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Access object-naming rules.</p>
2511	<p>The action or method requires a Specification Name argument. You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank. In the Specification Name argument, enter an existing specification name from the argument list box.</p>
2512	<p>Microsoft Access can't parse the expression: '!'. Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.</p>
2513	<p>The Macro Name argument can't be longer than 64 characters according to Microsoft Access object-naming rules.</p>

<i>ErrorCode</i>	<i>ErrorString</i>
2514	The action or method requires a Control Name argument. You tried to use the GoToControl action or method, but you left the control name blank. In the Control Name argument, enter a control or field name from the active form or datasheet.
2515	Microsoft Access can't open the macro 'l' because it was saved using a different version of Microsoft Access. Re-create the macro in the current version of Microsoft Access.
2516	Microsoft Access can't find the module 'l.' You tried to use the OpenModule action or method, but Microsoft Access can't find the module you specified in the Module Name argument. Enter a valid module name from the current database.
2517	Microsoft Access can't find the procedure 'l.' <ul style="list-style-type: none"> • You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. • You tried to use the OpenModule action or method, but you used an invalid procedure name.
2519	The database must be open for the SelectObject method to run. You tried to run a function in a library database, and the function contains the SelectObject method.
2520	The action or method requires a Module or Procedure Name argument. You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window. Enter a valid name in one of these arguments.
2521	You have specified a Transfer Type that doesn't support the HTML Table Name argument. Leave the HTML Table Name argument blank unless you are using the Import HTML or Link HTML Transfer Types.
2522	The action or method requires a File Name argument. You tried to use the TransferSpreadsheet or TransferText action or method. In the File Name argument, enter a file name.
2523	The value you entered for the show argument is invalid. You used the ShowToolbar method. Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2.
2524	Microsoft Access can't invoke the application using the RunApp action. The path to the application is invalid, or a component of the application is missing. Check the path in Windows Explorer or File Manager.

<i>ErrorCode</i>	<i>ErrorString</i>
2525	A macro can call itself a maximum of 20 times. Your macro contains a RunMacro action that calls the same macro more than 20 times. Use a condition to stop the macro after it has been run 20 times, or call another macro with the RunMacro action.
2526	The SendKeys action requires the Microsoft Access Utility Add-in to be loaded. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility Add-in.
2527	Lotus .wks file formats aren't supported in the current version of Microsoft Access. Convert your .wks file to a more recent format, such as .wk1.
2528	The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method.
2529	The Toolbar argument can't be longer than 64 characters.
2530	The SelectObject method can't be used on a report that is currently printing.
2531	Your HTML file does not contain any tabular data that Microsoft Access can import.
2532	Microsoft Access can't find the macro or sub procedure 'l.' The specified macro, macro group, or sub procedure doesn't exist. Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under. Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.
2533	The ApplyFilter action requires that either the Filter Name or Where Condition argument is set. You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.
2534	The action or method requires a data access page Name argument. You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank. In the data access page Name argument, enter the name of a data access page in the current database.
2535	The ApplyFilter action contains a Filter Name that cannot be applied. The filter name is not a valid argument in the ApplyFilter action in Client Server.
2536	Macros are disabled in this database.
2540	The file 'l' you tried to replace is a Microsoft Access system file that is in use and can't be replaced or deleted.

<i>ErrorCode</i>	<i>ErrorString</i>
2541	The contents of the Clipboard have been deleted and can't be pasted. Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens.
2542	Specify the database name in the command line so that Microsoft Access can find the macro.
2543	You can't paste a database object onto itself.
2544	Microsoft Access can't find the <i>l</i> you referenced in the Object Name argument. The macro you tried to run includes a SelectObject action with an invalid name for the Object Name argument. In the Database window, verify the name of the object you want the macro to select. Then open the macro in the Macro window and enter the correct name for the Object Name argument.
2545	The CopyObject action requires you to specify a different destination database or a new name to copy from the current database. The macro you are running includes a CopyObject action. Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box.
2546	Select a database object in the Database window before you run the macro containing the <i>l</i> action.
2547	The database ' <i>l</i> ' you tried to delete and replace is read-only and can't be deleted or replaced. Enter a different name for the new database.
2548	Microsoft Access can't run the Security Wizard because this database is open in exclusive mode. Do you want Microsoft Access to open the database in shared mode and run the Security Wizard?
2549	Microsoft Access can't delete <i>l1</i> after compacting it. The compacted database has been named <i>l2</i> . If you compact a database using the same name, Microsoft Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.
2550	Microsoft Access can't delete <i>l1</i> after encrypting it. The encrypted database has been named <i>l2</i> . If you encrypt a database using the same name, Microsoft Access creates a new encrypted database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. If you can, remove the

<i>ErrorCode</i>	<i>ErrorString</i>
	read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.
2551	Microsoft Access can't delete l1 after decrypting it. The decrypted database has been named l2. If you decrypt a database using the same name, Microsoft Access creates a new decrypted database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.
2552	You can't encrypt a database that you didn't create or don't own. See the owner of the database or your workgroup administrator.
2553	You can't decrypt a database that you didn't create or don't own. See the owner of the database or your workgroup administrator.
2554	Can't find the database you specified, or you didn't specify a database at all. Specify a valid database name in the command line, and include a path if necessary.
2556	Microsoft Access can't run the Security Wizard because the database has had a password set on it. You will have to unset the database password by choosing Tools\Security\Unset Database Password.
2557	The database you tried to convert was either created in or was already converted to the requested version of Microsoft Access.
2559	Microsoft Access was unable to refresh the linked table 'l1' in database 'l2' during conversion. Try and refresh the links manually by using the Linked Table Manager (Tools menu, Database Utilities submenu).
2560	Microsoft Access is unable to load the Database Properties.
2561	Microsoft Access can't display the Database Properties dialog box.
2562	Microsoft Access is unable to save the Database Properties.
2563	Microsoft Access can't load a dynamic-link library. Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2564	You can't hide the document 'l' while it is open. Close the database object first, and then hide it.
2565	You can't unhide the database object 'l' while it is open. Close the database object first, and then unhide it.

<i>ErrorCode</i>	<i>ErrorString</i>
2566	Microsoft Access is unable to set the application's icon to the file 'l'. Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files.
2567	Microsoft Access can't open or convert this previous version database. The database was created in an earlier version of Microsoft Access. You don't have appropriate security permissions to open or convert databases created in earlier versions.
2568	Microsoft Access can't undo this operation. An object with the same name already exists. Another user might have created an object named 'l' after you had performed this operation on an object with the same name.
2569	Microsoft Access can't delete l1 after enabling it. The enabled database has been named l2. If you enable a database using the same name, Microsoft Access creates a new enabled database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.
2571	You can't modify objects created using an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
2572	This database is in an unexpected state; Microsoft Access can't open it. This database has been converted from a prior version of Microsoft Access by using the DAO CompactDatabase method instead of the Convert Database command on the Tools menu (Database Utilities submenu). This has left the database in a partially converted state. If you have a copy of the database in its original format, use the Convert Database command on the Tools menu (Database Utilities submenu) to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data. Your other database objects can't be recovered.
2573	This database is a replica created in a different version of Access. You can only convert this replica by synchronizing with its Design Master. Convert the Design Master of this replica set then synchronize the replica with the Design Master.

- 2574 You can't create another Microsoft Access database with the same name and location as an existing database. You carried out the Make MDE File command, but tried to give the new database the same extension as the old one. Accept the default .mde extension for your new MDE database.
- 2575 You can't create a Microsoft Access MDE database from a database replica.
- 2576 This database is a Microsoft Access 7.0/8.0/9.0 Design Master/Replica. If you click OK, the database you selected will be renamed to l1 and then converted to l2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization.
- 2577 The database l is already open. Close the database before carrying out the Make MDE File command.
- 2578 Microsoft Access was unable to create an MDE database.
- 2579 Local forms, reports, macros, and modules in this replica will not be converted. To retain these objects, please be sure to import them into the Design Master from the original replica.
- 2580 The record source 'l' specified on this form or report does not exist. You misspelled the name, or it was deleted or renamed in the current database, or it exists in a different database. In the Form or Report's Design view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query.
- 2581 You must define a sort field or expression for the group header or footer in the report you tried to preview or print.
- 2582 You can't set the GroupInterval property to zero when the GroupOn property is set to Interval. Click Sorting and Grouping on the View menu and try one of the following:
- Change the GroupInterval property setting to a number higher than zero.
 - Change the GroupOn property setting to Each Value.
- 2583 The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure.
- You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than the OnOpen property.

<i>ErrorCode</i>	<i>ErrorString</i>
	<ul style="list-style-type: none"> You may have tried to run a macro or event procedure on a report that is already open. To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it.
2584	You can't use aggregate functions in a page header or footer. The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression. If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. If you are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control.
2585	This action can't be carried out while processing a form or report event. A macro specified as the OnOpen, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property. When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments.
2586	Microsoft Access changed the MoveLayout and NextRecord properties to True from False. The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously. Revise the macro or function so that it sets these properties to the values you want.
2587	Microsoft Access can't complete the Output operation. The Visual Basic code you entered contains a syntax error or the Output procedures are not available. Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2588	You must select a form to save as a report.
2589	The expression '!' is invalid. Aggregate functions are only allowed on output fields of the Record Source.
2590	The Var and VarP aggregate functions are not supported in an Access project.
2591	You can't change printer properties in the OnOpen event of a report.
2592	You cannot bind a hierarchical report to a DAO Recordset.

<i>ErrorCode</i>	<i>ErrorString</i>
2593	This feature is not available in an MDB.
2594	You cannot Filter By Form when form record source is a recordset object.
2595	Microsoft Access cannot set this property when DefaultSize property is set to True.
2596	Printer object is not available on subforms and subreports.
2597	Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report.
2598	Recordset property not available for natively bound reports in MDB files.
2600	Verify the new password by retyping it in the Verify box and clicking OK.
2601	You don't have permission to read 'l.' To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help.
2602	You don't have permission to modify 'l.' To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help.
2603	You don't have permission to run 'l.' To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help.
2604	You can't view this object's permissions. To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
2605	<p>You can't remove this user account from group 'l.'</p> <ul style="list-style-type: none"> • You may have tried to remove a user account from the default Users group. Microsoft Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. • You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.
2606	The object type is invalid.
2607	You don't have permission to cut 'l.' To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.

<i>ErrorCode</i>	<i>ErrorString</i>
2608	You don't have permission to copy 'l.' To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.
2609	You don't have permission to delete 'l.' To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.
2610	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits. Microsoft Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.
2611	Microsoft Access can't find the workgroup file 'l.' Would you like to use the default workgroup file?
2612	The account name is invalid. For information about naming conventions, click Help.
2613	You don't have permission to rename 'l.' To rename a database object, you must have Modify Design permission for the object. For more information on permissions and who can set them, click Help.
2614	You don't have permission to insert this form into another form. To insert a form into another form as a subform, you must have Read Design permission for the form being inserted. For more information on permissions and who can set them, click Help.
2615	You don't have permission to change the owner of 'l.' To change the owner of a database object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
2616	You can't change permissions for 'l.' To change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
2617	You don't have permission to import, export, or link to 'l.' To import, export, or link to this object, you must have Read Design and Read Data permissions for it. For more information on permissions and who can set them, click Help.

<i>ErrorCode</i>	<i>ErrorString</i>
2618	You need to have the database open for exclusive use to set or unset the database password. To open the database exclusively, close the database, and then reopen it using the Open command on the File menu. In the Open dialog box, click the arrow to the right of the Open button, and then choose Open Exclusive.
2619	You can't change permissions for 'l' in a replica. Permissions may only be changed in the Design Master for the replica set.
2620	The password you entered in the Old Password box is incorrect. Please enter the correct password for this account.
2621	That password isn't valid. You may have used a semicolon.
2622	You can't save 'l' because it is read-only. To save, switch to Design View and choose Save As from the File menu.
2623	Saving the database to the previous version of Access will create a new database that contains none of the security information that you have set. Are you sure you want to proceed?
2624	An error has occurred while changing workgroup database.
2625	Workgroup Administrator couldn't create the workgroup information file. Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive. (l)
2626	Reserved error (l); there is no message for this error.
2627	There's not enough disk space.
2628	One of your parameters is invalid.
2629	Could not open workgroup file. This is a directory.
2630	The specified path is invalid.
2631	The specified path is too long.
2632	Change Workgroup cannot proceed without your Name, PIN, and a path to the new Workgroup Information File.
2633	Microsoft Access cannot change the password for the logon account 'l' because the current connection is using Microsoft Windows NT integrated security.
2634	The new password doesn't match the verify password value.
2635	Microsoft Access is unable to change the password because the old password doesn't match the password of the currently logged in user.
2636	Workgroup file already exists.

<i>ErrorCode</i>	<i>ErrorString</i>
2637	Unable to start SQL Server service. To restart the SQL Server service, double click on the SQL Server System Manager icon in the system tray and click Start/Continue. Once the service is started, point to Connection on the File menu in Access and click OK.
2638	Unable to start SQL Server service. To restart the SQL Server service, double click on the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct. Once the service is started, point to Connection on the File menu in Access and click OK.
2646	Microsoft Access can't create this relationship and enforce referential integrity. Data in the table 'l' violates referential integrity rules. For example, there may be records relating to an employee in the Related table, but no record for the employee in the primary table. Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
2648	Microsoft Access created a one-to-one relationship instead of a one-to-many relationship because there is a unique index on the field(s) specified for the related table. If you want to define a one-to-many relationship between these tables, try one of the following: <ul style="list-style-type: none"> • Delete the one-to-one relationship, and then change the setting of the Indexed property for the foreign key field from No Duplicates to Duplicates OK. • Choose different matching fields.
2649	Microsoft Access can't enforce referential integrity for this relationship. Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
2650	Microsoft Access can't create this relationship and enforce referential integrity. <ul style="list-style-type: none"> • The fields you chose may have different data types. • The fields may have the Number data type but not the same FieldSize property setting. Try one of the following: <ul style="list-style-type: none"> • Select fields with the same data type. • Open the tables in Design view, and change the data types and field sizes so that the fields match.

<i>ErrorCode</i>	<i>ErrorString</i>
2651	If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box. You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type. You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type. Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.
2652	You can't delete a relationship inherited from a linked database.
2680	The form or report includes more OLE objects than Microsoft Access can display at one time. Delete some of the bound or unbound object frames.
2683	There is no object in this control.
2684	The OLE object is empty. You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object. Embed or link an OLE object into the bound object frame using the Object command on the Insert menu.
2685	The object doesn't have an OLE object data type. The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type. If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.
2686	Microsoft Access is unable to save the OLE object. Your computer ran out of disk space while Microsoft Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
2687	There was a problem reading the OLE object.
2690	A system resource necessary for displaying the OLE object isn't available. Your computer may be low on memory. Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2691	Microsoft Access can't communicate with the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
2694	The Clipboard isn't available. The Clipboard may be in use by another application, or your computer may be low on memory. If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

<i>ErrorCode</i>	<i>ErrorString</i>
2695	Microsoft Access is unable to display the converted I object. Delete the object in the bound object frame, and then re-create it.
2696	Microsoft Access can't read the OLE object. Delete the object in the bound object frame, and then re-create it.
2697	There was a problem loading the I object. The object you tried to create or edit is not a valid OLE object. Re-create the object, and then embed or link it again.
2698	The I object you tried to create or edit is too large to save. <ul style="list-style-type: none"> • Your database may not contain enough space for the object. • Your computer may be out of disk space. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
2699	The connection with the OLE server was lost, or the OLE server encountered an error while you were using it. Restart the OLE server, and then try the operation again.
2700	Microsoft Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation. The OLE server or DLL may not be registered. To register the OLE server or DLL, reinstall it.
2701	The OLE server for the OLE object you tried to create is already open. Switch to the OLE server window and close it. Then try to create or edit the OLE object again.
2702	The I object isn't registered. The object may be calling an application that isn't installed. To register the application, reinstall it.
2703	Microsoft Access can't read the I object because communication was interrupted. If the OLE server application is located on a network server, make sure your computer is connected to it.
2704	The I object you tried to edit doesn't have any displayable information.
2707	Microsoft Access can't open the file containing the OLE object. <ul style="list-style-type: none"> • You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. • The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: <ul style="list-style-type: none"> • Make sure the file is available and that you used the correct file name. • Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.

<i>ErrorCode</i>	<i>ErrorString</i>
2711	<p>The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid.</p> <ul style="list-style-type: none"> • You may not have entered, or may have misspelled, the file name. • The unit of data (such as a range of cells from a worksheet) may not be valid. Try one of the following: <ul style="list-style-type: none"> • Make sure the file is installed on your computer and that you used the correct file name. • Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2713	<p>A problem occurred when Microsoft Access tried to access the object.</p> <ul style="list-style-type: none"> • You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. • The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: <ul style="list-style-type: none"> • Make sure that the file is installed on your computer and that you used the correct file name. • Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2714	<p>The object doesn't support verbs that can be performed on an OLE object, such as play or edit. Check the OLE server's documentation for information on the verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object.</p>
2715	<p>The index for the Action or the Verb property for the object is invalid. The setting you entered may be a negative number or may be too large.</p>
2717	<p>The object has no displayable information. You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty. Use the Object command on the Insert menu to create an OLE object or to embed or link an OLE object from a file that isn't empty.</p>
2719	<p>A problem occurred while accessing the object.</p> <ul style="list-style-type: none"> • The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection.

<i>ErrorCode</i>	<i>ErrorString</i>
	<ul style="list-style-type: none"> • The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Access, and then open the file containing the OLE object to verify that it still exists and can be accessed.
2723	The OLE object doesn't support the attempted operation. The OLE object was changed to a picture, or the link to the object was broken. If you want to perform the operation, delete the OLE object, and then embed or link it again.
2724	One or more dynamic-link libraries required for using OLE objects is an incorrect version. Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2725	The OLE server isn't registered. To register the OLE server, reinstall it.
2726	<p>Microsoft Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer.</p> <p>If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.</p> <p>For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.</p>
2727	<p>Microsoft Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer.</p> <p>If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.</p> <p>For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.</p>
2729	The OLE object you tried to edit is busy. Try again later.

<i>ErrorCode</i>	<i>ErrorString</i>
2730	<p>There was a problem communicating with the OLE server. Try again later. If you still can't access the object, try one or more of the following:</p> <ul style="list-style-type: none"> • Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. • Reinstall the OLE server to make sure it's registered. • Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2731	An error occurred while accessing the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
2732	Microsoft Access can't read the l object. Communication between Microsoft Access and the OLE server was interrupted. Make sure your computer is connected to the network server on which the OLE server is located.
2733	The OLE object you tried to edit can't be accessed. You don't have permission to change the object, or another user opened and locked the object.
2734	You can't save the l object now. The OLE server is running an operation, or another user opened and locked the object. Try to save the object again later.
2735	This disk is write-protected. You can't save the l object to it.
2737	Microsoft Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command. You may have misspelled the file name, or the file may have been deleted or renamed. If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.
2738	There isn't enough memory to complete the operation. Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2739	An error occurred during the operation with an OLE object. The object is in use.
2741	Your computer ran out of disk space while Microsoft Access was saving the changes you made to the l object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.

<i>ErrorCode</i>	<i>ErrorString</i>
2742	Microsoft Access was unable to create more files. Your computer may be low on memory or disk space. Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
2743	The I object is stored in a format that is incompatible with the version of OLE on your computer.
2744	Microsoft Access can't find the OLE server. The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.
2745	Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access, the Share program, and Vshare.386. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2746	You can't switch to Design view because your form contains too many OLE objects. Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.
2747	The OLE server can't display the I object. There is a problem with the file containing the OLE object, or there isn't enough memory available. Open the OLE server outside of Microsoft Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2748	The Automation object operation isn't available for the I object. Check the component's documentation for information on which operations are available for an Automation object.
2749	There isn't enough memory to complete the Automation object operation on the I object. Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2750	The operation on the I object failed. The OLE server may not be registered. To register the OLE server, reinstall it.

<i>ErrorCode</i>	<i>ErrorString</i>
2751	The Exit or Update operation failed. You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Access was saving the changes you made to an OLE object in a form or report. Try to exit or update again.
2753	A problem occurred while Microsoft Access was communicating with the OLE server or ActiveX Control. Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again in Microsoft Access.
2754	A problem occurred while Microsoft Access was communicating with the OLE server. Try one or more of the following: <ul style="list-style-type: none"> • Make sure you're connected to the network server where the OLE server application is located. • Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access. • Reinstall the OLE server to ensure that it's registered.
2755	There was a problem referencing a property or method of the object. You tried to run a Visual Basic procedure that references an object property or method. Try one or more of the following: <ul style="list-style-type: none"> • Make sure the component is properly registered. • Make sure your computer is connected to the network server where the component is located. • Close the component and restart it outside of Microsoft Access. Then try again to run the procedure in Microsoft Access.
2756	A problem occurred when Microsoft Access tried to access the OLE object. Close the Microsoft Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object.
2757	There was a problem accessing a property or method of the OLE object. Try one or more of the following: <ul style="list-style-type: none"> • Verify that the OLE server is registered correctly by reinstalling it. • Make sure your computer is connected to the server on which the OLE server application resides. • Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access.
2758	There was a problem initializing the dynamic-link library Msole20 when you tried to perform the OLE operation.

<i>ErrorCode</i>	<i>ErrorString</i>
	<ul style="list-style-type: none"> • You may have too many Microsoft applications open. Close Windows applications other than Microsoft Access, and try the OLE operation again. • Your computer may have an older version of the dynamic-link library MsOLE20, in which case you will need to run Setup to reinstall Microsoft Access. <p>If you need to reinstall Microsoft Access, you may want to preserve your security or custom settings by backing up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.</p>
2759	<p>The method you tried to invoke on an object failed.</p> <ul style="list-style-type: none"> • You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. • There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2760	<p>An error occurred while referencing the object. You tried to run a Visual Basic procedure that improperly references a property or method of an object.</p>
2761	<p>There was a problem referencing a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations.</p>
2762	<p>I returned an error while referencing a property of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations.</p>
2763	<p>I1 returned the error: I2. Check the component's documentation for information on the properties and methods it makes available for Automation operations.</p>
2764	<p>The object's property or method can't be set. You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments. Check the component's documentation for information on the properties and methods it makes available to Automation operations.</p>

<i>ErrorCode</i>	<i>ErrorString</i>
2765	Visual Basic can't convert the data type of one of the arguments you entered. You tried to run a Visual Basic procedure that executes a method or sets a property of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
2766	The object doesn't contain the Automation object 'I.' You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
2767	The object doesn't support American English; it was developed using a different language. Use a version of the object developed in Visual Basic that supports the language you are using.
2768	The number you used to reference an element in the array is outside the bounds of the array. For example, the array is from 0 through 10, and you entered a -1 or an 11. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
2769	A property of the Automation object requires or returns a data type that isn't supported by Visual Basic. You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
2770	The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.
2771	The bound or unbound object frame you tried to edit doesn't contain an OLE object. Use the Object command on the Insert menu to add an OLE object to the bound or unbound object frame.
2774	The component doesn't support Automation. You tried to run a Visual Basic procedure that references an Automation object. Check the component's documentation for information on whether it supports Automation.
2775	You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure. Specify fewer arguments, or close unneeded programs, and then try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

<i>ErrorCode</i>	<i>ErrorString</i>
2777	<p>The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid. Try one of the following:</p> <ul style="list-style-type: none">• Make sure the file is installed on your computer and that you used the correct file name.• Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2778	<p>Microsoft Access tried to create an OLE link, but there was no source document for this object.</p>
2782	<p>You must specify a property or method for the object. You tried to run a Visual Basic procedure that references and sets a property or method for the object. Enter a property or method for the object.</p>
2783	<p>You entered an invalid setting for the Action property. Use one of the Microsoft Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help.</p>
2784	<p>The path you entered for the SourceDoc property setting for a linked OLE object is too long. Move the file to a location with a shorter path.</p>
2785	<p>The OLE server wasn't able to open the object.</p> <ul style="list-style-type: none">• The OLE server may not be installed.• You may have specified an invalid setting for the SourceDoc or SourceItem property in a property sheet, a macro, or a Visual Basic procedure. To see the valid settings for either of these properties, search the Help index for the property topic.
2786	<p>The OLE server doesn't support linking. You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link.</p>
2788	<p>The l object isn't a linked object. The property you tried to set in Visual Basic applies only to linked objects.</p>
2790	<p>You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked. Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object.</p>
2791	<p>Microsoft Access can't link the OLE object or the bound or unbound object frame. The OLETypeAllowed property for the bound or unbound object frame is set to Embedded. Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object.</p>

<i>ErrorCode</i>	<i>ErrorString</i>
2792	You can't save a locked OLE object.
2793	Microsoft Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run. The object frame may be locked or disabled. Set the Locked property to No and the Enabled property to Yes.
2794	The ActiveX control you tried to insert isn't registered. For information on registering an ActiveX control, click Help.
2797	This OLE object was created in an earlier version of OLE so it can't be displayed as an icon. For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.
2798	You can't use the Action property to delete a bound OLE object from its underlying table or query. You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete. Delete the object in a different way, such as with the DAO Delete method in Visual Basic.
2799	The OLE object can't be activated upon receiving the focus. If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation. Check the component's documentation for information on the properties and methods it makes available to Automation operations.
2800	The object is locked, so any changes you make will be discarded when the form is closed. Click Save As on the File menu and save the object under a different name.
2801	The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized.
2802	You can't insert an ActiveX control in a bound or unbound object frame. ActiveX controls are automatically contained in ActiveX control frames.
2803	You don't have the license required to use this ActiveX control. You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control. To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control.

<i>ErrorCode</i>	<i>ErrorString</i>
2804	You can't create an ActiveX control in an unbound object frame. ActiveX controls are automatically contained in ActiveX control frames.
2805	There was an error loading an ActiveX control on one of your forms or reports. Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help.
2806	Microsoft Access doesn't support this ActiveX control.
2807	You can't paste this object as the type you specified. Choose another object type.
2808	Microsoft Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc. Rerun the Microsoft Access Setup program.
2811	Microsoft Access is unable to create the data access page.
2812	The path specified was invalid, or may be too long. Please check the path and ensure it is correct.
2813	The file could not be opened. It may currently be in use.
2814	Unable to save the file.
2815	Unable to save the file to an alternate location.
2816	Unable to close the file.
2817	Microsoft Access is unable to save (or send) the data access page.
2818	Microsoft Access is unable to retrieve the file: . Either the file is not available, or you do not have enough disk space to copy the file.
2819	Microsoft Access is unable to open the data access page.
2820	Microsoft Access is unable to change the BASE HREF for your document.
2821	File in use
2822	Microsoft Access encountered an unexpected error while attempting to recover from a failed save (or send). Your data access page may not be in a usable state. Please attempt to save to a different location.
2823	The Microsoft Access data access page name ' ' is misspelled or refers to a Page that doesn't exist. If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.
2824	You do not have adequate file permissions.
2825	The file does not exist, or you do not have read access to the file.
2827	File read error.

<i>ErrorCode</i>	<i>ErrorString</i>
2828	File write error. The disk may be full.
2832	Check file permissions and delete them from their location in your computer's file system.
2833	An unexpected error has occurred.
2835	An attempt to create this file has failed. Please select another location and retry the operation.
2837	There was not enough memory. Please close other applications and try the operation again.
2838	Microsoft Access is unable to preview the selected theme.
2839	An attempt to create a temporary file has failed. Please confirm that you have adequate disk space on your system drive and try the operation again.
2840	Unable to read the list of supporting files from the data access page.
2842	Microsoft Access encountered an error after saving (or sending) your data access page.
2845	Microsoft Access is unable to open the data access page from the mail envelope.
2846	The save destination is full. Please clear space at the destination or save to another location.
2847	Unable to create a folder for the supporting files. You may not have adequate permissions at the save destination.
2848	The maximum path length was exceeded. Please specify a shorter filename, or use a folder that is closer to the root.
2849	There are too many supporting files in your document. Please remove a few supporting files from your document, and try again.
2850	You do not have write permission at the save destination.
2851	You are saving to a server that does not support long filenames and do not have permission to create a folder. You must have permission to create a folder at the save destination to complete this operation.
2854	Microsoft Access was unable to parse the document properties for this data access page. They may be corrupted.
2855	Microsoft Access could not delete one or more files related to the page.
2859	Access could not load the e-mail envelope. This could be caused by a network connection problem or a problem with your Office installation.

<i>ErrorCode</i>	<i>ErrorString</i>
2860	You cannot insert a bound field to a caption or record navigation section.
2861	Microsoft Access is unable to preview the selected web page.
2862	The file you attempted to load was not recognized as HTML. You may have selected the wrong file, or tried to open a database file off of a web server.
2863	Unable to create or load a file due to network or access permission problems.
2864	This file (or a supporting file) is already in use, or has the read-only attribute set.
2865	The disk is write-protected.
2866	Unexpected data corruption failure.
2867	Unexpected data I/O failure.
2868	You cannot save this data access page over itself because it is read-only. Please select a different file for the save.
2869	The file does not exist. You do not have adequate permission to modify the data access page link to point to a valid file. Please contact the database administrator.
2870	Microsoft Access encountered an error synchronizing the HTML from the Microsoft Script Editor. Please check the HTML for syntax errors and try again.
2871	Microsoft Access is unable to create a data access page using the codepage selected in Web Options. The codepage may not be installed on your system. Please install the codepage, or select a different one in Web Options.
2873	The filename specified is a long filename, but you have the 'use long filenames' web option turned off. Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.
2874	Cannot move or paste the grouping field 'l' into a section at a higher group level.
2875	Unable to complete the save. The drive or network connection you attempted to save to may no longer be available.
2876	The data definition of this data access page has been corrupted and can't be repaired. You must recreate the page. Save has been disabled.

<i>ErrorCode</i>	<i>ErrorString2877</i>
	In a Microsoft Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Access project (.adp), you can't group on a control bound to a field that has an Image or Text data type.
2878	You cannot add a bound field to a caption or record navigation section.
2879	Caption and record navigation sections cannot contain bound fields.
2880	Can't edit pages that contain framesets.
2881	This web page contains XML namespaces that may conflict with Access namespaces. You should edit the HTML source to ensure that all namespaces have a unique prefix.
2882	The folder that this Web page would use to organize supporting files is already reserved for use in the current location. Please choose a different name or location for this Web page.
2883	A supporting file path for this data access page has been altered outside of Access. Please save this page to a different location and ensure that all supporting files are maintained.
2884	Cannot find the database or some database objects that this page refers to. Update the connection information of the page, or fix the references to the missing database objects.
2885	This page uses a database which is not supported. You will not be able to make data changes until you connect to a supported database
2886	Components necessary for data access pages are not installed.
2887	The path specified is not a valid absolute (non-relative) path or URL. Please enter a valid path.
2888	Microsoft Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.
2889	This section cannot be deleted.
2890	You cannot edit this page because it contains frames. The data access page designer cannot edit pages with frames.
2892	You can't move the group filter control to another section. Delete the group filter control from the current section and create it in a different section.
2893	A link to this data access page could not be created because the database cannot be exclusively locked. To create the link later, open the page by selecting 'Edit web page that already exists', and then save.

<i>ErrorCode</i>	<i>ErrorString</i>
2894	The link to the data access page specified could not be updated because the database cannot be exclusively locked. To update the link, open this page again when you are the only person using the database.
2895	This page was designed with a later version of the Microsoft Office Web Components than those currently installed on your machine. If you have not been prompted to install those components on this page, please contact the page author for the installation location.
2896	The operation is only valid on a data access page opened in Design View. Please switch the page to Design View and try the operation again.
2897	You have opened a page that was last designed using Access 2000. The page must be saved using Office 2002 Office Web Components before you can edit this document. Would you like to convert this page?
2898	Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is: 'l'
2899	Microsoft Access could not create a backup copy of your original page. This page cannot be opened.
2900	Microsoft Access could not upgrade the Office Web Components on your page. This page cannot be opened.
2901	Error loading ActiveX control 'l1' on form or report 'l2'.
2902	Access is unable to save the l object because it does not support persistence, or your computer may have run out of disk space.
2903	Do you want to set this folder as the default location for data access pages?
2904	You must match each field on the left with a field on the right.
2905	You must choose a linking field for every parameter.
2906	'l' contains no fields that can participate in a relationship.
2907	Do you want to revert to the saved 'l'?
2908	The Control ID 'l' is already in use. Specify a different ID for the control.
2909	This relationship is not valid because the fields in the first table do not match the fields in the second table. To repair the relationship, select at least one field from each table.
2910	This connection file refers to a provider not supported by data access pages. Please select a different connection file.

<i>ErrorCode</i>	<i>ErrorString</i>
2911	You cannot change the data access page path while it is open. Please close the page and try again.
2912	If you create a data access page in this version of Microsoft Access, you can't open it in Design view in Access 2000. However, you can open the page in Page view in Access 2000, if you have installed the Microsoft Office 2002 Web Components.
2913	Cannot save to a URL address with a bookmark. Please specify a valid path.
2914	Microsoft Access could not link to a connection file. A connection string will be embedded in the page.
2915	Microsoft Access is unable to connect to the data source specified in the connection string of this page. The server may not exist on the network, or there may be an error in the connection string information for this page.
2916	You cannot edit HTML pages created using PowerPoint in Microsoft Access.
2917	Invalid HTML color value.
2918	Unable to open or read this connection file. Either the file has been damaged or the file format is not valid.
2919	You can't place this control in the section you specified.
2920	Microsoft Access is unable to load the database schema. Save has been disabled. Either repair or reinstall Microsoft Office 2002.
2921	Microsoft Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Access.
3000	Reserved error (!); there is no message for this error.
3001	Invalid argument.
3002	Could not start session.
3003	Could not start transaction; too many transactions already nested.
3004	••••••••
3005	'!' is not a valid database name.
3006	Database '!' is exclusively locked.
3007	Cannot open library database '!'.
3008	The table '!' is already opened exclusively by another user, or it is already open through the user interface and cannot be manipulated programmatically.

<i>ErrorCode</i>	<i>ErrorString</i>
3009	You tried to lock table 'l' while opening it, but the table cannot be locked because it is currently in use. Wait a moment, and then try the operation again.
3010	Table 'l' already exists.
3011	The Microsoft Jet database engine could not find the object 'l'. Make sure the object exists and that you spell its name and the path name correctly.
3012	Object 'l' already exists.
3013	Could not rename installable ISAM file.
3014	Cannot open any more tables.
3015	Index not found.
3016	Field will not fit in record.
3017	The size of a field is too long.
3018	Could not find field.
3019	Operation invalid without a current index.
3020	Update or CancelUpdate without AddNew or Edit.
3021	No current record.
3022	The changes you requested to the table were not successful because they would create duplicate values in the index, primary key, or relationship. Change the data in the field or fields that contain duplicate data, remove the index, or redefine the index to permit duplicate entries and try again.
3023	AddNew or Edit already used.
3024	Could not find file 'l'.
3025	Cannot open any more files.
3026	Not enough space on disk.
3027	Cannot update. Database or object is read-only.
3028	Cannot start your application. The workgroup information file is missing or opened exclusively by another user.
3029	Not a valid account name or password.
3030	'l' is not a valid account name.
3031	Not a valid password.
3032	Cannot perform this operation.
3033	You do not have the necessary permissions to use the 'l' object. Have your system administrator or the person who created this object establish the appropriate permissions for you.

<i>ErrorCode</i>	<i>ErrorString</i>
3034	You tried to commit or rollback a transaction without first beginning a transaction.
3035	System resource exceeded.
3036	Database has reached maximum size.
3037	Cannot open any more tables or queries.
3038	System resource exceeded.
3039	Could not create index; too many indexes already defined.
3040	Disk I/O error during read.
3041	Cannot open a database created with a previous version of your application.
3042	Out of MS-DOS file handles.
3043	Disk or network error.
3044	'!' is not a valid path. Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides.
3045	Could not use '!'; file already in use.
3046	Could not save; currently locked by another user.
3047	Record is too large.
3048	Cannot open any more databases.
3049	Cannot open database '!'. It may not be a database that your application recognizes, or the file may be corrupt.
3050	Could not lock file.
3051	The Microsoft Jet database engine cannot open the file '!'. It is already opened exclusively by another user, or you need permission to view its data.
3052	File sharing lock count exceeded. Increase MaxLocksPerFile registry entry.
3053	Too many client tasks.
3054	Too many Memo, OLE, or Hyperlink Object fields.
3055	Not a valid file name.
3056	Could not repair this database.
3057	Operation not supported on linked tables.
3058	Index or primary key cannot contain a Null value.
3059	Operation canceled by user.
3060	Wrong data type for parameter '!'.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
3061	Too few parameters. Expected 1.
3062	Duplicate output alias '1'.
3063	Duplicate output destination '1'.
3064	Cannot open action query '1'.
3065	Cannot execute a select query.
3066	Query must have at least one destination field.
3067	Query input must contain at least one table or query.
3068	Not a valid alias name.
3069	The action query '1' cannot be used as a row source.
3070	The Microsoft Jet database engine does not recognize '1' as a valid field name or expression.
3071	This expression is typed incorrectly, or it is too complex to be evaluated. For example, a numeric expression may contain too many complicated elements. Try simplifying the expression by assigning parts of the expression to variables.
3072	
3073	Operation must use an updateable query.
3074	Cannot repeat table name '1' in FROM clause.
3075	11 in query expression '12'.
3076	in criteria expression.
3077	in expression.
3078	The Microsoft Jet database engine cannot find the input table or query '1'. Make sure it exists and that its name is spelled correctly.
3079	The specified field '1' could refer to more than one table listed in the FROM clause of your SQL statement.
3080	Joined table '1' not listed in FROM clause.
3081	Cannot join more than one table with the same name (1).
3082	JOIN operation '1' refers to a field that is not in one of the joined tables.
3083	Cannot use internal report query.
3084	Cannot insert data with action query.
3085	Undefined function '1' in expression.
3086	Could not delete from specified tables.
3087	Too many expressions in GROUP BY clause.

<i>ErrorCode</i>	<i>ErrorString</i>
3088	Too many expressions in ORDER BY clause.
3089	Too many expressions in DISTINCT output.
3090	Resultant table not allowed to have more than one AutoNumber field.
3091	HAVING clause (l) without grouping or aggregation.
3092	Cannot use HAVING clause in TRANSFORM statement.
3093	ORDER BY clause (l) conflicts with DISTINCT.
3094	ORDER BY clause (l) conflicts with GROUP BY clause.
3095	Cannot have aggregate function in expression (l).
3096	Cannot have aggregate function in WHERE clause (l).
3097	Cannot have aggregate function in ORDER BY clause (l).
3098	Cannot have aggregate function in GROUP BY clause (l).
3099	Cannot have aggregate function in JOIN operation (l).
3100	Cannot set field 'l' in join key to Null.
3101	The Microsoft Jet database engine cannot find a record in the table 'l2' with key matching field(s) 'l1'.
3102	Circular reference caused by 'l'.
3103	Circular reference caused by alias 'l' in query definition's SELECT list.
3104	Cannot specify fixed column heading 'l' in a crosstab query more than once.
3105	Missing destination field name in SELECT INTO statement (l).
3106	Missing destination field name in UPDATE statement (l).
3107	Record(s) cannot be added; no insert permission on 'l'.
3108	Record(s) cannot be edited; no update permission on 'l'.
3109	Record(s) cannot be deleted; no delete permission on 'l'.
3110	Could not read definitions; no read definitions permission for table or query 'l'.
3111	Could not create; no modify design permission for table or query 'l'.
3112	Record(s) cannot be read; no read permission on 'l'.
3113	Cannot update 'l'; field not updateable.
3114	Cannot include Memo, OLE, or Hyperlink Object when you select unique values (l).
3115	Cannot have Memo, OLE, or Hyperlink Object fields in aggregate argument (l).

<i>ErrorCode</i>	<i>ErrorString</i>
3116	Cannot have Memo, OLE, or Hyperlink Object fields in criteria (I) for aggregate function.
3117	Cannot sort on Memo, OLE, or Hyperlink Object (I).
3118	Cannot join on Memo, OLE, or Hyperlink Object (I).
3119	Cannot group on Memo, OLE, or Hyperlink Object (I).
3120	Cannot group on fields selected with '*' (I).
3121	Cannot group on fields selected with '*'.
3122	You tried to execute a query that does not include the specified expression 'I' as part of an aggregate function.
3123	Cannot use '*' in crosstab query.
3124	Cannot input from internal report query (I).
3125	'I' is not a valid name. Make sure that it does not include invalid characters or punctuation and that it is not too long.
3126	Invalid bracketing of name 'I'.
3127	The INSERT INTO statement contains the following unknown field name: 'I'. Make sure you have typed the name correctly, and try the operation again.
3128	Specify the table containing the records you want to delete.
3129	Invalid SQL statement; expected 'DELETE', 'INSERT', 'PROCEDURE', 'SELECT', or 'UPDATE'.
3130	Syntax error in DELETE statement.
3131	Syntax error in FROM clause.
3132	Syntax error in GROUP BY clause.
3133	Syntax error in HAVING clause.
3134	Syntax error in INSERT INTO statement.
3135	Syntax error in JOIN operation.
3136	The LEVEL clause includes a reserved word or argument that is misspelled or missing, or the punctuation is incorrect.
3137	Missing semicolon (;) at end of SQL statement.
3138	Syntax error in ORDER BY clause.
3139	Syntax error in PARAMETER clause.
3140	Syntax error in PROCEDURE clause.
3141	The SELECT statement includes a reserved word or an argument name that is misspelled or missing, or the punctuation is incorrect.

<i>ErrorCode</i>	<i>ErrorString</i>
3142	Characters found after end of SQL statement.
3143	Syntax error in TRANSFORM statement.
3144	Syntax error in UPDATE statement.
3145	Syntax error in WHERE clause.
3146	ODBC—call failed.
3151	ODBC—connection to 'l' failed.
3154	ODBC—could not find DLL 'l'.
3155	ODBC—insert on a linked table 'l' failed.
3156	ODBC—delete on a linked table 'l' failed.
3157	ODBC—update on a linked table 'l' failed.
3158	Could not save record; currently locked by another user.
3159	Not a valid bookmark.
3160	Table is not open.
3161	Could not decrypt file.
3162	You tried to assign the Null value to a variable that is not a Variant data type.
3163	The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data.
3164	Field cannot be updated.
3165	Could not open .inf file.
3166	Cannot locate the requested Xbase memo file.
3167	Record is deleted.
3168	Invalid .inf file.
3169	The Microsoft Jet database engine could not execute the SQL statement because it contains a field that has an invalid data type.
3170	Could not find installable ISAM.
3171	Could not find network path or user name.
3172	Could not open Paradox.net.
3173	Could not open table 'MSysAccounts' in the workgroup information file.
3174	Could not open table 'MSysGroups' in the workgroup information file.
3175	Date is out of range or is in an invalid format.
3176	Could not open file 'l'.

<i>ErrorCode</i>	<i>ErrorString</i>
3177	Not a valid table name.
3179	Encountered unexpected end of file.
3180	Could not write to file 'l'.
3181	Invalid range.
3182	Invalid file format.
3183	Not enough space on temporary disk.
3184	Could not execute query; could not find linked table.
3185	SELECT INTO on a remote database tried to produce too many fields.
3186	Could not save; currently locked by user 'l2' on machine 'l1'.
3187	Could not read; currently locked by user 'l2' on machine 'l1'.
3188	Could not update; currently locked by another session on this machine.
3189	Table 'l1' is exclusively locked by user 'l3' on machine 'l2'.
3190	Too many fields defined.
3191	Cannot define field more than once.
3192	Could not find output table 'l'.
3193	(unknown)
3194	(unknown)
3195	(expression)
3196	The database 'l' is already in use by another person or process. When the database is available, try the operation again.
3197	The Microsoft Jet database engine stopped the process because you and another user are attempting to change the same data at the same time.
3198	Could not start session. Too many sessions already active.
3199	Could not find reference.
3200	The record cannot be deleted or changed because table 'l' includes related records.
3201	You cannot add or change a record because a related record is required in table 'l'.
3202	Could not save; currently locked by another user.
3203	Subqueries cannot be used in the expression (l).
3204	Database already exists.
3205	Too many crosstab column headers (l).

<i>ErrorCode</i>	<i>ErrorString</i>
3206	Cannot create a relationship between a field and itself.
3207	Operation not supported on a Paradox table with no primary key.
3208	Invalid Deleted setting in the Xbase key of the Windows Registry.
3209
3210	The connection string is too long.
3211	The database engine could not lock table 'l' because it is already in use by another person or process.
3212	Could not lock table 'l1'; currently in use by user 'l3' on machine 'l2'.
3213	Invalid Date setting in the Xbase key of the Windows Registry.
3214	Invalid Mark setting in the Xbase key of the Windows Registry.
3215	Too many Btrieve tasks.
3216	Parameter 'l' specified where a table name is required.
3217	Parameter 'l' specified where a database name is required.
3218	Could not update; currently locked.
3219	Invalid operation.
3220	Incorrect collating sequence.
3221	Invalid settings in the Btrieve key of the Windows Registry.
3222	Query cannot contain a Database parameter.
3223	'l' is invalid because it is too long, or contains invalid characters.
3224	Cannot read Btrieve data dictionary.
3225	Encountered a record locking deadlock while performing a Btrieve operation.
3226	Errors encountered while using the Btrieve DLL.
3227	Invalid Century setting in the Xbase key of the Windows Registry.
3228	Selected collating sequence not supported by the operating system.
3229	Btrieve—cannot change field.
3230	Out-of-date Paradox lock file.
3231	ODBC—field would be too long; data truncated.
3232	ODBC—could not create table.
3234	ODBC—remote query timeout expired.
3235	ODBC—data type not supported on server.
3238	ODBC—data out of range.
3239	Too many active users.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
3240	Btrieve—missing Btrieve engine.
3241	Btrieve—out of resources.
3242	Invalid reference in SELECT statement.
3243	None of the import field names match fields in the appended table.
3244	Cannot import password-protected spreadsheet.
3245	Could not parse field names from the first row of the import table.
3246	Operation not supported in transactions.
3247	ODBC—linked table definition has changed.
3248	Invalid NetworkAccess setting in the Windows Registry.
3249	Invalid PageTimeout setting in the Windows Registry.
3250	Could not build key.
3251	Operation is not supported for this type of object.
3252	Cannot open a form whose underlying query contains a user-defined function that attempts to set or get the form's RecordsetClone property.
3254	ODBC—Cannot lock all records.
3256	Index file not found.
3257	Syntax error in WITH OWNERACCESS OPTION declaration.
3258	The SQL statement could not be executed because it contains ambiguous outer joins. To force one of the joins to be performed first, create a separate query that performs the first join and then include that query in your SQL statement.
3259	Invalid field data type.
3260	Could not update; currently locked by user 'l2' on machine 'l1'.
3261	Table 'l' is exclusively locked by user 'l2' on machine 'l1'.
3262	Could not lock table
3263	Invalid Database object.
3264	No field defined—cannot append TableDef or Index.
3265	Item not found in this collection.
3266	Cannot append a Field that is already a part of a Fields collection.
3267	Property can be set only when the Field is part of a Recordset object's Fields collection.
3268	Cannot set this property once the object is part of a collection.
3269	Cannot append an Index that is already a part of an Indexes collection.

<i>ErrorCode</i>	<i>ErrorString</i>
3270	Property not found.
3271	Invalid property value.
3272	Object is not a collection.
3273	Method not applicable for this object.
3274	External table is not in the expected format.
3275	Unexpected error from external database driver (!).
3276	Invalid database object reference.
3277	Cannot have more than 10 fields in an index.
3278	The Microsoft Jet database engine has not been initialized.
3279	The Microsoft Jet database engine has already been initialized.
3280	Cannot delete a field that is part of an index or is needed by the system.
3281	Cannot delete this index or table. It is either the current index or is used in a relationship.
3282	Operation not supported on a table that contains data.
3283	Primary key already exists.
3284	Index already exists.
3285	Invalid index definition.
3286	Format of memo file does not match specified external database format.
3287	Cannot create index on the given field.
3288	Paradox index is not primary.
3289	Syntax error in CONSTRAINT clause.
3290	Syntax error in CREATE TABLE statement.
3291	Syntax error in CREATE INDEX statement.
3292	Syntax error in field definition.
3293	Syntax error in ALTER TABLE statement.
3294	Syntax error in DROP INDEX statement.
3295	Syntax error in DROP TABLE or DROP INDEX.
3296	Join expression not supported.
3297	Could not import table or query. No records found, or all records contain errors.
3298	There are several tables with that name. Please specify owner in the format 'owner.table'.

<i>ErrorCode</i>	<i>ErrorString</i>
3299	ODBC Specification Conformance Error (I). Report this error to the developer of your application.
3300	Cannot create a relationship.
3301	Cannot perform this operation; features in this version are not available in databases with older formats.
3302	Cannot change a rule while the rules for this table are in use.
3303	Cannot delete this field. It is part of one or more relationships.
3304	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.
3305	Invalid connection string in pass-through query.
3306	You have written a subquery that can return more than one field without using the EXISTS reserved word in the main query's FROM clause. Revise the SELECT statement of the subquery to request only one field.
3307	The number of columns in the two selected tables or queries of a union query do not match.
3308	Invalid TOP argument in select query.
3309	Property value is too large.
3310	This property is not supported for external data sources or for databases created with a previous version of Microsoft Jet.
3311	Property specified already exists.
3312	Validation rules and default values cannot be placed on system or linked tables.
3313	Cannot place this validation expression on this field.
3314	The field 'I' cannot contain a Null value because the Required property for this field is set to True. Enter a value in this field.
3315	Field 'I' cannot be a zero-length string.
3316	
3317	One or more values are prohibited by the validation rule 'I2' set for 'I1'. Enter a value that the expression for this field can accept.
3318	Values specified in a TOP clause are not allowed in delete queries or reports.
3319	Syntax error in union query.
3320	in table-level validation expression.
3321	No database specified in connection string or IN clause.

<i>ErrorCode</i>	<i>ErrorString</i>
3322	Crosstab query contains one or more invalid fixed column headings.
3323	The query cannot be used as a row source.
3324	The query is a DDL query and cannot be used as a row source.
3325	Pass-through query with ReturnsRecords property set to True did not return any records.
3326	This Recordset is not updateable.
3327	Field 'l' is based on an expression and cannot be edited.
3328	Table 'l2' is read-only.
3329	Record in table 'l' was deleted by another user.
3330	Record in table 'l' is locked by another user.
3331	To make changes to this field, first save the record.
3332	Cannot enter value into blank field on 'one' side of outer join.
3333	Records in table 'l' would have no record on the 'one' side.
3334	Can be present only in version 1.0 format.
3335	DeleteOnly called with non-zero cbData.
3336	Btrieve: Invalid IndexDDF option in initialization setting.
3337	Invalid DataCodePage option in initialization setting.
3338	Btrieve: Xtrieve options are not correct in initialization setting.
3339	Btrieve: Invalid IndexDeleteRenummer option in initialization setting.
3340	Query 'l' is corrupt.
3341	The current field must match the join key 'l' in the table that serves as the 'one' side of one-to-many relationship. Enter a record in the 'one' side table with the desired key value, and then make the entry with the desired join key in the 'many-only' table.
3342	Invalid Memo, OLE, or Hyperlink Object in subquery 'l'.
3343	Unrecognized database format 'l'.
3344	The database engine does not recognize either the field 'l1' in a validation expression, or the default value in the table 'l2'.
3345	Unknown or invalid field reference 'l'.
3346	Number of query values and destination fields are not the same.
3347	Cannot add record(s); primary key for table 'l' not in recordset.
3348	Cannot add record(s); join key of table 'l' not in recordset.
3349	Numeric field overflow.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
3350	Object is invalid for operation.
3351	The ORDER BY expression (l) includes fields that are not selected by the query. Only those fields requested in the first query can be included in an ORDER BY expression.
3352	No destination field name in INSERT INTO statement (l).
3353	Btrieve: Cannot find file Field.ddf.
3354	At most one record can be returned by this subquery.
3355	Syntax error in default value.
3356	You attempted to open a database that is already opened exclusively by user 'l2' on machine 'l1'. Try again when the database is available.
3357	This query is not a properly formed data-definition query.
3358	Cannot open the Microsoft Jet engine workgroup information file.
3359	Pass-through query must contain at least one character.
3360	Query is too complex.
3361	Unions not allowed in a subquery.
3362	Single-row update/delete affected more than one row of a linked table. Unique index contains duplicate values.
3363	Record(s) cannot be added; no corresponding record on the 'one' side.
3364	Cannot use Memo, OLE, or Hyperlink Object field 'l' in the SELECT clause of a union query.
3365	Property value not valid for REMOTE objects.
3366	Cannot append a relation with no fields defined.
3367	Cannot append. An object with that name already exists in the collection.
3368	Relationship must be on the same number of fields with the same data types.
3369
3370	Cannot modify the design of table 'l'. It is in a read-only database.
3371	Cannot find table or constraint.
3372	No such index 'l2' on table 'l1'.
3373	Cannot create relationship. Referenced table 'l' does not have a primary key.
3374	The specified fields are not uniquely indexed in table 'l'.
3375	Table 'l1' already has an index named 'l2'.

<i>ErrorCode</i>	<i>ErrorString</i>
3376	Table '1' does not exist.
3377	No such relationship '12' on table '11'.
3378	There is already a relationship named '1' in the current database.
3379	Cannot create relationships to enforce referential integrity. Existing data in table '12' violates referential integrity rules in table '11'.
3380	Field '12' already exists in table '11'.
3381	There is no field named '12' in table '11'.
3382	Size of field '1' is too long.
3383	Cannot delete field '1'. It is part of one or more relationships.
3384	Cannot delete a built-in property.
3385	User-defined properties do not support a Null value.
3386	Property '1' must be set before using this method.
3387	Cannot find TEMP directory.
3388	Unknown function '12' in validation expression or default value on '11'.
3389	Query support unavailable.
3390	Account name already exists.
3391	An error has occurred. Properties were not saved.
3392
3393	Cannot perform join, group, sort, or indexed restriction. A value being searched or sorted on is too long.
3394	Cannot save property; property is a schema property.
3395
3396	Cannot perform cascading operation. Since related records exist in table '1', referential integrity rules would be violated.
3397	Cannot perform cascading operation. There must be a related record in table '1'.
3398	Cannot perform cascading operation. It would result in a null key in table '1'.
3399	Cannot perform cascading operation. It would result in a duplicate key in table '1'.
3400	Cannot perform cascading operation. It would result in two updates to field '12' in table '11'.
3401	Cannot perform cascading operation. It would cause field '1' to become Null, which is not allowed.

<i>ErrorCode</i>	<i>ErrorString</i>
3402	Cannot perform cascading operation. It would cause field '1' to become a zero-length string, which is not allowed.
3403	Cannot perform cascading operation: '1'.
3404	Cannot perform cascading operation. The value entered is prohibited by the validation rule '12' set for '11'.
3405	Error '1' in validation rule.
3406	The expression you are trying to use for the DefaultValue property is invalid because '1'. Use a valid expression to set this property.
3407	The server's MSysConf table exists, but is in an incorrect format. Contact your system administrator.
3408	Too many FastFind Sessions were invoked.
3409	Invalid field definition '1' in definition of index or relationship.
3411	Invalid entry. Cannot perform cascading operation in table '11' because the value entered is too large for field '12'.
3412	Cannot perform cascading update on the table because it is currently in use by another user.
3413	Cannot perform cascading operation on table '11' because it is currently in use by user '13' on machine '12'.
3414	Cannot perform cascading operation on table '11' because it is currently in use.
3415	Zero-length string is valid only in a Text or Memo field.
3416	
3417	An action query cannot be used as a row source.
3418	Cannot open '1'. Another user has the table open using a different network control file or locking style.
3419	Cannot open this Paradox 4.x or 5.x table because ParadoxNetStyle is set to 3.x in the Windows Registry.
3420	Object invalid or no longer set.
3421	Data type conversion error.
3422	Cannot modify table structure. Another user has the table open.
3423	You cannot use ODBC to import from, export to, or link an external Microsoft Jet or ISAM database table to your database.
3424	Cannot create database because the locale is invalid.
3425	This method or property is not currently available on this Recordset.

<i>ErrorCode</i>	<i>ErrorString</i>
3426	This action was cancelled by an associated object.
3427	Error in DAO automation.
3428	A problem occurred in your database. Correct the problem by repairing and compacting the database.
3429	Incompatible version of an installable ISAM.
3430	While loading the Microsoft Excel installable ISAM, OLE was unable to initialize.
3431	This is not a Microsoft Excel 5.0 file.
3432	Error opening a Microsoft Excel 5.0 file.
3433	Invalid setting in Excel key of the Engines section of the Windows Registry.
3434	Cannot expand named range.
3435	Cannot delete spreadsheet cells.
3436	Failure creating file.
3437	Spreadsheet is full.
3438	The data being exported does not match the format described in the Schema.ini file.
3439	You attempted to link or import a Microsoft Word mail merge file. Although you can export such files, you cannot link or import them.
3440	An attempt was made to import or link an empty text file. To import or link a text file, the file must contain data.
3441	Text file specification field separator matches decimal separator or text delimiter.
3442	In the text file specification 'l1', the l2 option is invalid.
3443	The fixed width specification 'l1' contains no column widths.
3444	In the fixed width specification 'l1', column 'l2' does not specify a width.
3445	Incorrect version of the DLL file 'l' was found.
3446	Jet VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) is missing. Try reinstalling the application that returned the error.
3447	The Jet VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) failed to initialize when called. Try reinstalling the application that returned the error.

<i>ErrorCode</i>	<i>ErrorString</i>
3448	A call to an OLE system function was not successful. Try reinstalling the application that returned the error.
3449	No country code found in connection string for a linked table.
3450	Syntax error in query. Incomplete query clause.
3451	Illegal reference in query.
3452	You cannot make changes to the design of the database at this replica.
3453	You cannot establish or maintain an enforced relationship between a replicated table and a local table.
3455	Cannot make the database replicable.
3456	Cannot make the l2 object in l1 container replicable.
3457	You cannot set the KeepLocal property for an object that is already replicated.
3458	The KeepLocal property cannot be set on a database; it can be set only on the objects in a database.
3459	After a database has been replicated, you cannot remove the replication features from the database.
3460	The operation you attempted conflicts with an existing operation involving this member of the replica set.
3461	The replication property you are attempting to set or delete is read-only and cannot be changed.
3462	Failure to load a DLL.
3463	Cannot find the .dll 'l2'.
3464	Data type mismatch in criteria expression.
3465	The disk drive you are attempting to access is unreadable.
3468	Access was denied while accessing dropbox folder 'l2'.
3469	The disk for dropbox folder 'l2' is full.
3470	Disk failure accessing dropbox folder 'l2'.
3471	Failure to write to the Synchronizer log file.
3472	Disk full for path 'l1'.
3473	Disk failure while accessing log file 'l1'.
3474	Cannot open the log file 'l1' for writing.
3475	Sharing violation while attempting to open log file 'l1' in Deny Write mode.
3476	Invalid dropbox path 'l2'.

<i>ErrorCode</i>	<i>ErrorString</i>
3477	Dropbox address 'l2' is syntactically invalid.
3478	The replica is not a partial replica.
3479	Cannot designate a partial replica as the Design Master for the replica set.
3480	The relationship 'l' in the partial filter expression is invalid.
3481	The table name 'l' in the partial filter expression is invalid.
3482	The filter expression for the partial replica is invalid.
3483	The password supplied for the dropbox folder 'l2' is invalid.
3484	The password used by the Synchronizer to write to a destination dropbox folder is invalid.
3485	The object cannot be replicated because the database is not replicated.
3486	You cannot add a second Replication ID AutoNumber field to a table.
3487	The database you are attempting to replicate cannot be converted.
3488	The value specified is not a ReplicaID for any member in the replica set.
3489	The object specified cannot be replicated because it is missing a necessary resource.
3490	Cannot create a new replica because the 'l2' object in 'l1' container could not be replicated.
3491	The database must be opened in exclusive mode before it can be replicated.
3492	The synchronization failed because a design change could not be applied to one of the replicas.
3493	Cannot set the specified Registry parameter for the Synchronizer.
3494	Unable to retrieve the specified Registry parameter for the Synchronizer.
3495	There are no scheduled synchronization's between the two Synchronizers.
3496	Replication Manager cannot find the ExchangeID in the MSysExchangeLog table.
3497	Unable to set a schedule for the Synchronizer.
3499	Cannot retrieve the full path information for a member of the replica set.
3500	You cannot specify two different Synchronizers to manage the same replica.

<i>ErrorCode</i>	<i>ErrorString</i>
3502	The Design Master or replica is not being managed by a Synchronizer.
3503	The Synchronizer's Registry has no value set for the key you queried.
3504	The Synchronizer ID does not match an existing ID in the MSysTranspAddress table.
3505	You attempted to delete or get information about a partial filter that does not exist in MSysFilters.
3506	The Synchronizer is unable to open the Synchronizer log.
3507	Failure writing to the Synchronizer log.
3508	There is no active transport for the Synchronizer.
3509	Could not find a valid transport for this Synchronizer.
3510	The member of the replica set you are attempting to synchronize is currently being used in another synchronization.
3512	Failed to read the dropbox folder.
3513	Failed to write to the dropbox folder.
3514	Synchronizer could not find any scheduled or on-demand synchronization's to process.
3515	The Microsoft Jet database engine could not read the system clock on your computer.
3516	Destination synchronizer is not configured to support indirect synchronization, and the destination replica is unavailable for direct synchronization.
3517	Synchronizer could not find any messages to process.
3518	Could not find Synchronizer in the MSysTranspAddress table.
3519	Failed to send a message.
3520	The replica name or ID does not match a currently managed member of the replica set.
3521	Two members of the replica set cannot be synchronized because there is no common point to start the synchronization.
3522	Synchronizer cannot find the record of a specific synchronization in the MSysExchangeLog table.
3523	Synchronizer cannot find a specific version number in the MSysSchChange table.
3524	The history of design changes in the replica does not match the history in the Design Master.
3525	Synchronizer could not access the message database.

<i>ErrorCode</i>	<i>ErrorString</i>
3526	The name selected for the system object is already in use.
3527	The Synchronizer or Replication Manager could not find the system object.
3528	There is no new data in shared memory for the Synchronizer or Replication Manager to read.
3529	The Synchronizer or Replication Manager found unread data in the shared memory. The existing data will be overwritten.
3530	The Synchronizer is already serving a client.
3531	The wait period for an event has timed out.
3532	Synchronizer could not be initialized.
3533	The system object used by a process still exists after the process has stopped.
3534	Synchronizer looked for a system event but did not find one to report to the client.
3535	Client has asked the Synchronizer to terminate operation.
3536	Synchronizer received an invalid message for a member of the replica set that it manages.
3537	The Synchronizer's client is no longer present and cannot be notified.
3538	Cannot initialize Synchronizer because there are too many applications running.
3539	A system error has occurred or your swap file has reached its limit.
3540	Your swap file has reached its limit or is corrupted.
3541	Synchronizer could not be shut down properly and is still active.
3542	Process stopped when attempting to terminate Synchronizer client.
3543	Synchronizer has not been set up.
3544	Synchronizer is already running.
3545	The two replicas you are attempting to synchronize are from different replica sets.
3546	The type of synchronization you are attempting is not valid.
3547	Synchronizer could not find a replica from the correct set to complete the synchronization.
3548	GUIDs do not match or the requested GUID could not be found.
3549	The file name you provided is too long.
3550	There is no index on the GUID column.

<i>ErrorCode</i>	<i>ErrorString</i>
3551	Unable to delete the specified Registry parameter for the Synchronizer.
3552	The size of the Registry parameter exceeds the maximum allowed.
3553	The GUID could not be created.
3555	All valid nicknames for replicas are already in use.
3556	Invalid path for destination dropbox folder.
3557	Invalid address for destination dropbox folder.
3558	Disk I/O error at destination dropbox folder.
3559	Failure to write because destination disk is full.
3560	The two members of the replica set you are attempting to synchronize have the same ReplicaID.
3561	The two members of the replica set you are attempting to synchronize are both Design Masters.
3562	Access denied at destination dropbox folder.
3563	Fatal error accessing a local dropbox folder.
3564	Synchronizer cannot find the source file for messages.
3565	There is a sharing violation in the source dropbox folder because the message database is open in another application.
3566	Network I/O error.
3567	Message in dropbox folder belongs to the wrong Synchronizer.
3568	Synchronizer could not delete a file.
3569	This member of the replica set has been logically removed from the set and is no longer available.
3570	The filters defining a partial replica have been changed. The partial replica must be repopulated.
3571	The attempt to set a column in a partial replica violated a rule governing partial replicas.
3572	A disk I/O error occurred while reading or writing to the TEMP directory.
3573	The directory you queried for a list of replicas is not a managed directory.
3574	The ReplicaID for this member of the replica set was reassigned during a move or copy procedure.
3575	The disk drive you are attempting to write to is full.
3576	The database you are attempting to open is already in use by another application.

<i>ErrorCode</i>	<i>ErrorString</i>
3577	Cannot update replication system column.
3578	Failure to replicate database; cannot determine whether the database is open in exclusive mode.
3579	Could not create replication system tables needed to make the database replicable.
3580	Could not add rows needed to make the database replicable.
3581	Cannot open replication system table 'l' because the table is already in use.
3582	Cannot make a new replica because the l2 object in l1 container could not be made replicable.
3583	Cannot make the l2 object in l1 container replicable.
3584	Insufficient memory to complete operation.
3585	Cannot replicate the table; the number of columns exceeds the maximum allowed.
3586	Syntax error in partial filter expression on table l1.
3587	Invalid expression in the ReplicaFilter property.
3588	Error when evaluating the partial filter expression.
3589	The partial filter expression contains an unknown function.
3590	Violates the rules for partial replicas.
3591	Log file path 'l1' is invalid.
3592	You cannot replicate a password-protected database or set password protection on a replicated database.
3593	You cannot change the data master attribute for the replica set.
3594	You cannot change the data master attribute for the replica set. It allows data changes only at the Design Master.
3595	The system tables in your replica are no longer reliable and the replica should not be used.
3600	Aggregation expressions cannot use GUIDs.
3605	Synchronizing with a non-replicated database is not allowed. The 'l' database is not a Design Master or replica.
3607	The replication property you are attempting to delete is read-only and cannot be removed.
3608	Record length is too long for an indexed Paradox table.
3609	No unique index found for the referenced field of the primary table.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
3610	Same table 'l' referenced as both the source and destination in make-table query.
3611	Cannot execute data definition statements on linked data sources.
3612	Multi-level GROUP BY clause is not allowed in a subquery.
3613	Cannot create a relationship on linked ODBC tables.
3614	GUID not allowed in Find method criteria expression.
3615	Type mismatch in expression.
3616	Updating data in a linked table is not supported by this ISAM.
3617	Deleting data in a linked table is not supported by this ISAM.
3618	Exceptions table could not be created on import/export.
3619	Records could not be added to exceptions table.
3620	The connection for viewing your linked Microsoft Excel worksheet was lost.
3621	Cannot change password on a shared open database.
3622	You must use the dbSeeChanges option with OpenRecordset when accessing a SQL Server table that has an IDENTITY column.
3623	Cannot access the FoxPro 3.0 bound DBF file 'l'.
3624	Could not read the record; currently locked by another user.
3625	The text file specification 'l' does not exist. You cannot import, export, or link using the specification.
3626	The operation failed. There are too many indexes on table 'l'. Delete some of the indexes on the table and try the operation again.
3627	Cannot find the executable file for the Synchronizer (mstran40.exe).
3628	Partner replica is not managed by a Synchronizer.
3629	Synchronizer 'l1' is also using the same File System dropbox 'l2'.
3630	Synchronizer 'l1' is also using the same File System dropbox 'l2'.
3631	Invalid Table Name In Filter
3632	Internet Transport not enabled on the remote Synchronizer.
3633	Cannot load DLL: 'l'
3634	Cannot create a replica using a partial replica.
3635	Cannot create partial replica of a system database.
3636	Cannot populate the replica or change the replica's filter because the replica has conflicts or data errors.

<i>ErrorCode</i>	<i>ErrorString</i>
3637	Cannot use the crosstab of a non-fixed column as a subquery.
3638	A Source Controlled database cannot be made replicable.
3639	Cannot create a replica of a System database.
3640	The fetch buffer was too small for the amount of data you requested.
3641	There are fewer records remaining in the recordset than you requested.
3642	A cancel was performed on the operation.
3643	One of the records in the recordset was deleted by another process.
3645	One of the binding parameters is incorrect.
3646	The specified row length is shorter than the sum of the column lengths.
3647	A column requested is not being returned to the recordset.
3648	Cannot synchronize a partial replica with another partial replica.
3649	The language-specific code page was not specified or could not be found.
3650	Either the Internet is very slow or there is some problem in the replication manager setup on the internet server machine.
3651	Invalid internet address.
3652	Internet login failure.
3653	Internet not set up.
3654	Internal internet failure.
3655	The wininet.dll cannot be loaded or initialized.
3656	Error in evaluating a partial expression
3657	Error in evaluating the boolean filter expression for table 'I'.
3658	Binary column 'I' cannot be used in a boolean filter.
3659	Relationship 'I' is unenforced. Relationship in a partial filter expression must be enforced.
3660	Requested exchange failed because 'I'.
3661	Requested exchange failed because 'I'
3663	This operation requires a different cursor library.
3664	An asynchronous OpenConnection call is not yet complete; you cannot yet reference the returned connection object until it is complete.
3665	You cannot modify the replication system object 'I'.
3666	You cannot modify the replication system object 'I'.
3667	A different operation is preventing this operation from being executed.

<i>ErrorCode</i>	<i>ErrorString</i>
3668	Cannot perform this operation because there is no active connection.
3669	Execution cancelled.
3670	Cursor is not valid.
3671	Cannot find table to update.
3672	Failed to load RDOCURS.DLL.
3673	This table contains cells that are outside the range of cells defined in this spreadsheet.
3674	Internet dll (wininet.dll) could not be found or loaded.
3675	Failure to read from an internet handle. Try the operation again.
3676	Failure to write to an internet handle. Try the operation again.
3677	Failure to execute the HTTP request to start internet synchronizer on the internet server. Use Replication Manager to configure internet synchronizer on the internet server.
3678	Failure to connect to the FTP service on the internet server. Make sure that FTP service is running properly on the server and supports anonymous connections.
3679	Failure to do open file using FTP service. Make sure that FTP dropbox has read permissions.
3680	Failure in getting a file from the server using FTP. Make sure that FTP dropbox has read permissions.
3681	Failure in putting a file to the server using FTP. Make sure that FTP dropbox has write permissions.
3682	Failure to delete a file on the server using FTP. Make sure that FTP dropbox has read and write permissions.
3683	Internet synchronizer exited unexpectedly on the server. Look at the partner replica exchange history on the internet server to figure out the problem.
3684	There is no suitable replica with which to exchange.
3685	Invalid HTTP address.
3686	Invalid replica path or name.
3687	Invalid SQL syntax—expected token: Option.
3688	Invalid SQL syntax—expected token: For.
3689	Invalid SQL syntax—expected token: Privileges.
3690	Invalid SQL syntax—expected a table right/privilege.

<i>ErrorCode</i>	<i>ErrorString</i>
3691	Invalid SQL syntax—expected an object name.
3692	Invalid SQL syntax—related tokens did not match. Jet expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM.
3693	Invalid SQL syntax—expected user or group name.
3694	Invalid SQL syntax—expected token: Grant.
3695	Invalid SQL syntax—GRANT/REVOKE syntax error.
3696	Invalid SQL syntax—expected token: User (or) Group.
3697	Invalid SQL syntax—expected token: Password.
3698	Invalid SQL syntax—expected password.
3699	Invalid SQL syntax—expected token: User.
3700	Invalid precision for decimal data type.
3701	Invalid scale for decimal data type.
3702	The width of a Unicode text column must be an even number of bytes.
3703	Operation not supported on replicable databases that have not been converted to the current version.
3704	You attempted to open a database that is already opened by user 'l2' on machine 'l1'. Try again when the database is available.
3705	Cannot make the l2 table replicable—too many columns.
3706	Cannot make the l2 table replicable—too many indexes.
3707	The cascading options for the new reference conflict with existing reference 'l'.
3708	Syntax error in Transaction statement. Expected TRANSACTION, WORK, or nothing.
3709	The search key was not found in any record.
3710	MAPI folder or address book not found.
3711	Recovered replicable data. This row was recovered from a corrupted replicable database. Verify that the record contents are correct and then reinsert the record, or delete this conflict record.
3712	Other. This record was rejected due to an undefined replication conflict problem.
3713	Update/update conflict. Another replica also updated this record. This record lost the conflict. Either resubmit your update or delete this conflict record.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
3714	Locked table. This record could not be applied during synchronization since the table was locked by another user. Resubmit this conflict record.
3715	Unique key violation. This record has the same key value as another record, whereas only unique values are permitted. Either change the key value in this conflict record or the winning record and then resubmit this record, or delete this conflict record.
3716	TLV violation. This record contains a field value that does not meet the table level validation constraint. Either update the field value that is violating the validation rule and then resubmit this conflict record, or delete this conflict record.
3717	Delete/RI conflict. The primary key record has been deleted by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint and then resubmit your update, or delete this conflict record.
3718	Update/RI conflict. The primary key record has been updated by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit your update, or delete this conflict record.
3719	Foreign key violation resulting from an invalid primary key record that was involved in a replication conflict. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit this conflict record, or delete this conflict record.
3720	Cannot change field 'l'. It is part of one or more relationships.
3721	Invalid SQL syntax—expected constraint name.
3722	Invalid SQL syntax—expected token: DEFAULT.
3723	Invalid SQL syntax—expected token: COMPRESSION to follow WITH.
3724	Invalid SQL syntax—expected token: UPDATE or DELETE.
3725	Invalid SQL syntax—expected token: CASCADE, SET NULL, or NO ACTION.
3726	Invalid SQL syntax—expected token: NULL.

<i>ErrorCode</i>	<i>ErrorString</i>
3727	Invalid SQL syntax—only one update rule and/or one delete rule allowed.
3728	Invalid SQL syntax—expected token: AS.
3729	Invalid SQL syntax—expected token: SELECT.
3730	VIEW cannot contain a parameter.
3731	The number of aliases specified shall be the same as the number of output columns.
3732	Expected query name after EXECUTE.
3733	The database has been placed in a state by an unknown user that prevents it from being opened or locked.
3734	The database has been placed in a state by user 'l2' on machine 'l1' that prevents it from being opened or locked.
3735	Too many columns in inverted index.
3736	Update/delete conflict. This updated record was deleted at another replica. Either reinsert this conflict record or delete it.
3737	Cannot create this type of replica from the given source replica.
3738	Local or Anonymous replicas must synch only to their designated hub replica.
3739	The proxy replica has been removed.
3740	Cannot add a new column to conflict table 'l'. Delete obsolete columns and compact the database.
3741	Invalid partner synchronizer. Local or anonymous replica must synchronize with designated hub replica.
3742	An internet function timed out.
3743	Replica has not been synchronized within the replica set retention period.
3744	Counter columns in replicable tables cannot be modified.
3745	The combined length of Internet Server Name, HTTP Share name, and FTP alias name should not be greater than 252 characters.
3746	Syntax error in parameters clause. Make sure the parameter exists and that you typed its value correctly.
3747	Parameter has no default value.
3748	Parameter l has no default value.
3749	The object is not a stored procedure.

<i>ErrorCode</i>	<i>ErrorString</i>
3750	Object l is not a stored procedure.
3751	Requested row locking, but DB is in page lock mode.
3752	Requested page locking, but DB is in row lock mode.
3753	Cannot create replica of a Jet SQL replica.
3754	Cannot delete from a Prevent Deletes Replica.
3755	CHECK constraint 'l' does not exist.
3756	CHECK constraint 'l' already exists.
3757	The Jet sorting DLLs could not be loaded properly.
3758	Scaling of decimal value resulted in data truncation.
3759	Scaling of decimal value resulted in data truncation.
3760	Scaling of decimal value resulted in data overflow.
3761	The decimal field's precision is too small to accept the numeric you attempted to add.
3762	Invalid SQL syntax - expected token: ACTION.
3763	Concurrent schema changes caused the create replica operation to fail. Try again.
3764	Failed to re-create one or more indexes.
3765	Syntax error in CHECK constraint clause.
3766	Only simple SELECT queries are allowed in VIEWS.
3767	Table 'l' could not be made replicable because it could not be opened exclusively.
3768	FastFind cannot search on non-column references.
3769	Conflict tables cannot be renamed.
3770	Counter definition not in valid range.
3771	Local or Anonymous replicas cannot be made the design master.
3772	Without Administer permission, replica priority must be in the range 0-l.
3773	Cannot delete one or more objects: l.
3774	Pin value is not valid.
3775	Unable to load Jet SQL Server Reconciler—MSRPJT40.dll.
3776	Unable to exchange between two Jet SQL Server Replicas.
3777	Illegal Operation performed on a Jet SQL Server Replica.
3778	The Jet database is wrong or missing for this SQL/Jet replica set.

<i>ErrorCode</i>	<i>ErrorString</i>
3779	Unable to change Column Level Tracking Property on objects that are already Replicable.
3780	Invalid SQL syntax—expected a view name.
3781	Invalid SQL syntax—expected a procedure name.
3782	Invalid SQL syntax—currently only one column-level CHECK constraint is allowed.
3783	Invalid SQL syntax—cannot use multiple columns in a column-level CHECK constraint.
3784	Database is already replicable.
3785	Invalid SQL syntax—expected token: Database.
3786	Invalid SQL syntax—expected a database privilege, such as CREATE, EDB or CONNECT.
3787	This operation is not allowed in subqueries.
3788	Cannot create an index on this MAPI folder/addressbook.
3789	Illegal column-level constraint.
3790	This object requires a newer version of the Microsoft Jet database engine.
3791	This index requires Microsoft Jet database engine l.
3792	The index 'l2' requires Microsoft Jet database engine ll.
3793	The column 'l2' requires Microsoft Jet database engine ll.
3794	This table requires Microsoft Jet database engine l.
3795	The table 'l2' requires Microsoft Jet database engine ll.
3796	The version of MSRECR40.DLL that was loaded was too old. Run setup again to get the correct version of this file.
3797	The SQL/Jet exchange failed, look in the SQLServer Agent history for details.
3798	CHECK constraints are not allowed on replicable databases.
3799	Could not find field 'l'.
3800	'l' is not an index in this table.
3801	The object (l) cannot be used in a CHECK constraint clause.
3802	Error evaluating l CHECK constraint. l
3803	DDL cannot be completed on this table because it is referenced by constraint l on table l.

<i>ErrorCode</i>	<i>ErrorString</i>
3804	There are no MAPI clients installed on this machine. Install a MAPI client (like Outlook) on this machine.
3805	CHECK constraints on table l will not be transferred to this table. CHECK constraints can only be created via SQL DDL statements.
3806	Cannot set multiple NULL, NOT NULL attributes.
3807	Query l contains an ambiguous column name that is conflicting with the correlation (alias) name l. Either fully qualify the column name or change the correlation (alias) name.
6000	Errors were encountered during the save operation.
6001	A form or report cannot be the subdatasheet of a table or query. Only a table or query can be inserted into another table or query.
6002	Microsoft Access cannot expand this subdatasheet because all of the records are locked. The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records. Reset the value to No Locks or Edited Record as appropriate.
6003	The setting for the Precision property must be from 1 through 28.
6004	The setting for the Scale property must be from 0 through 28.
6005	The table or query name 'l' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist. If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name.
6006	Filter by selection of a partial value is only supported for fields containing character data.
6007	Cannot open a form bound to a stored procedure in server filter by form mode.
6008	Microsoft Access encountered an error closing your connection. Please close all of your application windows before trying again.
6009	Invalid connection string. You may need to specify a valid connection string and try it again.
6010	Invalid use of Move method. The Move method is not applicable to subforms or subreports.
6011	Do you want to save the data changes on form 'l'?
6012	Microsoft Access can't set this property to No right now. You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time. Set one of the other properties to Yes before changing this one to No.

<i>ErrorCode</i>	<i>ErrorString</i>
6013	Unable to remove item. 'l' not found in list.
6014	The RowSourceType property must be set to 'Value List' to use this method.
6015	Can't add this item. The index is too large.
6016	Microsoft Access is unable to switch to PivotTable or PivotChart view right now. You must set the Record Source property of the form before attempting to PivotTable or PivotChart view.
6017	Microsoft Access doesn't support the requested property for this type of database object. The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database.
6018	The form or report template is open in Design view. Before creating a new form or report, close the corresponding template.
6019	You must save new or dirty objects in the database before you can save them to this external format.
6020	This format does not support objects named 'Schema'. Rename the object and try again.
6021	You cannot create a form with AutoForm or a report with AutoReport by using a scalar function; you can use a table, view, stored procedure, inline function, or table function.
6022	This option cannot be changed in an Access Project file.
6023	The Maximum Record Count setting cannot be a negative number.
6024	The Maximum Record Count setting cannot contain text—please enter a number.
6025	The Requery action cannot be used on a control bound to a Recordset.
6026	The RowSourceType property must be set to 'Table/Query' to use this method.
6027	You can't save or undo the record at this time. The form's BatchUpdates property is set to Yes, but the form is not bound to a record source. Either set the form's BatchUpdates property to No, or bind the form to a record source by setting a value in the RecordSource property.
6028	The OLE object failed to persist itself. You will not be able to undo this operation.
7700	Microsoft Access is unable to complete the operation. Try the operation again. If the error persists, restart Microsoft Access.

<i>ErrorCode</i>	<i>ErrorString</i>
7701	Microsoft Access can't synchronize with Synchronizer 'l1.' A possible reason for the failure to synchronize with 'l1' is that both the Synchronizer and Microsoft Access were trying to write to the current database at the same time. Try synchronizing with 'l1' again. Do you want to continue synchronizing with the remaining Synchronizers?
7702	The user-supplied function named 'l', the program to assist you in resolving conflicts, could not be found. Contact the author of this customized database application.
7703	There are no synchronization conflicts to resolve.
7704	You can't modify the design of 'l' at a replica. Design changes to replicated objects can be made only at the Design Master. Do you want to open it as read-only?
7705	This member of the replica set has conflicts from synchronizing changes with other members. Do you want to resolve these conflicts now?
7706	This member of the replica set has errors from synchronizing changes with another member. Do you want to see the errors now?
7707	This member of the replica set has both errors and conflicts from synchronizing changes with another member. Do you want to see the errors and resolve the conflicts now?
7708	'l1' was the last designated Design Master for the replica set. Has 'l2' been moved, renamed, deleted, or corrupted? You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly. Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted.
7709	To make this replica the Design Master for the replica set, point to Replication on the Tools menu, click Synchronize Now, enter the path to 'l' (the current Design Master), and select the Make...The Design Master check box.
7710	To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set. This ensures that this replica includes all design changes made at the previous Design Master. If you have already synchronized this replica, do you want to make it the Design Master?
7711	This member of the replica set is now the Design Master. Microsoft Access will now close and reopen the database in order for the changes to take effect.

<i>ErrorCode</i>	<i>ErrorString</i>
7712	This member of the replica set has exceeded the maximum number of days allowed between synchronizations and can't be synchronized with any other member of the replica set. Delete this replica set member and create a new replica.
7713	This member of the replica set will expire in 1 days because it hasn't been synchronized with another member of the replica set. If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set. Synchronize with another member as soon as possible. To synchronize, point to Replication on the Tools menu, and click Synchronize Now.
7714	Microsoft Access cannot close the database at this time. Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication.
7715	Microsoft Access cannot complete this operation because it can't find or initialize the dynamic-link library Msrclr40. Rerun Microsoft Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
7716	The database must be closed prior to synchronization. Do you want Microsoft Access to close the database and synchronize with 'l'?
7717	All open objects must be closed before synchronizing. Do you want Microsoft Access to close the objects?
7718	Microsoft Access can't synchronize this member of the replica set because one or more objects are open. Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize. Close all objects and try again.
7719	You can't save design changes to 'l' at a replica. Design changes to replicated objects can be made only at the Design Master.
7720	You can't save design changes to 'll' at a replica. Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object?
7721	You can't delete or rename 'l' at a replica. These operations can't be performed on a replica; they can be performed only at the Design Master.

<i>ErrorCode</i>	<i>ErrorString</i>
7722	All open objects must be closed before creating a replica. Do you want Microsoft Access to close the objects?
7723	Microsoft Access couldn't close one or more objects. Close all objects manually and try again.
7724	Microsoft Access has converted 'l1' to the Design Master for the replica set. Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.
7725	Microsoft Access has converted 'l1' to the Design Master for the replica set and has created a replica at 'l2'. Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica.
7726	Microsoft Access has created a replica at 'l2'.
7727	Microsoft Access can't create a replica because this database is already open in exclusive mode. Do you want Microsoft Access to close the database?
7728	Microsoft Access can't overwrite 'l': the replica can't be created at this location. The file you are trying to overwrite may be open. Close any other applications that might be using this file.
7729	Microsoft Access can't make a new replica at 'l' because the source has the same path and file name. Choose a different path or file name for the new replica.
7730	The synchronization was completed successfully.
7731	Microsoft Access can't synchronize this member of the replica set because it is open in exclusive mode. To open the database in shared mode, close the database, click Open Database on the File menu, and clear the Exclusive check box. Then select the database.
7732	'l' is saved as a local table. Changes made to it won't be sent to the replicas in the set. To make this table available to other members of the replica set, close the table, select it in the Database window, click Properties on the View menu, and then select the Replicated check box.
7733	The synchronization request has been received, and the Synchronizer will complete the process as resources become available. Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur.
7734	Microsoft Access has saved the design of table 'l,' but it will not be made replicable until the Table window is closed.

<i>ErrorCode</i>	<i>ErrorString</i>
7735	Changes to this object can be made only at the Design Master. Any changes you make will be discarded when the form is closed. To save your changes, click Save As on the File menu and save the object under a different name.
7736	Microsoft Access has deleted '1' and removed it from the replica set. This change isn't reflected until the database is closed and reopened. Do you want Microsoft Access to close and reopen the database now?
7737	Microsoft Access has converted '11' to the Design Master for the replica set and has created a replica at '12'. The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. Do you want Microsoft Access to close and reopen the database now?
7738	Microsoft Access has successfully created a replica at '12'. However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. Do you want Microsoft Access to close and reopen the database now?
7739	Microsoft Access has deleted '1' and removed it from the replica set. This change isn't reflected until the database is closed and reopened. Please close and reopen the database when you are finished synchronizing replicas.
7740	Microsoft Access cannot synchronize with a database from a previous version. Convert the database you are trying to synchronize with, before synchronizing.
7741	Microsoft Access can't make a new replica at '1' because the value entered for priority is out of range. Priority for new replicas should be in the range of 0-100.
7742	Microsoft Access can't make a password-protected database replicable
7743	Backup, restore, and drop database operations are only available for Microsoft SQL Server version 7.0 or later running on your local computer.
7744	Microsoft Access can't make a new replica at '1' because the value entered for priority is out of range. Priority for anonymous replicas should be 0.
7745	You can't copy local objects in a replica. Design changes to replicated objects can be made only at the Design Master.
7746	The Database administrative components failed to load or initialize. Verify that the components are installed and registered locally.

<i>ErrorCode</i>	<i>ErrorString</i>
7747	Database Replicas cannot be converted to prior versions of Microsoft Access.
7748	This stage of the conversion process is finished. To complete the conversion process, synchronize this replica to the (converted) Design Master.
7749	Open the Design Master and sync to this replica before opening.
7750	In Datasheet view, you can't set a control property if the control is part of an option group.
7751	In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame. Microsoft Access doesn't display the OLE object in the object frame in Design view. Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.
7752	Microsoft Access can't apply the filter because all the records are locked. The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records. Reset the value to No Locks or Edited Record as appropriate.
7753	
7754	You can't move columns between two frozen columns in a datasheet. To unfreeze all columns, click Unfreeze All Columns on the Format menu.
7755	Microsoft Access can't start the Chart Wizard. The wizard may not be installed, or this wizard has been disabled. To install the Chart Wizard, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.
7756	The form can't display the What's This button if the Minimize button or the Maximize button is displayed. Set the WhatsThisButton property to No, or set the MinMaxButtons property to None.
7757	The form can't display the Minimize button or the Maximize button if the What's This button is displayed.
7758	This ActiveX control isn't enabled in Form view. You can't set the Enabled or TabStop properties to True.

<i>ErrorCode</i>	<i>ErrorString</i>
7759	This ActiveX control isn't visible in Form view. You can't set the Visible or TabStop properties to True.
7760	This property is locked and can't be changed.
7761	An error occurred when you changed the control.
7762	The pattern string is invalid.
7763	This feature isn't installed, or has been disabled. To install this feature, rerun the Microsoft Access or Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.
7764	This feature isn't installed, or has been disabled. To install this feature, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenable this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.
7765	This feature isn't installed, or has been disabled. To install this feature, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then click the Additional Wizards check box. To reenable this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.
7766	This control can't be changed to the type you requested.
7767	An error occurred while Microsoft Access was creating a section.
7768	In order to change data through this form, the focus must be in a bound field that can be modified.
7769	The filter operation was canceled. The filter would be too long.
7770	Microsoft Access didn't apply the filter. Microsoft Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway? If you click Yes, Microsoft Access will build the filter, but won't apply it to the record-set. Then it will close the Filter By Form window.
7771	You can't set the ColumnOrder property when you are in Form view or Print Preview.

<i>ErrorCode</i>	<i>ErrorString</i>
7773	Microsoft Access can't set the LimitToList property to No right now. The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column. Adjust the ColumnWidths property first, and then set the LimitToList property.
7774	You can't set the MenuBar property while an OLE object is in-place active.
7775	There are too many controls on the form to allow Filter By Form.
7777	You've used the ListIndex property incorrectly.
7778	You can't save an object when you are in the Filter By Form window. Switch to Form view, and then save the object.
7779	You can't set a form's MenuBar property from its menu bar macro. Right-click the Form selector button (located to the left of the horizontal ruler) on the form in Design view. Click Properties, click the Other tab, and then set the MenuBar property.
7780	You're trying to insert into a section that can't grow enough for the control you're trying to add. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove, or reduce the height of, at least one section. Then try to add the control again.
7782	You can't create a new instance of this form or report while it is in Design view.
7784	This form or report is already being designed as a subform or subreport. To open this form in Design view, select the subform or subreport and click Subform in New Window on the View menu.
7785	Microsoft Access didn't build the filter. There is an error in the current field. Do you want to close the filter anyway? If you click Yes, Microsoft Access will undo the changes to the filter, and then close the Filter By Form window.
7788	Compile error.
7789	Type mismatch.
7790	Microsoft Access can't create the l1. Either there was an error getting information from the table or query you selected, or a new l2 could not be created.
7791	There was an error creating your l1. Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the l2.

<i>ErrorCode</i>	<i>ErrorString</i>
7792	You can't open a subform when it is also open in Design view.
7793	You must save the form 'l' before you can embed it.
7794	Microsoft Access couldn't find the toolbar 'l'.
7795	The custom toolbar 'l' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in.
7796	The process failed because there is no printer installed. Because Microsoft Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.
7797	You must save new objects in the database before you can save them to this external format.
7798	You can only save select, crosstab, and union queries to this format.
7799	This form or report is based on a query that exceeds the limit for data in a single record. Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables.
7800	You can't create a Microsoft Access MDE database from a database in an old format. Close the database and convert it to the current version of Microsoft Access. Then create the MDE database.
7801	This database is in an unrecognized format. The database may have been created with a later version of Microsoft Access than the one you are using. Upgrade your version of Microsoft Access to the current one, then open this database.
7802	That command isn't available in an MDE/ADE database.
7803	Microsoft Access can't rename l1 to l2. The convert operation failed.
7805	This is already an MDE database.
7806	This database does not have a Visual Basic project, so it can't be made into an MDE file. Open the database in Microsoft Access to create the Visual Basic project.
7807	You can't make the open database into an MDE file while running a macro or Visual Basic code. Instead of using a macro or code, on the Tools menu, point to Database Utilities, and then click Make MDE File.
7808	Microsoft Access can't replace an existing file as a result of converting the Microsoft Access database. You must select a new file name.

<i>ErrorCode</i>	<i>ErrorString</i>
7809	You can't rename a l object in the client/server version of Microsoft Access.
7810	You can't compact the open database while running a macro or Visual Basic code. Instead of using a macro or code, on the Tools menu, point to Database Utilities, and then click Compact/Repair Database.
7811	Microsoft Access requires Microsoft SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to Microsoft SQL Server 6.5 or later.
7812	Microsoft Access projects can only be connected to Microsoft SQL Server
7813	Restoring a database requires that no one is currently using the database. Do you want to close all objects, select a backup file, and restore the database from backup?
7814	Dropping a database requires that no one is currently using the database. Do you want to close all open objects and drop the database?
7815	Microsoft Access was unable to create an ADE database.
7816	Microsoft Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server.
7817	The database file 'l' is already open. You cannot encrypt to an open file.
7818	Microsoft Access was unable to create the Database window. Please upgrade to a newer version of Microsoft Internet Explorer.
7819	You have chosen a database template file that is not supported in the current version of Microsoft Access. To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.
7820	Microsoft Access no longer supports Pages as startup documents.
7821	The TEMP environment variable isn't defined. Microsoft Access can't find the temporary file directory.
7822	Microsoft Access can't initialize the transfer object. Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.
7823	The source or destination database name is missing. The transfer operation can't continue.
7824	The source or destination server name is missing. The transfer operation can't continue.

<i>ErrorCode</i>	<i>ErrorString</i>
7825	Microsoft Access can't find the server 'l'.
7826	The database object type isn't supported by the Microsoft Access transfer operation.
7827	The current database 'l1' has l2 active connections. Microsoft Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections?
7828	The object 'l' is not a valid Microsoft SQL Server database object. Microsoft Access can't transfer this object.
7829	The SQL script used to create database objects is corrupted. Microsoft Access can't create the new objects.
7830	The SQL script used to create database object 'l' is corrupted. Microsoft Access can't create the new object.
7831	Microsoft Access can't create the file 'l'.
7832	The current database 'l' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file.
7833	The current database 'l' has more than one data file and can't be copied.
7834	The Transfer Database Wizard didn't provide enough information to perform the transfer operation.
7835	Microsoft Access can't copy the database file because one or more objects are open. Do you want to close all the objects?
7836	Microsoft Access can't copy the database file because one or more objects are open. Close all objects and try again.
7837	Invalid argument in script.
7838	There were errors during the database transfer operation. Open the transfer log file for details.
7839	Errors occurred during the database transfer operation.
7840	The database transfer operation failed. The destination database 'l' was created and is in an unknown state. What would you like to do with the destination database?
7841	The destination file 'l' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file.
7842	This operation requires Microsoft SQL Server version 7.0 or later on your local computer. You can install Microsoft SQL Server 2000 Desktop Engine from the MSDE2000 folder on the Microsoft Office 2002 CD-ROM.

<i>ErrorCode</i>	<i>ErrorString</i>
7843	You can only copy the database file when the current database is on your local computer. If you want to make a copy of a database on a remote server point to Database Utilities on the Tools menu, and then click Transfer Database.
7844	Microsoft Access can't copy the database file because there are active connections to the current database.
7845	
7846	Microsoft Access can't compact and repair the current database.
7847	'l' already exists. Microsoft Access must create a backup of your file before performing the repair operation. Enter a name for the backup file.
7848	The transfer operation has been cancelled. The destination database 'l' was created and is in an unknown state. What would you like to do with the destination database?
7849	The repair operation has been cancelled because Microsoft Access couldn't create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, point to Database Utilities on the Tools menu, and then click Compact and Repair Database.
7850	Microsoft Access can't find the wizard, or the wizard has not been installed, or there is a syntax error in the Declarations section of a Visual Basic module. The wizard you need may be missing from the Libraries key of the Microsoft Access section of the Windows Registry, or the wizard has been disabled. To make sure that the wizard is in the Windows Registry, run Setup to reinstall Microsoft Access, and then compile all Visual Basic modules in the database. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.
7851	The toolbar name 'l' you entered already exists. Enter a unique name for this toolbar.
7852	The toolbar name 'l' you entered doesn't follow Microsoft Access object-naming rules. For more information about naming objects, click Help.
7853	The default column width must be at least 0.1 inch.
7854	You can't export database objects (except tables) from the current version of Microsoft Access to earlier versions of Microsoft Access.

<i>ErrorCode</i>	<i>ErrorString</i>
7855	You must have a database open to create custom toolbars, and the database can't be read-only.
7856	'l' cannot be imported, exported, or copied to Access project files.
7858	The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32.
7859	Microsoft Access can't start because there is no license for it on this machine.
7860	The profile 'l' that you specified on the command line doesn't exist in the Windows Registry.
7861	'l' cannot be imported, exported, or copied to Access database files.
7862	Microsoft Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. To reenable this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If the missing wizard is not a Microsoft Access wizard, reinstall it using the Add-in Manager.
7863	Links can only be created between Microsoft Access database files.
7864	Microsoft Access doesn't allow empty strings.
7865	There is already an existing database with the name you entered. Give the new database a unique name.
7866	Microsoft Access can't open the database because it is missing, or opened exclusively by another user.
7867	You already have the database open.
7868	You can't use a SetMenuItem macro action on a default menu. SetMenuItem is for custom menus only.
7869	The SetMenuItem action does not have enough information to be carried out. An argument is invalid, or there are not enough arguments.
7870	Microsoft Access can't find the database 'l.' Check the database name (and path, if specified) to make sure you entered it correctly.
7871	The table name you entered doesn't follow Microsoft Access object-naming rules. For more information about naming objects, click Help.
7872	This recordset is not updateable.
7873	'l' cannot be imported, exported, or copied to another database or project file.

<i>ErrorCode</i>	<i>ErrorString</i>
7874	<p>Microsoft Access can't find the object 'l.'</p> <ul style="list-style-type: none"> • You misspelled the object name. Check for missing underscores (_) or other punctuation, and make sure you didn't enter leading spaces. • You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.
7875	The table 'l' already exists. You created or renamed a table, and then tried to save it. Before Microsoft Access could save the table, another user created or renamed one using the same name.
7876	There isn't enough temporary disk space to complete the operation. Free disk space, and then try the operation again. For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. For information on compacting a database to free disk space, click Help.
7877	Microsoft Access can't sort on the Memo, OLE Object, or Hyperlink 'l'. The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.
7878	The data has been changed. Another user edited this record and saved the changes before you attempted to save your changes. Re-edit the record.
7879	An invalid IDA has been passed to Microsoft Access error handling. Please report this error and the steps that caused it.
7880	The value you entered is the wrong data type for this field. Enter an integer.
7881	The Macro Conversion Wizard can't be started. This wizard may not be installed, or this wizard has been disabled. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Access or Microsoft Office Setup to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
7882	You can't convert, enable, or encrypt an Access Project file.
7883	You can't set the MenuBar property unless a database is open.
7884	You can't export an object to itself. Select a different database to export to, or give the object a new name.

<i>ErrorCode</i>	<i>ErrorString</i>
7885	The source database has no import/export specifications to copy.
7886	Microsoft Access can't find the dynamic-link library (DLL) Mso. Rerun the Microsoft Access or Microsoft Office Setup program.
7887	A unique record identifier can't consist of more than 10 fields.
7888	You must set the default font size to a number from 11 through 12. For more information on the FontSize property, click Help.
7889	The file 'l' does not exist.
7890	The file 'l' doesn't contain any data. You can't import from, or link to, an empty spreadsheet.
7891	This database is read-only. The conditional compilation argument option can't be saved.
7892	An error occurred while saving module options. You may be running Visual Basic in break mode. Reset the running code before changing the module options.
7893	You can't import objects into a database created in an earlier version of Microsoft Access. Convert the database to the current version of Microsoft Access using the Convert Database command (Tools menu, Database Utilities submenu).
7895	Microsoft Access was unable to create a window. The system is out of resources or memory. Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
7896	Error 'l' in the validation rule.
7897	Error 'l' in the default value.
7898	Execution of this application has stopped due to a run-time error. The application can't continue and will be shut down.
7899	Microsoft Access can't be started. Microsoft Access was unable to initialize the Windows Registry. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access.
7900	Microsoft Access can't convert the database because it can't create an error table.
7901	Microsoft Access can't convert the database because it can't write to the error table.
7902	Errors occurred converting 11 validation rules and default values. See error table '12' for a list of errors.

<i>ErrorCode</i>	<i>ErrorString</i>
7903	Microsoft Access can't insert this field. There are too many fields in the table. The limit is 255.
7904	An error occurred in the Field Builder. You've replaced or modified the default Field Builder, and Microsoft Access is unable to run the new version. Reinstall Microsoft Access to correct the error.
7905	Microsoft Access can't change these field data types. Some data in this table violates the record validation rule. Before any data types can be changed, remove the record validation rule or correct the data.
7906	Microsoft Access couldn't launch the Lookup Wizard, or this wizard has been disabled. Rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenabte this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.
7907	You don't have permission to modify the design of this table. For more information on permissions and who can set them, click Help.
7908	You can't modify this table now because someone else is using it.
7909	Microsoft Access can't add another column to this table. You can have up to 255 columns in your table.
7910	Microsoft Access can't delete this column. Tables must have at least one column.
7911	Microsoft Access can't delete this index. This table participates in one or more relationships. Delete its relationships in the Relationships window first.
7912	Once you save the change to the data type of this column, you will not be able to change back to the previous data type. Are you sure you want change the data type?
7913	You can't change a random-valued AutoNumber field to an incremental AutoNumber field. The values of random-valued AutoNumber fields aren't continuous.
7914	You can't convert ReplicationID values to other data types.
7915	You can't delete the field 'l'; it is a replication system field. Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help.
7916	Microsoft Access is unable to start the Lookup Wizard. The Lookup Wizard doesn't apply to fields of this data type.

<i>ErrorCode</i>	<i>ErrorString</i>
7917	'I' cannot be created due to the project being disconnected. Use the Connection... command under the File menu to connect the project to a database.
7918	The Object Name argument for the 'Save' macro action is not supported within an Access Project for Table or Query objects. You cannot save these objects with a new name in an Access Project.
7919	The default data type you selected is not supported in all versions of Microsoft SQL Server. If the server doesn't support the data type you have chosen, the varchar data type will be used in its place.
7950	You can't refer to the RecordsetClone property of a form when the form is open in Design view.
7951	You entered an expression that has an invalid reference to the RecordsetClone property. For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query.
7952	You made an illegal function call. Check the syntax of the function you are trying to use.
7953	The value you entered doesn't match the type required. <ul style="list-style-type: none"> • The variable, property, or object may not be of the correct type. • You may have used an If TypeOf construct with something other than a control.
7954	The expression you entered requires the control to be in the active window. Try one of the following: <ul style="list-style-type: none"> • Open or select a form or report containing the control. • Create a new control in the active window, and try the operation again.
7955	There is no current code context object.
7956	The syntax of the subquery in this expression is incorrect. Check the subquery's syntax and enclose the subquery in parentheses.
7957	You used a Like operator with an incorrect pattern. Make sure the comparison value is enclosed in quotation marks.
7958	The Replication ID you entered is invalid. Make sure the Replication ID you enter contains only digits or letters for hexadecimal numbers, that the Replication ID is the correct length, and that it is in a canonical SQL form.

<i>ErrorCode</i>	<i>ErrorString</i>
7959	The expression contains an ambiguous name. You may have two or more functions with the same name in different modules. Rename the functions so that each one has a unique name.
7960	There was an error compiling this function. The Visual Basic module contains a syntax error. Check the code, and then recompile it.
7961	Microsoft Access can't find the module 'l' referred to in a macro expression or Visual Basic code. The module you referenced may be closed or may not exist in this database, or the name may be misspelled.
7962	The index number you used to refer to the module is invalid. Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1.
7963	Microsoft Access can't run the macro or callback function 'l'. Make sure the macro or function exists and takes the correct parameters.
7964	You entered an expression that has an invalid reference to the Recordset property. You can only use a dynaset or snapshot recordset to set this property.
7965	The object you entered is not a valid Recordset property. For example, you may have used a forward-only recordset, or tried to set it to null.
7966	The format condition number you specified is greater than the number of format conditions. Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions.
7967	A required minimum or maximum value is missing.
7968	The format condition Type you specified is invalid. Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions.
7969	The format condition Operator you specified is invalid. Valid values for the Operator property are 0 to 7.
7970	Microsoft Access can't open the file 'l.' It may not be a database, or it may be a database you are unable to open.
7971	Microsoft Access can't follow the hyperlink to 'l'. Please verify the destination.
7972	Microsoft Access encountered an error while trying to show the Hyperlink dialog.
7973	The hyperlink address or subaddress text you entered was too long for Microsoft Access to store. The text was truncated to fit in the available space, so the link may not work as expected.

<i>ErrorCode</i>	<i>ErrorString</i>
7974	Microsoft Access failed to insert a hyperlink at the current location.
7975	You chose an invalid control type for use with hyperlinks. You can only use hyperlinks with labels, images, command buttons, or bound text boxes.
7976	There is no stored hyperlink in this control.
7977	Microsoft Access is unable to paste the data on the clipboard as a hyperlink.
7978	Microsoft Access is unable to add the current hyperlink to the favorites folder.
7979	You can't use the hyperlink property builder with more than one control selected.
7980	The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink.
7981	The values for 'File or web page name' and/or 'Text to Display' are too long. The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.
7983	Microsoft Access can't follow the hyperlink because it couldn't create the hyperlink object.
7990	You entered an invalid project name. You may have deleted the default project name and forgotten to specify a new one.
7991	The Microsoft Access Source Code Control Add-in is not available; this object will be opened read-only.
7992	The Microsoft Access Source Code Control Add-in could not be started.
7993	The object l is currently checked in and is therefore read-only. To modify the object, close it first, then check it out and reopen it.
7994	There was a problem communicating with the Source Code Control Add-in.
7995	The menus on your form or report that are based on Microsoft Access macros will not be visible while the Customize dialog box is open. To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Database window, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.
7996	Microsoft Access couldn't create the Data and Misc. Objects because the linked table 'l' could not be found. To create the Data and Misc.

<i>ErrorCode</i>	<i>ErrorString</i>
	Objects, use the Linked Table Manager (Tools menu, Add-ins sub-menu) to update the link to the source table or file, or delete the link from your current database.
7997	You can't save the standard module 'l' over a class module with the same name. Save the standard module to a different name, or delete the class module first.
7998	You can't save the class module 'l' over a standard module with the same name. Save the class module to a different name, or delete the standard module first.
7999	Microsoft Access can't delete this relationship because you don't have the Data and Misc. Objects checked out. Check out the Data and Misc. Objects and then delete the relationship.
8000	The name you entered already exists for another object of the same type in this database. Do you want to replace the existing l?
8001	'l' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine. Do you want to replace the changes that you or another user made? <ul style="list-style-type: none"> • To save your most recent changes and discard the other user's changes or your previous changes, click Yes. • To save this version of the object with another name, click No.
8002	'l' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine. Do you want to replace the changes that you or another user made? <ul style="list-style-type: none"> • To save your most recent changes and discard the other user's changes or your previous changes, click Yes. • To cancel saving this version of the object, click No.
8003	You must save a table or query before you can create a new object based on it. Do you want to save and use the table or query to create a new object?
8004	The layout of 'l' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine. Do you want to replace the changes that you or another user made? <ul style="list-style-type: none"> • To save your most recent changes and discard the other user's changes or your previous changes, click Yes. • To cancel saving this version of the object, click No.

<i>ErrorCode</i>	<i>ErrorString</i>
8005	You can't save this object. You must have Administer permission for the Database object in order to save modules, forms, or reports in a Design Master.
8006	The name you entered already exists for another object of the same type in this database. Do you want to replace the existing l? You will not be able to undo this operation.
8007	You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively.
8008	The stored procedure executed successfully but did not return records.
8050	Do you want to save changes to the design of l?
8051	Do you want to save changes to l?
8052	Do you want to delete the l and empty the Clipboard? You tried to delete a database object that is currently on the Microsoft Access Clipboard. If you delete it from your database, you won't be able to paste it later.
8053	Do you want to delete the l? For more information on how to prevent this message from displaying every time you delete an object, click Help.
8054	Do you want to exit Microsoft Access and empty the Clipboard?
8055	Microsoft Access can't change the working directory to 'l.' Verify that the drive is valid and the path is 260 characters or less in length.
8057	l
8058	Do you want to save changes to the layout of l?
8059	Do you want to remove the link to the l? If you delete the link, you delete only the information Microsoft Access uses to open the table, not the table itself.
8060	The toolbar 'l' is partly unreadable. Microsoft Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Access. Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Access will then update the toolbar to the latest format.
8061	Are you sure you want to restore the default settings to the built-in toolbar or menu bar l? If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.

<i>ErrorCode</i>	<i>ErrorString</i>
8063	<p>The source application isn't responding. Do you want to continue waiting? The DDE channel is established, but the data exchange wasn't completed in the amount of time specified in the OLE/DDE Timeout setting in the Options dialog box (Tools menu).</p> <ul style="list-style-type: none"> • To continue waiting for the data exchange to be completed, click Yes. • To cancel the data exchange and try again later, click No.
8064	<p>This linked table has indexes that use an unsupported sort order. If you modify this table, the Microsoft Jet database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results. Try one of the following:</p> <ul style="list-style-type: none"> • Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. • Use this table on a read-only basis.
8065	<p>You can't delete the table 'l' until its relationships to other tables have been deleted. Do you want Microsoft Access to delete the relationships now?</p>
8067	<p>Do you want to permanently delete the l? If you click Yes, you won't be able to undo the deletion.</p>
8069	<p>Microsoft Access couldn't create the custom toolbar 'l.'</p>
8071	<p>Would you like to remove the compacted database from Source Code Control?</p>
8072	<p>Microsoft Access must close the l in order to complete this operation. Would you like Microsoft Access to close it now?</p>
8073	<p>You do not have the l checked out. Microsoft Access can't check out an object while it is open, and you can't make design changes until you check it out. If you want to make design changes to this object, first close it, check it out, and then reopen it.</p>
8074	<p>Microsoft Access must save the l in order to complete this operation. Would you like Microsoft Access to save it now?</p>
8075	<p>You do not have the Data and Misc. Objects checked out. You can't create a new table or save changes to a data access page.</p>
8076	<p>To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked out.</p>

<i>ErrorCode</i>	<i>ErrorString</i>
8077	Are you sure you want to cut the l?
8078	This object will be removed from your local database, but not from source code control. The next time you get this database from source code control, the object will reappear. Are you sure that you want to delete the local object?
8079	Microsoft Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out. Check out the Data and Misc. Objects and add a reference to the library 'l'.
8080	An error occurred while trying to create the linked table 'l'. Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.
8081	You have set l1's Type property to Popup, which changes the toolbar to a shortcut menu. The shortcut menu disappears because Microsoft Access adds l2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.
8082	Microsoft Access must save the l to the current database in order to complete this operation. Would you like Microsoft Access to save it now?
8086	An error occurred trying to add one or more references from the source code control project. The library may not be registered on your computer. Check your project references and add any missing references after registering the missing components that this database requires.
8087	Restoring a database requires that no one is currently using the database. Do you want to close all objects, select a backup file, and restore the database from backup?
8088	Dropping a database requires that no one is currently using the database. Do you want to close all open objects, and drop the database?
8090	Are you sure you want to delete the conflict table l? You will not be able to undo this operation.
8091	This database is enabled for publication. Do you want to delete existing publications and drop the database?
8092	Access could not save your project. Do you want to cancel the close operation? <ul style="list-style-type: none"> •To cancel the close operation, click Yes. •To close without saving, click No.

<i>ErrorCode</i>	<i>ErrorString</i>
8093	Send a pointer to the data access page? To send an e-mail message that contains a pointer to your data access page, click Send Pointer. This is the recommended method. The e-mail recipient must have access to the server or public share to view the page. To send a copy of the page, click Send Copy. To cancel sending the page, click Cancel. For more information, click Help.
8094	Send a copy of the data access page? The contents of the page will be copied into the body of the email message, however the page will connect to the data source when the recipient views the message. If this is correct, click OK. Otherwise, click Cancel, save the page to a server or public share, and resend a pointer to the page. It is generally more secure to send a pointer to the page than to send a copy of the page. For more information, click Help.
8095	You tried to create a group filter based on a column type which cannot be used in a filter.
8096	Microsoft Access can't change the working directory to 'l.' Please enter a non-Internet location.
8097	The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path.
8098	Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Access is recommended.
8400	The database 'l' is read-only. You won't be able to save changes made to data or object definitions in this database.
8401	You can't make changes to the database objects in the database 'l.' This database was created in an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
8402	The file 'l' already exists. Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again.

<i>ErrorCode</i>	<i>ErrorString</i>
8403	The setting you entered is invalid. The database's sort order can't be updated. The setting you entered in the New Database Sort Order option of the Options dialog box (Tools menu) isn't a valid sort order for the version of the database you are compacting.
8404	You can't open 'l' for exclusive use because another user has the database open or because you do not have permissions to open exclusively. Microsoft Access will open the database for shared access.
8405	You can't make changes to the database objects in the database 'l.' This database was created in an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
8406	Does the first row of your data contain column headings?
8407	This database is a replica created in a previous version of Microsoft Access. You can view objects in this database, but you can't modify their design. If you want to modify objects in this database, convert the Design Master for this replica set to the current version of Microsoft Access and synchronize this replica. Do you want to open the database anyway?
8408	The name you entered already exists for another custom group in this database. Do you want to replace the existing custom group l? You will not be able to undo this operation.
8409	Microsoft Access has made a backup of database l1 at l2. Note: Only server-related objects have been backed up. To protect other objects, back up the .ADP file manually
8410	Microsoft Access successfully restored database l1 from its backup at l2
8411	Do you want to permanently delete the custom group 'l'? If you click Yes, all shortcuts in the custom group will be deleted as well, and you won't be able to undo the deletion.
8412	The name you entered already exists for another shortcut in this group. Do you want to replace the existing shortcut 'l'?
8413	The project 'l' is read-only. You won't be able to save changes made to object definitions in this project.
8414	Microsoft Access encountered one or more errors during conversion. To view a summary of these errors, open the 'l' table.
8415	The HTML file associated with this link has been moved, renamed, or deleted. File: 'l'

<i>ErrorCode</i>	<i>ErrorString</i>
8416	Renaming this user-defined function removes any existing permissions and extended properties. Do you want to complete the rename action?
8500	A form with a subform object can't have its DefaultView property set to Continuous Forms. You tried to add a subform to a form in Design view. Microsoft Access will reset the property to Single Form.
8501	You can't modify this field because it is read-only. Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes.
8502	Microsoft Access has reached the end of the records. Do you want to continue searching from the beginning?
8503	Microsoft Access has reached the beginning of the records. Do you want to continue searching from the end?
8504	Microsoft Access finished searching the records. The search item was not found.
8505	Do you want to continue to search or replace?
8506	There isn't enough memory to save the current filter. Close unneeded programs. Return to the form or datasheet, and then redefine and reapply the filter. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
8507	There isn't enough memory to execute the macro that updates the active filter. Microsoft Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
8508	Microsoft Access can't find 'l.' The text string you entered in the Find What box can't be evaluated against the current field. Reenter the text string so that it conforms to the data type of the field.
8509	You won't be able to undo this Replace operation. There isn't enough free memory to use the Undo command. Do you want to continue?
8510	Microsoft Access can't save the current record. Do you want to undo the changes to the record and continue the Paste operation?
8511	Records that Microsoft Access was unable to paste have been inserted into a new table called 'l.' In the Database window, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.

<i>ErrorCode</i>	<i>ErrorString</i>
8512	None of the field names you pasted onto the Clipboard match the field names on the form. Microsoft Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names. Do you want to paste the field names in the order you defined with the Tab Order command?
8513	Some of the field names for the data you tried to paste don't match field names on the form. Microsoft Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form. Do you want to paste only that data whose names match the field names on the Clipboard?
8514	Do you want to suppress further error messages telling you why records can't be pasted? If you click No, a message will appear for every record that can't be pasted.
8515	You copied a large amount of data onto the Clipboard. When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?
8516	You selected more records than can be copied onto the Clipboard at one time. Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.
8517	Do you want to suppress further error messages telling you why records can't be deleted? If you click No, a message will appear for every record that can't be deleted.
8518	You won't be able to undo this Replace operation. Do you want to continue?
8519	You are about to delete 1 record(s). If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?
8520	You are about to paste 1 record(s). Are you sure you want to paste these records?
8521	You won't be able to undo this Delete operation. The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?
8522	All timers are in use. Set the TimerInterval property back to zero so that you can start another timer.

<i>ErrorCode</i>	<i>ErrorString</i>
8523	Do you want to delete the custom palette information from this form or report and revert to the default palette?
8524	Do you want to delete the graphic from this button?
8525	The remote data isn't accessible. You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application. Do you want to start the application l?
8526	Microsoft Access encountered a problem while trying to switch views and must close this window.
8527	Do you want to delete the group section for the database object 'l' and its contents? You will not be able to undo this action. The group header or footer you want to delete contains controls and will be deleted along with the section.
8528	Deleting these sections will also delete all controls in them. You will not be able to undo this action. Do you want to delete these sections anyway?
8529	Do you want to delete the selected group level(s) and all associated sections and their controls? The field or expression you're deleting from the Sorting and Grouping box has an associated section (a header or footer) containing controls that will be deleted along with the section.
8530	Relationships that specify cascading deletes are about to cause l record(s) in this table and in related tables to be deleted. Are you sure you want to delete these records?
8531	The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank. For example, the report width may be wider than the page width.
8532	Do you want to remove this picture from the form?
8533	Some data may not be displayed. There is not enough horizontal space on the page for the number of columns and column spacing you specified. Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.
8534	When you save this form or report, any code behind it will be deleted. You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet. Are you sure you want to do this?

<i>ErrorCode</i>	<i>ErrorString</i>
8538	You are about to delete this section. If you click Yes, the controls you placed in this section will be deleted. Are you sure you want to delete these controls?
8539	Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted. Are you sure you want to delete these records?
8540	You are about to delete one or more records. If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?
8541	Microsoft Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted.
8542	Microsoft Access did not detect a relationship between the fields you have chosen. Do you want a relationship to be created for you now?
8543	You are about to delete this section and all related sections. If you click Yes, the controls you placed in these sections will be deleted. Are you sure you want to delete these controls?
8544	You won't be able to undo this paste operation. Do you want to continue?
8545	Microsoft Access can't save the filter criteria you entered in the Insert Hyperlink dialog box. Make sure that the data access page is bound to a record source before you set the filter criteria. Also make sure that the criteria is in the form of a WHERE clause; for example, EmployeeID=[EmployeeID].
9502	Microsoft Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. Do you want to continue anyway?
9504	The file 'l' is not readable by JET. If you think you have a valid JET file then this is most likely due to the recent file format change. Do you want to attempt to upgrade the database format?
9505	The database 'l' needs to be repaired or isn't a database file. You or another user may have unexpectedly quit Microsoft Access while a Microsoft Access database was open. Do you want Microsoft Access to attempt to repair the database?
9507	Microsoft Access was unable to load all the library modules.

<i>ErrorCode</i>	<i>ErrorString</i>
9508	Microsoft Access couldn't close database 'l.' Your last change may not have been saved because an internal buffer was locked by another user (whose name was given in the previous message). To avoid losing data, wait for the other user to finish using the record, and then click OK again. If you click Cancel, you may lose changes that haven't been saved.
9509	You can't undo this command and, once it's completed, you won't be able to edit this object. Do you want to continue anyway?
9510	Microsoft Access can't open the file 'l'.
9511	
9512	Successfully repaired the 'l' database.
9513	Microsoft Access was unable to completely repair the 'l' table and deleted some Memo, OLE Object, or Hyperlink field values. To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'.
9514	One or more records were unrecoverable and were deleted from the 'l' table.
9515	The 'l' table was truncated; data was lost.
9516	One or more indexes from the 'l' table couldn't be repaired and were deleted.
9517	The Save As command can't process any subforms contained in your report. Do you want to proceed anyway?
9518	An error occurred while adding this word to the custom dictionary. <ul style="list-style-type: none"> • The dictionary file may be read-only. • There may be a disk error.
9519	An error occurred while adding this word to the Change All list. The dictionary may be full.
9520	An error occurred while adding the word to the Ignore All list. The dictionary may be full.
9521	The specified word is too large. Words can't exceed 64 characters.
9523	Microsoft Access can't open the 'l' custom dictionary.
9524	Microsoft Access can't start the spelling checker because it isn't installed.

<i>ErrorCode</i>	<i>ErrorString</i>
9525	Microsoft Access can't open the main dictionary file. Verify that this file has been correctly installed.
9526	The spelling checker only works on text fields that contain text data. You're trying to check a field with a data type other than Text or Memo.
9527	The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form.
9529	The spelling checker can't proceed; form data is not updateable. The form may be based on a query that isn't updateable or is only partly updateable. For information on when a query is updateable, click Help.
9530	An error occurred while trying to modify the contents of field 'l.' The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help.
9531	An error occurred while trying to save spelling preferences.
9532	The 'l' field can't be modified because it's a read-only field.
9533	An error occurred while trying to add the word pair to the AutoCorrect list.
9534	The current selection does not contain any fields that can be checked for spelling errors. You can check the spelling of text box controls with Text or Memo data types.
9535	You entered an invalid main dictionary. Please select a valid entry.
9536	The spelling check is complete.
9537	You must restart the spelling checker for the dictionary change to take effect.
9538	The 'l' custom dictionary doesn't exist. Do you want to create it?
9539	You have specified a word that isn't found in the main or custom dictionary. Do you want to use this word and continue checking?
9540	The main dictionary you selected can't be used. It has not been correctly installed.
9541	The spelling checker can't undo your last change. The data in field 'l' has been modified by another user. To resume the spelling check, click OK.
9542	This database must be closed before you can create a replica. Do you want Microsoft Access to close this database and create the replica? If you proceed, Microsoft Access will close your database and convert it to a Design Master. The database may increase in size.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
9543	The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.
9544	Microsoft Access can't register the 'l' custom dictionary.
9545	After you have converted this file to Access 2002 File Format, the new file cannot be shared with Access 2000 users or Access 97 users. For more information about conversion, click Help.
9546	This data access page was created in a previous version of Microsoft Access. To open this page in Design view, you must convert it to the current version of Access. Once you have converted this page, you can't open it in Design view in a previous version of Access.
9547	After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. Any functionality specific to Access 2002 will not be available in Access 2000. For more information about conversion, click Help.
9548	After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or Access 2002 will be lost. For more information about conversion, click Help.
10000	You must first save the table. Do you want to save the table now?
10001	You must first save the view. Do you want to save the view now?
10002	You must first save the stored procedure. Do you want to save the stored procedure now?
10003	You must first save the query. Do you want to save the query now?
10004	Do you want to permanently delete the selected field(s) and all the data in the field(s)? To permanently delete the field(s), click Yes.
10005	There is no primary key defined. Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database. Do you want to create a primary key now?
10006	Changing to this data type requires removal of one or more indexes. You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Access will delete the indexes that include that field. Do you want to continue anyway?
10007	Deleting field 'l' requires Microsoft Access to delete the primary key. Do you want to delete this field anyway?
10008	Deleting field 'l' requires Microsoft Access to delete one or more indexes. If you click Yes, Microsoft Access will delete the field and all its indexes. Do you want to delete this field anyway?

<i>ErrorCode</i>	<i>ErrorString</i>
10009	You can't open the table 'l' for modification. A query or form bound to the table is open, you may not have permission to open this table in Design view, or another user has the table open. Do you want to open this table as read-only? If you have opened a query or form bound to this table, close it, and then try again to open the table in Design view.
10010	Table 'l' is a linked table with some properties that can't be modified. Do you want to open it anyway?
10011	Microsoft Access encountered errors while converting the data. The contents of fields in l1 record(s) were deleted. Do you want to proceed anyway?
10012	Microsoft Access can't retrieve field properties from the system tables. The database needs to be repaired. If you click Yes, Microsoft Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but it is recommended that you restore the database from a backup copy, or close it and use the Repair Database command on the Tools menu (Database Utilities submenu). Do you want to continue anyway?
10013	Microsoft Access can't save property changes for linked tables. Do you want to continue anyway?
10014	Microsoft Access was unable to append all the data to the table. The contents of fields in l1 record(s) were deleted, and l2 record(s) were lost due to key violations. <ul style="list-style-type: none"> • If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. • If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?
10015	Changing to this data type requires removal of the primary key. Do you want to continue anyway?
10016	Some data may be lost. The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
10017	Your computer is out of disk space. You won't be able to undo this paste append. Do you want to continue anyway?
10018	Microsoft Access was unable to append all the data to the table. The contents of fields in l1 record(s) were deleted, and l2 record(s) were lost due to key violations. <ul style="list-style-type: none"> • If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. • If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.
10019	Microsoft Access can't find the database containing the linked table 'l.' The properties set in Microsoft Access for the linked table will be lost. Do you want to continue with the conversion anyway?
10020	Data integrity rules have been changed; existing data may not be valid for the new rules. This process may take a long time. Do you want the existing data to be tested with the new rules?
10021	Existing data violates the new record validation rule. Do you want to keep testing with the new rule? <ul style="list-style-type: none"> • To keep the new rule and continue testing, click Yes. • To revert to the old rule and continue testing, click No. • To stop testing, click Cancel.
10022	Existing data violates the new setting for the 'l1' property for field 'l2.' Do you want to keep testing with the new setting? <ul style="list-style-type: none"> • To keep the new setting and continue testing, click Yes. • To revert to the old setting and continue testing, click No. • To stop testing, click Cancel.
10023	Microsoft Access deleted l indexes on the converted fields. Some data did not convert properly.
10024	You must save the table first. Microsoft Access can't test your data until you save the design changes you made. Do you want to save the table now?
10025	This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table. This process may take a long time. Do you want to continue anyway?
10026	All data was valid for all rules.

<i>ErrorCode</i>	<i>ErrorString</i>
10027	Existing data violates the new record validation rule. Do you want to continue testing data with this new rule? <ul style="list-style-type: none"> • To continue testing for other new rule violations, click Yes. • To continue to test only the old validation rules, click No. • To stop testing, click Cancel.
10028	The existing data violates the '11' property for field '12.' If you continue testing, Microsoft Access will inform you if data violates any other property settings in the table. Would you like to continue testing?
10029	There is no primary key defined. Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to add data to this table or to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?
10030	There is no primary key defined. Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?
10031	You must first save the function. Do you want to save the function now?
10250	You can't print the scrollable (unfrozen) columns on the datasheet. The frozen columns are wider than the page. Do you want to print just the frozen columns? If you want to print the unfrozen columns, try one or more of the following: <ul style="list-style-type: none"> • Decrease the column width and increase the row height of the frozen columns. • Change the page orientation to Landscape in the printer Properties dialog box. • Decrease the size of the left and right page margins in the Page Setup dialog box.
10251	The column heading is too tall to fit on the page. Part of the heading will be cut off. Do you want to print the incomplete heading? To prevent headings from being cut off, try one or more of the following: <ul style="list-style-type: none"> • Change the page orientation to Portrait in the printer Properties dialog box. • Decrease the size of the top and bottom page margins in the Page Setup dialog box.

<i>ErrorCode</i>	<i>ErrorString</i>
10252	<p>At least one column is too wide to fit on the page. Data in that column will be cut off. Do you want to print the column with incomplete data? To prevent data from being cut off, try one or more of the following:</p> <ul style="list-style-type: none"> • Decrease the column width and increase the row height. • Change the page orientation to Landscape in the printer Properties dialog box. • Decrease the size of the left and right page margins in the Page Setup dialog box.
10253	<p>The row height exceeds the space between the top and bottom margins. Do you want to print the columns with incomplete data? To prevent data from being cut off, try one or more of the following:</p> <ul style="list-style-type: none"> • Increase the column width and decrease the row height. • Change the page orientation to Portrait in the printer Properties dialog box. • Decrease the size of the top and bottom page margins in the Page Setup dialog box.
10500	<p>You are about to run an update query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.</p>
10501	<p>You are about to run an append query that will modify data in your table. Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click Help.</p>
10502	<p>You are about to run a make-table query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.</p>
10503	<p>You are about to run a delete query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.</p>
10504	<p>You are about to run a data-definition query that may modify data in your table. Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later.</p>
10505	<p>You are about to update 1 row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records?</p>

<i>ErrorCode</i>	<i>ErrorString</i>
10506	You are about to append 1 row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows?
10507	You are about to paste 1 row(s) into a new table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records?
10508	You are about to delete 1 row(s) from the specified table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?
10509	Microsoft Access can't update all the records in the update query. Microsoft Access didn't update 11 field(s) due to a type conversion failure, 12 record(s) due to key violations, 13 record(s) due to lock violations, and 14 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
10510	Microsoft Access can't append all the records in the append query. Microsoft Access set 11 field(s) to Null due to a type conversion failure, and it didn't add 12 record(s) to the table due to key violations, 13 record(s) due to lock violations, and 14 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
10511	Microsoft Access can't add all the records in the update or append query. It set 11 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.
10512	Microsoft Access can't delete 12 record(s) in the delete query due to key violations and 13 record(s) due to lock violations. Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.

<i>ErrorCode</i>	<i>ErrorString</i>
10513	The existing will be deleted before you run the query. Do you want to continue anyway?
10514	You won't be able to undo the changes this action query is about to make to the data in a linked table or tables. Do you want to run this action query anyway?
10515	Microsoft Access was unable to update all the records in the update query. Microsoft Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.
10516	Microsoft Access can't append all the records to the table. Microsoft Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.
10517	Microsoft Access can't add all the records in the make-table query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error.
10518	Microsoft Access can't delete all the records in the delete query. Microsoft Access didn't delete 2 record(s) due to key violations and 3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help.
10519	There isn't enough disk space or memory to undo the data changes this action query is about to make. Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory, troubleshooting'.
10520	Do you want to save the changes made to the SQL statement and update the property? The RecordSource or RowSource property contained a SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No.
10521	Do you want to save the changes made to the query and update the property? The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified. To close the Query Builder without changing the original query, click No.

<i>ErrorCode</i>	<i>ErrorString</i>
10522	You invoked the Query Builder on a table. Do you want to create a query based on the table?
10523	You are about to run a pass-through query that may modify data in your table. Are you sure you want to run this type of an SQL query? For information on how to prevent this message from displaying every time you run an SQL query, click Help.
10524	l output column(s) in the query were unnamed and will not show any data.
10526	Do you want to save the changes made to the SQL Statement and update the text editor? The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No.
10600	Are you sure you want to permanently delete the selected relationship from your database?
10601	A relationship already exists. Do you want to edit the existing relationship? To create a new relationship, click No.
10602	The field name is missing in row l. You haven't selected a matching field for this relationship in each row of the grid. Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.
10603	This relationship has been modified or deleted by another user since you opened the Relationships window. Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No.
10604	This relationship has already been deleted by another user. To update your view, click OK.
10605	The layout of the Relationships window will be cleared. Do you want to continue?
10606	You can't display queries or linked tables in the Relationships window for this database. The database 'l' was created in an earlier version of Microsoft Access. If you want to convert this database to the current version of Microsoft Access, use the Convert Database command on the Tools menu (Database Utilities submenu).
10607	The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field. You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
10608	To create a relationship, use the mouse to drag a field from one table to another.
10700	This document was previously formatted for the printer l1 on l2, but that printer isn't available. Do you want to use the default printer l3 on l4?
10701	This document was previously formatted for the printer 'l1 on l2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer 'l3 on l4'. Do you want to continue?
10750	You must save the macro before you run it. Do you want to save the macro now? <ul style="list-style-type: none"> • To save the macro and then run it, click Yes. • To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No.
10751	Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database.
10800	Microsoft Access finished adding the index 'l.' Add another index from the Select Index Files dialog box, or click Close.
10801	The Microsoft Access index information (.inf) file for 'l' already exists. Do you want to replace the existing Microsoft Access .inf file for the dBASE or Microsoft FoxPro file you're linking? <ul style="list-style-type: none"> • To create a new .inf file, click Yes. • To use the existing file, click No. <p>If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table.</p>
10803	The database object 'l' already exists. Do you want to replace the existing database object with the one you are exporting? If you want to export this object without replacing the existing database object, click No. You can then export the object again and rename it in the Export dialog box.
10804	Not all of the import specifications could be imported due to name conflicts. Conflicts existed in l of the specifications. Rename the conflicting import specifications, and try the import operation again.
10805	Invalid CDF file name

<i>ErrorCode</i>	<i>ErrorString</i>
10892	A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultView property set to Continuous Forms. You tried to add a bound ActiveX control to a form in Design view. Microsoft Access will reset the DefaultView property to Single Form.
10893	Either the data access page file has been opened by another user or you don't have write permission to the file. If you make changes, you will have to save them to another file.
10894	An unexpected error occurred while saving document properties to the data access page.
10895	You tried to drop an OLE or binary column onto your data access page. There is no HTML control which binds correctly to this column type.
10896	You have chosen to permanently delete the data access page. Do you want to delete both the link and page file(s), or delete just the link?
10897	There is a problem with Internet Explorer registry settings. Please reinstall Internet Explorer.
10898	Microsoft Access data access pages can only be viewed in Microsoft Internet Explorer, but it is not your default Browser. Do you want to open Internet Explorer to view this page?
10899	A link to this data access page could not be created because the Data and Misc. Objects are not checked out.
10900	The save operation was successful. A folder was created for your supporting files at the save destination. This directory had to be created because the server does not support long file names.
10901	You must save your data access page before you can preview it. Do you want to save now?
10902	The data access page has been saved, but one or more of the supporting files (i.e., image, sound, video files) are missing. You may need to: <ul style="list-style-type: none"> • Delete and recreate the HTML object(s) on the page. • Reapply the theme, if the page has a theme.
10903	The save completed, but files for the selected theme are missing. Please apply a new theme to your data access page, and save again.
10904	Do you want Microsoft Access to set the DataPageSize property of this group level to All?

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
10905	You have opened a page that was last designed using Access 2000. The page must be saved using Office 2002 Office Web Components before you can edit this document. Would you like to convert this page?
10950	Are you sure you want to delete this account? You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).
10951	You don't have permission to modify 'l.' To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to save a copy of the object as a new object?
10952	You don't have permission to view this macro. To view a macro, you must have Read Design permission for it. Do you want to continue to run the macro?
10953	You don't have permission to modify 'l.' To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to open it as read-only?
10954	You changed the permissions of 'l1' for 'l2.' Do you want to assign these permissions now?
10955	You don't have permission to open 'l' for exclusive use. Microsoft Access is opening the database for shared access. To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.
10956	;LCID=0x0409
10957	You haven't entered a workgroup ID. To ensure that your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?
10958	The file 'l' already exists. Replace existing file?
10959	Workgroup Files (*.mdw)
10960	Select Workgroup Information File
10961	Open
10962	You have successfully created the workgroup information file 'l.'
10963	Could not find file: 'l'
10964	You have successfully joined the workgroup defined by the workgroup information file 'l'

<i>ErrorCode</i>	<i>ErrorString</i>
10965	It is strongly recommended that you change the system administrator (SA) password when this operation is complete. To change the SA password point to Security on the Tools menu, and then click Set Login Password.
29000	There isn't enough memory to create an input area. Close unneeded programs. Then try to create the input area again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
29001	Microsoft Access failed to save module 'l.' Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
29002	Microsoft Access failed to create the Visual Basic module 'l.' If your database is on a network drive, check your network connection, and then try again.
29003	Microsoft Access failed to convert or enable your code modules. Your computer may be low on disk space or memory.
29004	The new procedure name you provided is invalid.
29005	The procedure 'l' already exists. Choose another procedure name.
29006	Microsoft Access failed to create a Debug window toolbar. The system may be out of resource memory. Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
29007	During the paste or import operation, Microsoft Access failed to convert the 'l' module from an earlier version of a Microsoft Access database. Your computer may be low on disk space or memory.
29008	Microsoft Access couldn't create storage space for a Visual Basic module. If your database is on a network drive, check your network connection, and then try again.
29009	Microsoft Access couldn't open the storage space for a Visual Basic module. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
29010	The function name is too long. Microsoft Access will truncate the function name to 255 characters.
29011	Microsoft Access failed to save the database. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
29013	This action will reset the current code in break mode. Do you want to stop the running code? <ul style="list-style-type: none"> • To halt the execution of the program so the Module window can be closed, select Yes. • To leave the code in the current state, select No.
29014	You can't add a reference to a Microsoft Access workgroup.
29015	You can't remove this reference. Microsoft Access needs this reference in order to work properly.
29016	You can't add a reference to the open database.
29017	The database I was created in an earlier version of Microsoft Access. Convert this database to the current version of Microsoft Access by using the Convert Database command on the Tools menu (Database Utilities submenu).
29018	You can't use a standard module for this operation.
29019	The module name 'I' is invalid. <ul style="list-style-type: none"> • The module name may start with the prefix Form_ or Report_. • The module can't be named Forms, Reports, Modules, Application, Screen, Assistant, CommandBars, References, or DoCmd. • The module name may have too many characters.
29020	Another user has modified this database. To see the current version, close the database and open it again.
29021	This operation isn't available while there is a module in break mode. Reset the executing code and try the operation again.
29022	There were compilation errors during the conversion or enabling of this database. The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Access will need to recompile the database for each session. For information on improving performance, click Help.
29023	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database. These won't work under Microsoft Windows 95 or Microsoft Windows NT. Change your code to call equivalent 32-bit dynamic-link libraries (.dll).
29024	The current user account doesn't have permission to convert or enable this database. To convert or enable a database, ensure the following: <ul style="list-style-type: none"> • You must join the workgroup that defines the user accounts used to access the database.

<i>ErrorCode</i>	<i>ErrorString</i>
	<ul style="list-style-type: none"> • Your user account must have Open/Run and Open Exclusive permissions for the database object. • Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database. • Your user account must have Read Design permission for all objects in the database. • Request that other users close the database.
29025	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database. These won't work under Microsoft Windows 95 or Microsoft Windows NT. Translate these calls to equivalent 32-bit dynamic-link libraries.
29026	<p>The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively. When you convert a database, or the first time you open an earlier version database, another user can't have the database open. Try one of the following:</p> <ul style="list-style-type: none"> • Request that other users close the database. • Using the version of Microsoft Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively. <p>Multiple users can share the database after you convert it, or after you open it for the first time.</p>
29027	Microsoft Access was unable to save the project. Another user is saving the project now. Do you want to retry?
29028	The Save operation failed.
29029	<p>You are trying to open a read-only database. The first time you open an earlier version database, you must be able to write changes to the database.</p> <ul style="list-style-type: none"> • The database file's read-only attribute may be set; clear this attribute. • You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database. • Your license to use this application may have expired.
29030	Microsoft Access can't establish a reference to the specified database. The referenced database can't be found, or it's locked exclusively by another user so it can't be opened. Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.

<i>ErrorCode</i>	<i>ErrorString</i>
29031	Microsoft Access can't create or open the requested database now. The database may be locked exclusively by another user.
29032	The 'l' module is open; Microsoft Access can't set the permissions on an open module.
29033	Microsoft Access can't add references to a replicated database; changes will be ignored.
29034	Microsoft Access is unable to import the module from the source replica. Synchronize the source database.
29040	Microsoft Access is currently unable to rename the form, report, or module to 'l'. Close the database, reopen it, and then try the rename operation again.
29041	One or more forms or reports contains an ActiveX control that could not be loaded. These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.
29042	One or more forms or reports contains an ActiveX control that could not be loaded. These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.
29043	Microsoft Access has converted the code in 'l' to your current version of Visual Basic. To improve the performance of this database, do the following: <ol style="list-style-type: none">1. Open any module in this database in Design view.2. On the Debug menu, click Compile And Save All Modules.
29044	DAO version 3.0 is not compatible with this version of Microsoft Access. Create a reference to DAO version 3.5. For information on setting references, click Help.
29045	You can't import, export, create, modify, or rename any forms, reports, pages or modules in an MDE database.
29046	You can't create a module for a form or report if it is read-only, or if the database is read-only.
29047	Microsoft Access was unable to open the Visual Basic project for this database. Another user is saving the project now. Do you want to retry?
29048	MDE databases can't reference MDB databases. MDE databases can only reference other MDE databases or type libraries.

<i>ErrorCode</i>	<i>ErrorString</i>
29049	You can't refer to a form or report module from Form view or Report preview if the form's or report's HasModule property is set to No. Switch to Design view or set the HasModule property to Yes in order to refer to the module.
29050	Microsoft Access couldn't compile this database because one or more references couldn't be resolved. The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Access will need to recompile the database for each session. For information on improving performance, click Help.
29051	The current user account doesn't have permission to make an MDE file from this database. To make an MDE file, do the following: <ul style="list-style-type: none"> • Join the workgroup that defines the user accounts used to access the database. • Make sure the user account has Open/Run and Open Exclusive permissions for the database object. • Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database. • Request that other users close the database.
29052	The Visual Basic for Applications project in the database 'l' can't be converted to the current Visual Basic format. If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic.
29053	Microsoft Access can't create any more controls on this form or report. If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it.
29054	Microsoft Access can't add, rename, or delete the control(s) you requested.
29055	The form or report 'l' has too many controls. Reduce the number of controls on the form or report before using it in this version of Microsoft Access.
29056	Someone else is using 'l' and the Visual Basic for Applications project does not match your version of Visual Basic. You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database.

<i>ErrorCode</i>	<i>ErrorString</i>
29057	The database 'l' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic. You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database.
29058	You can't create a module for a form or report while an instance of the form or report is in browse mode.
29059	Microsoft Access was unable to display the module.
29060	File not found.
29061	There were compilation errors during the conversion or enabling of this database. This might be due to old DAO syntax that is no longer supported. For an example on how to fixup the code, click Help.
29062	The module name 'l' is misspelled or refers to a module that doesn't exist. If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name.
29063	The Visual Basic for Applications project in the database is corrupt.
29064	You do not have exclusive access to the database at this time. If you proceed to make changes, you may not be able to save them later.
29065	Microsoft Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file.
29066	You do not have exclusive access to the database. Your design changes cannot be saved at this time. Do you want to close without saving your changes?
29067	You do not have exclusive access to the database. You cannot convert this database at this time.
29068	Microsoft Access cannot complete this operation. You must stop the code and try again.
29069	Microsoft Access cannot save the digital signature at this time. <ul style="list-style-type: none"> • You may be in a database under Source Code Control. • You may be in a database which is read only.
29070	Your Microsoft Access database or project contains a missing or broken reference to the file 'll'12 <ul style="list-style-type: none"> • To ensure that your database or project works properly, you must fix this reference. • To learn how to fix this reference, click Help.

<i>ErrorCode</i>	<i>ErrorString</i>
29071	Missing or broken VBE reference to the file '11'.
29072	Microsoft Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Then, on the Tools menu, point to Database Utilities and click Compact and Repair Database. If you are currently trying to repair this corruption then you will need to recreate this file or restore it from a previous backup.
29073	You do not have exclusive access to the database. You cannot continue with the Source Code Control command.
29074	Microsoft Access failed to create the Visual Basic module. If your database is on a network drive, check your network connection, and then try again.
30000	Microsoft Access could not find the SQL Server specified. Verify that the server name is correct.
30001	Microsoft Access could not find the database on the server. Verify that the database name is correct.
30002	Microsoft Access could not log on to the server. Verify that the log on information is correct.
30004	The Default Max Records setting must be between 0 and 2147483647.
30005	Missing SQL command
30006	Access was not able to perform this operation because the project is not connected to a SQL Server database.
30007	Can't sort on one or more fields specified in 'Order By' property or sorting/grouping dialog.
30008	The server you are trying to access is case sensitive. Objects of the same name but of different case are not supported. Using these objects may result in a loss of data.
30009	Another user or application has deleted this record or changed the value of its primary key.
30010	Cannot apply Filter on one or more fields specified in the Filter property.
30011	Cannot get column information for the database object being browsed.
30012	A Server Filter cannot be applied to a stored procedure Record Source. Filter not applied.
30013	You can't update the record because another user or application deleted it or changed the value of its primary key.

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
30014	The data was added to the database but the data won't be displayed in the form because it doesn't satisfy the criteria in the underlying record source.
30015	The specified record source contains duplicate names for some output fields. Use aliases in your SELECT statement to give each field a unique name.
30016	The field 'l' is read only.
30017	This database is not enabled for publication.
30018	Cannot create objects of type 'l' against current SQL backend. Please check your permissions and server setup.
30019	Microsoft Access cannot copy a table with a name that is longer than 64 characters.
30020	Cannot find column 'l'.
30021	Cannot use domain functions on stored procedures.
30022	The Access project could not be opened. You may not have adequate permissions, or the project may be read-only.
30023	Cannot use domain functions on scalar functions.
30024	Your password will not be encrypted before it is saved to the file. Users who view the source contents of the file will be able to see the account user name and password.
30025	Invalid SQL Statement. Check the server filter on the form record source
30026	Access is unable to connect to 'l1' database on the 'l2' server. Make sure that the database still exists and that the server is running.
30027	The value you entered is not consistent with the data type or length of the column.
30028	The database name for the attached database file is blank. Enter a name for your database.
31000	You must specify criteria for all conditional formats.
31001	A conditional format expression can't be longer than 946 characters.
31002	Microsoft Access can't modify the control's conditional formats right now. Your program tried to modify the conditional format of a control while the conditional format was being evaluated.
31003	The setting for this property is too long. You can enter up to either 255 or 2,048 characters for this property, depending on the data type.

<i>ErrorCode</i>	<i>ErrorString</i>
31500	Microsoft Access can't send this format in a mail message. To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.
31502	Microsoft Access can't find the Microsoft Office international dynamic-link library (DLL). Reinstall Microsoft Office.
31507	Invalid field data type.
31508	Cannot load the Office Web Components. Access had a problem loading the Office Web Components Version 9.0. Try going through set-up to re-install them.
31509	Cannot load the Office Web Components. Access had a problem loading the Office Web Components Version 10.0. Try going through set-up to re-install them.
31510	Microsoft Access can't load the dynamic-link library l. You need to resolve the failure and start Access again.
31511	<p>You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean:</p> <ul style="list-style-type: none"> • Existing queries may return different results or not run at all. • The range of data-types and reserved words will change. • Different wildcards will be used. <p>It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.</p>
31512	Microsoft Access can't open the mail session. You may not have configured an e-mail client on this computer. Ensure that your e-mail software has been installed and configured properly.
31513	All open objects must be closed prior to converting to a different version. Do you want Microsoft Access to close the objects?
31514	Microsoft Access can't convert this database to a different version because one or more objects are open. Close all objects and try again.
31515	<p>Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean:</p> <ul style="list-style-type: none"> • Access 2000 users may not be able to see some queries. • Existing queries may return different results or not run at all. • The range of data-types and reserved words will change. • Different wildcards will be used.

<i>ErrorCode</i>	<i>ErrorString</i>
	It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.
31516	Microsoft Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Access than it was originally created with. You can convert this database to a newer format, and then retry this operation with the newly converted database.
31517	Microsoft Access can't convert this database to the requested version because it is from an older version of Microsoft Access. You can convert this database to a newer format, and then retry this operation with the newly converted database.
31518	The following controls contain expressions that can't be represented in a Microsoft Access project PivotTable or PivotChart view: l. Do you still want to switch to PivotTable or PivotChart view?
31519	You cannot import this file. You cannot import a text file unless it has one of these extensions: l.
31520	You cannot import this file. You cannot import a text file that has one of these extensions: l.
31521	Cannot establish connection to the server.
31522	Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Access.
31523	Microsoft Access was unable to open the file 'l'. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the Tools menu, point to Database Utilities, and then click Compact and Repair Database.
31524	Microsoft Access can't transfer the user-defined function 'l'. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.
31525	The selected object can't be pasted because the version of either the source or the destination server is less than 7.0. Microsoft Access can only copy and paste this object if both Microsoft SQL Servers are version 7.0 or higher.
31526	You can't create a Microsoft Access MDE database from a database in Microsoft Access 2000 file format. Close the database and convert it to the current version of Microsoft Access. Then create the MDE database.

<i>ErrorCode</i>	<i>ErrorString</i>
31527	Path not found: l.
31528	Table 'l' is in use. Please close the table and retry import.
31529	View 'l' is in use. Please close the view and retry import.
31530	Procedure 'l' is in use. Please close the procedure and retry import.
31531	Microsoft Access cannot create table(s) using the information contained in the document(s) you are trying to import.
31532	Microsoft Access was unable to export the data.
31533	Invalid filename.
31534	<p>Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support. This will mean:</p> <ul style="list-style-type: none"> • Existing queries may return different results or not run at all. • The range of data-types and reserved words will change. • Different wildcards will be used. <p>It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.</p>
31535	Invalid parameters for ExportXML. Press Help for more information.
31536	The XML schema properties do not match the existing table structures. Overwrite existing structures?
31537	There is already an object named 'l' in the database.
31538	Microsoft Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.
31539	There was an error loading the XSL transformation file. Please make sure that the file is a properly formatted XSL file and is the correct file to use for the data supplied.
31540	There was an error loading the XML data file. Please make sure that the file is a properly formatted XML file.
31541	Microsoft Access cannot open this file. This file is located outside your intranet or on an untrusted site. Microsoft Access will not open the file due to potential security problems. To open the file, copy it to your machine or an accessible network location.
31542	The startup action associated with this file may not be safe. Do you want to execute the startup action as you open the file?

PART VI

<i>ErrorCode</i>	<i>ErrorString</i>
31543	The startup action associated with this file may not be safe. If you choose not to execute the startup action, Microsoft Access will not open the file. Do you want to execute the startup action and open the file?
31544	Microsoft Access cannot open this file. The author of this file has set it to open only when a startup action is executed, and Microsoft Access is currently set to disable startup actions. To address this problem, contact the author of the file or your system administrator.
31545	Microsoft Access cannot open this file. The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified. To address this problem, reinstall Microsoft Internet Explorer or the appropriate Office System Pack.
31546	This database is a Microsoft Access 7.0/8.0/9.0 Design Master. If you click OK, the database you selected will be renamed to l1 and then converted to l2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2002 after the next synchronization.
31547	Microsoft Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.
31548	Microsoft Access cannot export a table to XML when it is open in Design. Close the object and try again.
31549	Finished importing document 'l'.
31550	Not all of your data was successfully imported. Error descriptions with associated row numbers of bad records can be found in the Microsoft Access table 'l'.
