

PHP Phrasebook

Copyright © 2006 by Sams Publishing

International Standard Book Number: 0672328178

Warning and Disclaimer

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an "as is" basis. The author and the publisher shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the CD or programs accompanying it.

When reviewing corrections, always check the print number of your book. Corrections are made to printed books with each subsequent printing. To determine the print number of your book, view the copyright page. The print number is the right-most number on the line below the "First Printing" line. For example, the following indicates that this is the 1st printing of this title and it was printed in April 2005.

First Printing: April 2005

08 07 06 05 4 3 2 1

First Printing Corrections

Pg	Error	Correction
9	<i>second to last line on page</i> <code>onabort="badCode()" />.</code>	<code>onerror="badCode()" />.</code>
16	<i>Subhead after "Extracting Substrings":</i> <code>snbstr()</code>	<code>substr()</code>
28	<i>first line of code after heading:</i> <code>preg_match('/php ((\d)\.\d\.\d+)/i</code>	<code>preg_match('/php ((\d)\.\d\.\d+)/i:\$string, \$matches)</code>
34	<i>first set of code after heading:</i> POSIX: <code>egreg-replace()</code> PCRE: <code>preg-replace()</code>	POSIX: <code>egreg_replace()</code> PCRE: <code>preg_replace()</code>
60	<i>code, 14th line</i> <code>array('<bad>', '-> <worse> <<-')</code>	<code>array('<bad>', '> <worse> <<-')</code>
83	<i>first paragraph, second to last line:</i> ...out that it makes no difference whether...	...out that it makes very little difference whether...
121	<i>last line of code on page:</i> <code>mail('recipient@example.com', 'Form data', \$text);</code>	<code>mail('recipient@domain.tld', 'Form data', \$text);</code>

122	<i>code, 21st line:</i> mail('recipient@example.com', "Form data',	mail('recipient@domain.tld', "Form data',
124	<i>code, line 17:</i> <form action="<?php echo \$_SERVER['PHP_SELF']; ?>"	<form action="<?php echo htmlspecialchars(\$_SERVER['PHP_SELF']); ?>"
143	<i>code, lines 10 and 11:</i> header("Location: {\$_SERVER['PHP_SELF']}?step=2)'	header("Location: ". nl2br(\$_SERVER['PHP_SELF']). "?step=2)'
146	<i>code, lines 11 and 12:</i> header("Location: {\$_SERVER['PHP_SELF']}?step=2");	header("Location: ". nl2br(\$_SERVER['PHP_SELF']). "?step=2");
148	<i>code, line 4:</i> header("Location: {\$_COOKIE['lang']}");	header("Location: ". nl2br(\$_COOKIE['lang']));
159	<i>code, line 23:</i> '%s\` WHERE id=\`",	'%s\` WHERE id=\`%s\`",
162	<i>code, line 5:</i> login.php?url={\$_SERVER['PHP_SELF']});	login.php?url=" . nl2br(\$_SERVER['PHP_SELF']);
163	<i>code, line 8:</i> \$url = (isset(\$_GET['url'])) ? \$_GET['url'] :	\$url = (isset(\$_GET['url'])) ? nl2br(\$_GET['url']) :
163	<i>last paragraph, last line:</i> ...protected by the code in Listings 5.21 and 5.22.	...protected by the code in the previous listings.

175	<i>last set of code on page, lines 2 and 3:</i> <code>↖-> This text file contains\nsome random text. <_“);</code>	<code>↖-> This text file contains\nsome random text. <_”);</code>
176	<i>first set of code, lines 3 and 4:</i> <code>↖-> This text file contains\nsome random text. <_“);</code>	<code>↖-> This text file contains\nsome random text. <_”);</code>
176	<i>second set of code, line 5:</i> <code>↖\$olddata\$data“);</code>	<code>↖\$olddata\$data”);</code>
186	<i>first line of code after heading:</i> <code>(parse_ini_file(`php.ini , true)</code>	<code>parse_ini_file(`php.ini , true)</code>
191	<i>first set of code after heading, line 2:</i> <code>while (false !== (\$file = \$d->read()))</code>	<code>while (false !== (\$file = \$d->read()));</code>
221	<i>first paragraph, line 4:</i> ...PHP with the switch <code>-with-oci8</code>PHP with the switch <code>-with-oci8</code> .
228	<i>first paragraph, 3rd sentence:</i> However, as you saw in Listing 7.18...	However, as you saw in the previous listing ...
230	line 12 of code (a blank line)	remove the blank line

237	<i>code, lines 3, 4 and 5:</i> <pre>\$stmt->bindParam('quote', POST['quote']); \$stmt->bindParam('author', POST['author']); \$stmt->bindParam('year',</pre>	<pre>\$stmt->bindParam(':quote', POST['quote']); \$stmt->bindParam(':author', POST['author']); \$stmt->bindParam(':year',</pre>
244	<i>note, line 3:</i> ...ming interface (API) of the C# component for reading...	...ming interface (API) of the .NET component for reading...
245	<i>line of code after heading:</i> domxml_open_mem(file_get_contents('quotes.xml'))	domxml_open_mem(file_get_contents('quotes.xml'))
248	<i>line of code after heading:</i> doxml_open_mem(file_get_contents('quotes.xml'))	doxml_open_mem(file_get_contents('quotes.xml'))
289	<i>Symbols section, line 9:</i> {...} special character, 25	[...] special character, 25

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.