# Index

# **Numerics**

7985 IP Phones, IP video telephony, 620

# A

AAR (Automated Alternate Routing), 275 configuring, 282-288 locations-based call admission control, 280-288 abbreviated dialing, configuring, 348 ac users, CallManager Attendant Console, adding, 417-419 access analog station gateways, 162 access analog trunk gateways, 162 access control lists (ACLs), 461 access gateways, configuring, 164-174 H.323 gateways, 165-169 MGCP gateways, 169-172 Non-IOS MGCP gateways, 172-174 accessing dependency records, CallManager, 772-774 aceess privileges, MLA (Multilevel Administration), assigning, 491-493 ACLs (access control lists), 461 Actions menu (Attendant Console), 427 ad hoc conferencing, 311 dropping, 516-517 Adleman, Leonard M., 541 administration rights, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, configuring, 743-744 Administrative Reporting Tool (ART). See CAR tool Administrator (CallManager) remote threats to, 483 MLA (Multilevel Administration), 487-499 settings, disabling, 526-530

administrators, Windows 2000 Server, password policies, 472-475 advanced route plans, CallManager, 209 DDIs (Discard Digit Instructions), 217-219 reports, 229 route filters, 209-217 transformation masks, 219-225 translation patterns, 226-228 AES algorithm, 539 Alarm service, Serviceability tool (CallManager), 679-680 alarms, CallManager, 713-714 configuration, 714-719 definition details, 717-719 event levels, 714 Alert Central, RTMT (Real-Time Monitoring Tool), 707-708 algorithms asymmetric cryptography, PKI (Public Key Infrastructure), 552-553 asymmetric encryption, 540-541 call-distribution algorithms, line groups, 237-238 symmetric cryptography, PKI (Public Key Infrastructure), 551-552 symmetric encryption, 538-540 Always Route Member field (hunt group configuration), 422 analog gateways, 161-162 Analog Telephone Adaptor (ATA), 60 ANI (Automatic Number Identification), 219 announcements, annunciators, 319 annunciation, 309 annunciators, 319-320 anouncements, 319 configuring, 320-321 antivirus protection, Windows 2000 Server

**Operating System, 467–468** 

API (application programming interface), CallManager, 7 Application menu, Serviceability tool, CallManager, 683 applications layer (Unified Communications), 7 Architecture for Voice, Video, and Integrated Data (AVVID). See AVVID (Architecture for Voice, Video, and Integrated Data) architecture, IPMA (IP Manager Assistant), 439-440 area codes, commonly exploited area codes, blocking, 507-509 ART (Administrative Reporting Tool). See **CAR** tool assigning MRGLs (Media Resource Group Lists), 339 Assistant Console, IPMA (IP Manager Assistant), installing, 450–452 assistants, IPMA (IP Manager Assistant), configuring, 444-448 asymmetric cryptography, PKI (Public Key Infrastructure), 552–553 asymmetric encryption, 540-541 ATA (Analog Telephone Adaptor), 60 attacks DoS (denial of service) attacks, 573 identity spoofing, 573 man-in-the-middle enrollment attacks, PKI (Public Key Infrastructure), 560 Attendant Console (CallManager), 8, 409-410 ac users, adding, 417-419 Broadcast Calls pane, 431 Call Control window, 428-429 call queuing, 415 call routing, 414-415 client, configuring and installing, 425-426 configuring, 416-426 Configuration Tool, 424-425

CTIManager, activating, 423-424 directory, 412-413 Directory pane, 430 hunt groups, 413-414 configuring, 420-422 interface, 427 menus, 427 Parked Calls pane, 430-431 pilot points, 413-414 configuring, 419-420 Speed Dials pane, 429-430 TCD (Telephony Call Dispatcher), 411-412 activating, 423-424 terminology, 411 users, adding, 416-417 audio, video call flow, 622 audio codecs, IP Phones, support for, 67 Audio Session Tunnel, 650 audio source files, MoH (music on hold) configuring, 330-331 creating, 326-327 audio source IDs, MoH (music on hold), assigning, 334 audio translator, MoH (music on hold), configuring, 327-328 authentication, 535-538, 573, 597 CallManager, 10 certificates LSCs (locally significant certificates), 602-607 storage, 585 configuring, 597-599 CTL client, 600-602 digital signatures, 544-546 hash functions, 541-544 integrity, 585-588 IP Phone, enabling, 530 IP telephony threats, 573 protecting against, 574–576

#### 834 authentication

keys, storage, 585 phone configuration files, CallManager, 574, 576 phone images, CallManager, 574-576 phone-to-server authentication, 587-588 PKI, enrollment, 583-585 PKI topologies, 576 CAPF (CallManager Certificate Authority Proxy Funtion), 577 CTL client, 580-583 LSCs (locally significant certificates), 577-579 MICs (manufacturing installed certificates), 577-578 multiple PKI topologies, 579 self-signed certificates, 576-577 server-to-phone authentication, 586-587 SHA-1 keys, exchanges, 588 TLS sessions, certificate exchanges, 586 authentication strings, phone certificates, issuing, 605-607 Authorized Self-Study Guide: Cisco Voice over IP (CVOICE), 161, 164 Auto Answer, configuring, 349 Auto Call Pickup, configuring, 362–363 Automated Alternate Routing (AAR). See AAR (Automated Alternate Routing) Automatic Number Identification (ANI), 219 automatic registrations, IP Phones, 90-92 Auxiliary VLANs, Catalyst switches, support for, 145 availability, softkeys, modifying, 353-354 AVVID (Architecture for Voice, Video, and Integrated Data), 5-6

### В

bandwidth, IP video telephony calculations, 630–631 call admission control, 631–632 managing, 628–632 requirements, 629–630
barge tones, 319 configuring, 365–366
BAT (Bulk Administration Tool), 119 components, 120 CSV files, creating, 128–131

devices choosing, 123-124 specifics, 124-125 devices for, 119-120 installation, 121-123 **IP** Phones adding, 123–135 inserting, 132-134 updating, 134-135 validating, 131-132 records for, 119-120 TAPS (Tool for Auto-Registered Phones Support), 136-138 templates, 438 configuring, 126-127 blocking commonly exploited area codes, 507-509 boot process, IP Phones, 64-67 braodcast call-distribution algorithm, 238 Broadcast Calls pane (Attendant Console), 431 Bulk Administration Tool (BAT). See BAT (Bulk Administration Tool) Bulk Trace Analysis tool (CallManager), 730-732 button templates, IP Phones, 84-86

# С

CA (Certificate Authority) CAPF, acting as, 583-584 PKI (Public Key Infrastructure), 556-559 web servers, 564-567 CAC (call admission control) gatekeeper-based call admission control, 288-296 implementing, 275-276 locations-based call admission control, 276 - 288AAR (Automated Alternate Routing), 280-288 configuring, 278-279 calculating IP video telephony badwidth, 630-631 call activity, RTMT (Real-Time Monitoring Tool), monitoring, 706–707

call admission control between clusters, 637-643 gatekeepers, 641-643 location configuration, 635-637 region configuration, 634-635 Retry Video Call as Audio setting, 638-640 CallManager, 631-632 within clusters, 632-640 call admission control (CAC). See CAC (call admission control) Call Back, configuring, 364 Call Control window (Attendant Console), 428-429 Call Coverage, 235 Call Detail Record (CDR) Analysis and Reporting (CAR) tool. See CAR (Call Detail Record {CDR} Analysis and **Reporting**) tool call detail records (CDRs), 673-674 Call Dispatcher, 411–412 activating, 423-424 Call Display Restrictions, 395–396 Calling Line ID Presentation, 396-397 Connected Line ID Presentation, 397 Ignore Presentation Indicators, 397–398 call distribution, 235-236 hunting and forwarding, 240-241 line groups, 236-237 algorithms, 237-238 configuring, 242-243 hunt options, 238-240 call divert targets, IPMA (IP Manager Assistant), configuring, 449-450 call flow, video calls, 622-623 call forwarding CallManager, 107-108 configuring, 349-351 Call Join, configuring, 358 Call Park, configuring, 359-360 Call Pickup, configuring, 360-363 call processing (CallManager), 8-9 call queuing, CallManager Attendant Console, 415 call routing CallManager Attendant Console, 414-415 external call routing, 187-188 VT (Video Telephony) Advantage, 654

call transfers, external transfers, restricting, 511-516 call waiting, 347 called-party transformations, 221-222 configuring, 223-224 caller ID, 219, 396-397 **Calling Line ID Presentation field** (CallManager), 396-397 calling privileges calling search spaces, 254-255 configuring, 258-259 gateways, 256 intercluster trunks, 256 CoS (Class of Service), 253-254 enforcement of, 253 partitions, 254-255 configuring, 256-258 time-of-day routing, 260 configuring, 262-268 time periods, 260-265 time schedules, 261, 265-268 usage scenario, 268-270 user effects, 262 Calling Search Space field (pilot point configuration), 420 calling search spaces, 253-255 Call Forward toll fraud, preventing, 505-507 configuring, 258-259 gateways, 256 voice mail toll fraud, preventing, 505-507 calling-party transformations, 220-221 configuring, 223-224 CallManager, 5, 7-8, 35 ad hoc conferencing, dropping, 516-517 Administrator disabling settings, 526-530 remote threats to, 483 advanced route plans, 209 DDIs (Discard Digit Instructions), 217-219 reports, 229 route filters, 209-217 transformation masks, 219-225 translation patterns, 226-228 alarms, 713-714 configuring, 714-719 definition details, 717-719 event levels, 714

### 836 CallManager

API (application programming interface), 7 Attendant Console, 8, 409-410 adding ac users, 417-419 adding users, 416-417 Broadcast Calls pane, 431 Call Control window, 428-429 call queuing, 415 call routing, 414-415 client, 425-426 Configuration Tool, 424-425 configuring, 416-426 CTIManager, 423-424 directory, 412-413 Directory pane, 430 hunt groups, 413-414, 420-422 interface, 427 menus, 427 Parked Calls pane, 430-431 pilot points, 413-414, 419-420 Speed Dials pane, 429-430 TCD, 423-424 TCD (Telephony Call Dispatcher), 411-412 terminology, 411 authentication, 10 configuring, 597-599 CTL client, 600-602 Barge, configuring, 365-366 BAT (Bulk Administration Tool) components, 120 installation, 121-123 IP Phones, 123-135 TAPS (Tool for Auto-Registered Phones Support), 136-138 CAC (call admission control), 275-276 gatekeeper-based call admission control, 288-296 locations-based call admission control, 276-288 call admission control, 637-638 clusters, 632-643 location configuration, 635-637 region configuration, 634-635 Retry Video Call as Audio setting, 638-640 Call Join, configuring, 358 Call Park, configuring, 359-360 Call Pickup, configuring, 360-363 call processing, 8-9

call-distribution components, 235-236 hunting and forwarding, 240-241 line groups, 236-243 Calling Line ID Presentation field, 396-397 calling search spaces, 254-255 configuring, 258-259 gateways, 256 call-processing deployment models, 23 clustering over the IP WAN, 30-31 multisite deployment model, 25-27 multisite deployment model with distributed call processing, 27-30 single-site deployment model, 23-25 CAPF (CallManager Certificate Authority Proxy Funtion), PKI topologies, 577 CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 690, 737 CDRs (call detail records), 737-739 CMRs (Call Management Records), 737–739 configuration, 740-748 device reports, 740 report scheduling, 748-752 system database configuration, 752-756 system reports, 740 user levels, 740 user report configuration, 756-758 user reports, 740 users, 739 Cisco Call Back, configuring, 364 clean installation process, 35 installation configuration data, 36-38 installation disks, 35-36 postinstallation procedures, 40-41 service activation, 41-45 clusters, 17 intracluster run-time data, 18-19 limits, 22 redundancy designs, 19-22 SQL database cluster, 17-18 CMC (Client Matter Codes), 511 components, 10 Connected Line ID Presentation field, 397 CTL client, installing, 600-602 Customer Directory Plugin, 10 database replication, 38 DBLHelper, 689 DC Directory, 10

dependency records, 771 accessing, 772–774 enabling, 771–772 device control, 8 dial plan adminstration, 8 Dialed Number Analyzer, 690 Direct Transfer, configuring, 357 directory services, 8 DNA (Dial Number Analyzer), 776-779 installing, 777–778 encryption configuring, 597-599 CTL client, 600-602 Event Viewer, 689 Extension Mobility, 377-378 configuring, 378-389 default device profiles, 382-383 service parameters, 381-382 user device profiles, 383-386 external call routing, 187-188 external-to-external call transfers, blocking, 512-516 FAC (Forced Authorization Codes), 5 10-511 functions, 8 gateways call survivability, 163 configuring, 164-174 redundancy support, 162 Group Call Pickup, configuring, 361 group configuration, 79-81 H.323 gateways, configuring, 165-169 HTTPS (Secure HTTP), 483 securing through, 483-487 hunt lists, configuring, 243-245 hunt pilots, configuring, 245-247 Ignore Presentation Indicators check box, 397-398 Immediate Divert, configuring, 358-359 **IP** Phone Services configuring, 368-372 displays, 372 IP Phones, 53 automatic registration, 90-92 codec support, 67 configuring, 73-92 device pool configuration, 75-87 device pool design, 92-95 DNS reliance removal, 73-75

entry-level IP Phones, 54-56 features, 61, 64 interaction, 8-9 intracluster communication, 73-87 manual directory number configuration, 87-90 midrange IP Phones, 56-59 registering for, 67 startup process, 64-67 template buttons, 84-86 upper-end IP Phones, 56-59 IP telephony threats, protecting against, 574-576 IP telephony users, 101 adding, 102-104 call forwarding, 107-108 configuration, 102-114 device pool configuration, 104-105 Fast Dial service, 111–112 IP Phone services, 110-111 locale settings, 113-114 logon options, 105-106 Message Waiting Lamp page, 112-113 Personal Address Book service, 111-112 speed dialing, 108–110 user database, 101-102 User Options welcome screen, 106-107 IP video telephony, 619 bandwidth calculations, 630-631 bandwidth management, 628-632 bandwidth requirements, 629-630 call admission control, 631-632 codec support, 623-624 H.323 endpoints, 625-628 intercluster trunks, 640 SCCP endpoints, 625-627 video calls, 621-622 video protocols, 624-628 IP Voice Streaming application, activating, 310 IPMA (IP Manager Assistant), activating, 441 LSCs (locally significant certificates), 602-607 management tools, 688-690 MCID (Malicious Call Identification), configuring, 399-403

### 838 CallManager

MGCP gateways, configuring, 169-170, 172 MLA (Multilevel Administration), 487-488 access privileges, 491-493 enabling, 488-489 functional groups, 489-499 user groups, 490–499 MoH Audio Translator, activating, 310 most recent version, 45 MRM (Media Resource Manager), 309-310, 335 annunciators, 319-321 conference bridges, 310-316 media resource design, 335-336 MoH (music on hold), 324-334 MRGLs (Media Resource Group Lists), 338-341 MRGs (Media Resource Groups), 336-338 MTPs (Media Termination Points), 316-318 transcoders, 321–324 multiple call per line appearances, configuring, 355-357 Non-IOS MGCP gateways, configuring, 172-174 Notification Tool, 462 Other Group Call Pickup, configuring, 361 partitions, 254-255 configuring, 256-258 Password Changer tool, 690, 774-776 Performance Monitor, 689 performance monitoring, 695 Event Viewer, 697-698 performance counters, 695-697 Performance Monitor, 699-702 RTMT (Real-Time Monitoring Tool), 702-708 phone configuration files, authentication, 574-576 phone feature administration, 8 phone images, authentication, 574-576 phone loads, verifying, 657-658 PKI (Public Key Infrastructure), 551 as trusted third-party protocol, 553-556 asymmetric cryptograpy, 552-553 CA (Certificate Authority), 556-559 certificates, 557-559

CRL (certificate revocation lists), 557 enrollment, 559-561 entities, 556-559 key storage, 562-563 revocation methods, 561-562 Smart Cards, 563 smart tokens, 563 SSL, 563-564 symmetric cryptograpy, 551-552 TLS (Transport Layer Security), 563-564 web server certificate exchange, 564-567 precedence, 403-404 preemption, 403-404 Privacy, configuring, 367-368 programming interface to external applications, 8 QRT (Quality Report Tool), 780-784 logs, 782-785 softkey activation, 781-782 QRT Viewer, 690 region configuration, 82 reimaging, 46 route plans, 187, 204-205 configuration, 189-205 digit analysis, 200 digit collection, 201-203 route groups, 189–192 route lists, 192-194 route patterns, 194–199 RTMT client, 690 SCCP (Skinny Client Control Protocol), 8-9 SDK (Software Development Kit), 7 secure media transfers, 574-575 secure signaling, 574-575 servers, 11 Serviceability tool, 678, 687-688 Alarm service, 679–680 Application menu, 683 Control Center, 684-686 Help menu, 684 interface, 679 menus, 678 Service Activation tool, 686 Services MMC, 687 Tools service, 681-682 Trace service, 680-681 services, 42-44

Services MMC, 689 signaling, 9 signaling control, 8 SIP (Session Initiation Protocol), 179 components, 179-181 configuration, 181-183 integration, 181-183 proxy servers, 179 redirect servers, 180 registrar servers, 180 user agents, 180 softkey template configuration, 83-84 SQL (Structured Query Language) databases, 673 DBLHelper, 677-678 management tools, 673-674 SQL Server 2000 Enterprise Manager, 674-677 SQL (Structured Query Language) Server 2000, reliance upon, 10 SQL Server 2000 Enterprise Manager, 689 static IP information, choosing, 37 stopping manually, 19 system administrators, password protection, 38 time-of-day routing, 260, 509-510 configuring, 262-268 time periods, 260-265 time schedules, 261, 265-268 usage scenario, 268–270 user effects, 262 traces, 720 Bulk Trace Analysis tool, 730-732 configuring, 719-725 Dick Tracy tool, 732 Ethereal tool, 732-733 Q.931 Translator, 732 Trace Analysis tool, 725-728 Trace Collection tool, 728–730 Voice Log Translator, 732 trunks, 174-175 H.225 gatekeeper controlled trunks, 175 intercluster gatekeeper-controlled trunks, 175 intercluster nongatekeeper-controlled trunks, 175 intercluster trunks, 176-179 SIP trunks, 176

upgrading, 45-47 VT (Video Telephony) Advantage call routing, 654 calls, 651-652 client installation, 661-667 components, 647-648 configuring, 653-654 deployment tools, 655-657 IP phone configuration, 657-661 protocols, 649-650 supported standards, 648-649 video modes, 652-653 Windows 2000 operating system, 10 Windows 2000 Server Operating System administrator password policies, 472-475 antivirus protection, 467-468 common exploits, 475-476 CSA (Cisco Security Agent), 468-472 hardening, 463-467 hot fix policy, 461-462 security, 459 security patches, 461-462 security settings, 476-478 threats to, 459-461 **CallManager Certificate Authority Proxy** Function (CAPF). See CAPF (CallManager **Certificate Authority Proxy Function**) CallManager certificates, CTL client, 580 CallProcess category, RTMT (Real-Time Monitoring Tool), 703 call-processing deployment models, CallManager servers, 23 clustering over the IP WAN, 30-31 multisite deployment model, 25-27 multisite deployment model with distributed call processing, 27-30 single-site deployment model, 23-25 call-processing layer (Unified **Communications**), 7 calls video calls, 621 call flow, 622-623 CallManager, 621-622 codec support, 623-624 VT (Video Telephony) Advantage protocols, 651-652 video modes, 652-653

#### 840 CAPF (CallManager Certificate Authority Proxy Function)

**CAPF** (CallManager Certificate Authority Proxy Function), 43 CA (Certificate Authority), acting as, 583-584 certificates, CTL client, 580 external CA (Certificate Authority), acting as a proxy to, 584-585 phone certificates, issuing, 607 PKI topologies, 577 reports, generating, 609-611 CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 690, 737 CDRs (call detail records), 737-739 CMRs (Call Management Records), 737-739 configuration, 740 administration rights, 743-744 dial plan parameters, 744-746 gateways, 746-747 initial configuration, 741-742 mail parameters, 743-744 system parameters, 742-743 system preferences, 747-748 device reports, 740 report scheduling, 748-752 system database, configuring, 752-756 system reports, 740 user levels, 740 user reports, 740 configuring, 756-758 users, 739 Catalyst switches, 145 Auxiliary VLAN support, 145 CoS (class of service), configuring, 155-156 CoS marking, 146 data VLANs, 152-154 dual VLANs, 153-154 inline power, 145 IP Phones, powering, 146-151 IP telephony, role in, 145-146 midspan power injection, 146 PoE (Power over Ethernet), 146-148 Catalyst EtherSwitch modules, 149 Catalyst modular switching, 148 Catalyst stackable switching, 149 configuring, 150 device detection, 147-148 verifying, 151

voice VLANs, 152-154 wall power, 146 CatOS, dual VLANs, configuring, 153 CCMAdministrator account, password, changing, 775 CCMSysUser account, password, changing, 775 CDR inserts, CallManager, 43 CDRs (call detail records), 673-674 CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 737-739 Certificate Authority (CA). See CA (Certificate Authority) certificates CAPF (CallManager Certificate Authority Proxy Funtion), PKI topologies, 577 CTL clint, 580-583 CallManager certificates, 580 CAPF certificates, 580 MICs (manufacturing installed certificates), 581 TFTP server certificates, 580 HTTPS (Secure HTTP), 484-485 self-signed certificates, 485-487 LSCs (locally significant certificates), 602 - 607PKI topologies, 577-579 MICs (manufacturing installed certificates), PKI topologies, 577-578 PKI (Public Key Infrastructure), 557 self-signed certificates, 558-559 web servers, 564-567 X.509v3 certificates, 557-558 self-signed certificates, PKI topologies, 576-577 storage, IP telephony, 585 TLS sessions, exchanges, 586 CFA (Call Forward All) toll fraud, 504 preventing, calling search spaces, 505-507 **CHAP** (Challenge Handshake Authentication Protocol), 544 circular call-distribution algorithm, 238 Cisco upgrades, release of, 46 Cisco 7900 series IP Phones, introduction of, 5 Cisco Call Back, configuring, 364 Cisco CallManager 4.1 Software Disk, 36 **Cisco IP Telephony Server Operating System** Hardware Detection Disk, 35

**Cisco IP Telephony Server Operating System** Installation and Recovery Disk, 36 **Cisco IP Telephony Solution Network Reference Design**, 25 **Cisco IP Telephony Solution Reference** Network Design (SRND), 25, 314 **Cisco IP Voice Media Streaming application**, 312 Cisco QOS Exam Certification Guide, Second Edition, 155 Cisco Voice Gateways and Gatekeepers, 161, 164, 289 **CiscoWorks ITEM (IP Telephony** Environment Monitor), 763-764 Class of Service (CoS). See CoS (Class of Service) clean installation, CallManager, 35 installation configuration data, 36-38 installation disks, 35-36 postinstallation procedures, 40-41 service activation, 41-45 client applications, 411 client layer (Unified Communications), 7 clients, VT (Video Telephony) Advantage, installing on, 661-667 closest match routing, CallManager, 201-202 clusters call admission control, 632-643 gatekeepers, 641-643 location configuration, 635-637 region configuration, 634-635 Retry Video Call as Audio setting, 638-640 CallManager servers, 17 clustering over the IP WAN, 30-31 intracluster run-time data, 18-19 limits, 22 redundancy designs, 19-22 SQL database cluster, 17-18 intercluster trunks, CallManager, 640 intracluster communication, IP Phones, 73-87 CMCs (Code Matter Codes), 389, 391-392 configuring, 392-394 creating, 392 route patterns, enabling, 394-395 toll fraud, preventing, 511

CMRs (Call Management Records), CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 737-739 Code Matter Codes (CMCs). See CMCs (Code Matter Codes) codecs IP Phones, support for, 67 video codecs, CallManager, 623-624 commands IOS gatekeepers, 293 SRST, 299 Comma-Separated Values (CSV), 737 commonly exploited area codes, blocking, 507-509 components BAT (Bulk Administration Tool), 120 SIP (Session Initiation Protocol), 179-181 conference bridges, 310-311 ad hoc conferencing, 311 Cisco IP Voice Media Streaming application, 312 hardware, 311-315 configuring, 315-316 IP/VC-3500 Series Video Multipoint Conference Unit, 313 Meet-Me conferencing, 311 NM-HD network modules, 313 NM-HD-2VE network modules, 313 NM-HDV network modules, 313 NM-HDV2 network modules, 313 WS-SVC-CMM conference bridge type, 312 WS-X6608-E1 conference bridge type, 312 WS-X6608-T1 conference bridge type, 312 conferencing, 309 ad hoc conferencing, 311 dropping, 516-517 Meet-Me conferencing, 311 configuration AAR (Automated Alternate Routing), 282-288 abbreviating dialing, 348 access gateways, 164-170, 172-174 H.323 gateways, 165-169 MGCP gateways, 169–170, 172 Non-IOS MGCP gateways, 172-174 annunciators, 320-321 authentication, 597-599 CTL client, 600-602

Auto Answer, 349 Barge, 365-366 call admission control location configuration, 635-637 region configuration, 634-635 call forwarding, 349-351 Call Join, 358 Call Park, 359-360 Call Pickup, 360-363 called-party transformations, 223-224 calling search spaces, 258-259 calling-party transformations, 223-224 CallManager, 416-426 adding ac users, 417-419 adding users, 416-417 alarms, 714-719 call queuing, 415 call routing, 414-415 client, 425-426 Configuration Tool, 424-425 configuring, 416-426 CTIManager, 423-424 Extension Mobility, 378-389 hunt groups, 420-422 IP Phones, 87-92 IP telephony users, 102-114 locale settings, 113-114 pilot points, 419-420 route plans, 189-205 TCD (Telephony Call Dispatcher), 423-424 traces, 719-725 CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 740 administration rights, 743-744 dial plan parameters, 744-746 gateways, 746-747 initial configuration, 741-742 mail parameters, 743-744 system database, 752-756 system parameters, 742-743 system preferences, 747-748 user reports, 756-758 Cisco Call Back, 364 CMCs (Code Matter Codes), 392-394 conference bridge hardware, 315-316 CoS (class of service), Catalyst switches, 155-156 Direct Transfer, 357

dual VLANs CatOS, 153 NativeOS, 153-154 encryption, 597-599 CTL client, 600-602 FACs (Forced Authentication Codes), 392-394 Group Call Pickup, 361 hunt groups, call-distribution components, 235-241 hunt lists, 243-245 hunt pilots, 245-247 Immediate Divert, 358-359 intercluster trunks, 176-179 IP Phones, 64-67, 368-372 device security mode, 607-608 for CallManager, 73-87 intracluster communication, 73-87 line groups, 242-243 locations-based call admission control, 278-279 MCID (Malicious Call Identification), 399-403 MoH (music on hold), 327-334 audio source files, 330-331 audio source ID assignements, 334 audio translator, 327-328 fixed audio source, 332-333 servicewide settings, 331-332 MRGLs (Media Resource Group Lists), 338-339 MRGs (Media Resource Groups), 337-338 MTPs (Media Termination Points), 318 multiple calls per line appearances, 355-357 Other Group Call Pickup, 361 partitions, 256-258 PoE (Power over Ethernet), Catalyst switches, 150 Privacy, 367-368 route filters, 212-214 shared-line support, IPMA (IP Manager Assistant), 440-452 SIP (Session Initiation Protocol), CallManager, 181–183 SRST (Survivability Remote Site Telephony) references, 300-301 routers, 298-299 time-of-day routing, 262-268

time periods, 263-265 time schedules, 265-268 transcoders, 323-324 translation patterns, 226-227 VT (Video Telephony) Advantage, 647 CallManager, 653-657 IP phones, 657-661 configuration data, CallManager, clean installations, 36-38 configuration files, phone configuration files, authentication, 574-576 configuration profiles, RTMT (Real-Time Monitoring Tool), saving, 704-705 **Configuration Tool (Attendant Manager)**, 424-425 **Connected Line ID Presentation field** (CallManager), 397 Control Center, Serviceability tool (CallManager), 684-686 controlling center pane, RTMT (Real-Time Monitoring Tool), 703 coresident deployment, MoH (music on hold), 325 CoS (class of service), 253-254 Catalyst switches, configuring, 155-156 CoS (class of service) marking, 146 counters (performance), 695-696 RTMT (Real-Time Monitoring Tool), 696-697 CRC (cyclic redundancy check) checksums, 542 CRLs (certificate revocation lists), 557 PKI (Public Key Infrastructure), 562 cryptography, 535-537 asymmetric cryptography, PKI (Public Key Infrastructure), 552-553 authentication, 537-538 digital signatures, 544-546 hash functions, 541-544 data authenticity, 535 data confidentiality, 535 data integrity, 535 data nonrepudiation, 535 encryption, 537-538 asymmetric encryption, 540-541 symmetric encryption, 538-540 PKI (Public Key Infrastructure), 551 as trusted third-party protocol, 553-556

asymmetric cryptography, 552-553 CA (Certificate Authority), 556-559 certificates, 557-559 CRL (certificate revocation lists), 557 enrollment, 559-561 entities, 556-559 key storage, 562-563 revocation methods, 561-562 Smart Cards, 563 smart tokens, 563 SSL, 563-564 symmetric cryptography, 551-552 TLS (Transport Layer Security), 563-564 web server certificate exchange, 564-567 services, 535 symmetric cryptography, PKI (Public Key Infrastructure), 551-552 CSA (Cisco Security Agent), 468-472 headless agent, 469 managed agent, 469-470 protection rules, 471 supported applications, 470-471 CSV (Comma-Separated Values), 737 CSV files, creating, BAT (Bulk Administration Tool), 128-131 CTI category, RTMT (Real-Time Monitoring Tool), 704 **CTIManager**, 42 activating, 423-424 CTL (Certificate Trust List) Providor, CallManager, 43 CTL (Certificate Trust List) client authentication, 600-602 certificates, 580-583 CallManager certificates, 580 CAPF certificates, 580 MICs (manufacturing installed certificates), 581 TFTP server certificates, 580 encryption, 600-602 installing, 600-602 **Customer Directory Plugin, CallManager, 10** cyclic redundancy check (CRC) checksums, 542

# D

Daemen, Joan, 539 data authenticity, 535 data confidentiality, 535 data integrity, 535 data nonrepudiation, 535 data VLANs, Catalyst switches, 152-154 Database Laver Monitor, CallManager, 43 database replication, CallManager, 38 databases, 673 management tools, 673-674 DBLHelper, 674, 677-678 SOL Server 2000 Enterprise Manager, 674-677 date/time group configuration, CallManager, 80-81 DBHelper, 674, 677-678 **DBLHelper**, 689 DC Directory, CallManager, 10 DDIs (Discard Digit Instructions), 217-219 default device profiles, CallManager, Extension Mobility, 382–383 definition details, CallManager alarms, configuring, 717-719 deleting softkey templates, 355 denial of service (DoS) attacks. See DoS (denial of service) attacks dependency records, 771 accessing, 772-774 enabling, 771-772 deployment tools, VT (Video Telephony) Advantage, 655-657 design models, IP telephony networks, 23 clustering over the IP WAN, 30-31 multisite deployment model, 25-27 multisite deployment model with distributed call processing, 27-30 single-site deployment model, 23-25 destination IP, 280 Device category, RTMT (Real-Time Monitoring Tool), 703 device control (CallManager), 8 Device Pool field (pilot point configuration), 420 device pools CallManager, configuring, 104-105 **IP** Phones configuring, 75-87 designs, 92-95

device reports, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 740 Device Search wizard, RTMT (Real-Time Monitoring Tool), 707 device security mode, IP Phone, 607-609 devices BAT (Bulk Administration Tool), 119, 123-124 softkeys, assigning to, 354 specifics, BAT (Bulk Administration Tool), 124-125 **DHCP** (Dynamic Host Configuration Protocol), 37 IP Phones, TFTP server addresses, 66 dial plan administration (CallManager), 8 dial plan parameters, CAR (Call Detail **Record {CDR} Analysis and Reporting)** tool, configuring, 744-746 **Dialed Number Analyzer, 690** Dialed Number Analyzer (DNA). See DNA (Dialed Number Analyzer) Dick Tracy tool (CallManager), 732 **Differentiated Services Code Point (DSCP)** settings, 653 digit analysis, CallManager, configuring, 200 digit collection, CallManager, configuring, 201-203 digital gateways, 161-162 digital signatures, 544-546 RSA algorithm, 545-546 Direct Transfer, configuring, 357 directories, CallManager Attendant Console, 412-413 directory display, IP Phone Services, 372 **Directory Manager, passwords, changing, 775 Directory Number field (hunt group** configuration), 422 Directory pane (Attendant Console), 430 directory services (CallManager), 8 Disable Speakerphone and headset setting (IP Phone), 526 disabling settings, CallManager Administration, 526-530 **Discard Digit Instructions (DDIs).** See DDIs (Discard Digit Instructions) **Discovery Protocol**, 650–651 displays call forwarding, configuring, 349-351 IP Phone Services, 372

DNA (Dialed Number Analyzer), 776-779 installing, 777-778 DNs (directory numbers), partitions, 254-255 configuring, 256-258 DNS reliance, IP Phones, removing, 73-75 DNS servers, identifying, 37 DoS (denial of service) attacks, 573 **DSCP** (Differentiated Services Code Point) settings, 653 DSPs (digital signal processors), 310 DTMF (dual tone multifrequency), gateways, 162 dual VLANs, configuring, 153-154 **Dynamic Host Configuration Protocol** (DHCP), 37 dynamic link libraries (DLLs), 461

### Ε

Edit menu (Attendant Console), 427 **Emergency Responder (ER), 461** enabling dependency records, CallManager, 771-772 encryption, 535-538, 573, 588-589, 597 asymmetric encryption, 540-541 configuring, 597-599 CTL client, 600-602 IP Phone, enabling, 530 IP telephony threats, 573 secure call flow, 591 SRTP media encryption, 589-590 packet format, 590 symmetric encryption, 538-540 TLS AES encryption, 589 endpoints AAR (Automated Alternate Routing), configuring, 285-288 H.323 endpoints, 625-628 IP phones, threats to, 523-530 SCCP endpoints, 625-627 enrollment, PKI (Public Key Infrastructure), 559-561 IP telephony, 583-585 man-in-the-middle enrollment attacks, 559-561 entry-level IP Phones, 54-56 ER (Emergency Responder), 461 Ethereal tool (CallManager), 732-733 EtherSwitch modules, PoE (Power over Ethernet), Catalyst switches, 149

event levels, CallManager, 714 Event Viewer, 689, 697-698 exploits toll frauds, 503-504 ad hoc conferencing, 516-517 CFA (Call Forward All), 504-507 CMC (Client Matter Codes), 511 commonly exploited area codes, 507-509 external transfer restrictions, 511-516 FAC (Forced Authorization Codes), 510-511 inside facilitators, 505 social engineering, 505 time-of-day routing, 509-510 transfers from voice mail, 505-507 Windows 2000 Server, 475-476 extended functions, CallManager, 43 extension mobility, CallManager, 43 Extension Mobility (CallManager), 377-378 configuring, 378-389 default device profiles, 382-383 service parameters, 381-382 user device profiles, 383-386 external call routing, CallManager, 187-188 external transfers, restricting, 511-516

# F

FACs (Forced Authentication Codes), 389-390 configuring, 392-394 creating, 393-394 route patterns, enabling, 394-395 toll fraud, preventing, 510-511 failover process, SRST (Survivability Remote Site Telephony), 298 Fast Dial service, CallManager, 111–112 features, 347, 377 abbreviated dialing, 348 Auto Answer, 349 Barge, 365-366 Call Display Restrictions, 395-396 Calling Line ID Presentation, 396-397 Connected Line ID Presentation, 397 Ignore Presentation Indicators, 397 - 398call forwarding, 349-351 Call Join, 358

#### 846 features

Call Park, 359-360 Call Pickup, 360-363 call waiting, 347 CallManager Extension Mobility, 377-378 configuring, 378-389 default device profiles, 382-383 service parameters, 381-382 user device profiles, 383-386 Cisco Call Back, 364 CMCs (Code Matter Codes), 389-392 configuring, 392-394 creating, 392 route patterns, 394-395 Direct Transfer, 357 FACs (Forced Authentication Codes), 389-390 configuring, 392-394 creating, 393-394 route patterns, 394-395 Group Call Pickup, 361 hold, 347 Immediate Divert, 358-359 IP Phone Services, 368-372 MCID (Malicious Call Identification), 399 configuring, 399-403 multiple calls per line appearances, configuring, 355-357 Other Group Call Pickup, 361 precedence, 403-404 preemption, 403-404 Privacy, 367-368 redial, 347 softkey templates, 351-352 adding, 352 assigning, 354 deleting, 355 modifying, 353-354 speed dialing, 348 transfers, 347 FECC (front-end camera control), video call flow, 622 File menu (Attendant Console), 427 file sharing, Windows 2000 Server, security, 467 fixed audio sources, MoH (music on hold), configuring, 332-333 Forced Authentication Codes (FACs). See FACs (Forced Authentication Codes) FQDN (fully qualified domain name), 37

frauds, toll frauds, 503-504 ad hoc conferencing, 516-517 CFA (Call Forward All), 504-507 CMC (Client Matter Codes), 511 commonly exploited area codes, 507-509 external transfer restrictions, 511-516 FAC (Forced Authorization Codes), 510-511 inside facilitators, 505 social engineering, 505 time-of-day routing, 509-510 transfers from voice mail, 505-507 front-end camera control (FECC), video call flow, 622 fully qualified domain name (FQDN), 37 functional groups, MLA (Multilevel Administration), 489-490 creating, 492-499 functions, CallManager, 8

### G

gatekeeper-based call admission control, 288 - 296gatekeeper-controlled intercluster trunks, 640 gatekeepers call admission control, options, 641-643 H.323 gatekeepers, communication, 289-296 Gateway Statistics Utility (GSU), 764 gateways, 161 analog gateways, 161-162 calling search spaces, 256 CallManager call survivability, 163 redundancy support, 162 CAR (Call Detail Record {CDR} Analysis and Reporting) tool, configuring, 746-747 communications, 163-164 configuring, 164-174 controlling, SIP, 164 core requirements, 162-163 digital gateways, 161-162 DTMF (dual tone multifrequency) relay capabilities, 162 H.323 gateways, 163 configuring, 165-169

MGCP gateways, 163 configuring, 169-172 Non-IOS MGCP gateways, configuring, 172-174 SCCP gateways, 164 supplementary services support, 162 generating CAPF reports, 609-611 Generic Route Encapsulation (GRE), 525 graph view (Performance Monitor), 700-701 graphical display (IP Phone Services), 372 Gratuitous ARP setting (IP Phone), 526 disabling, 528-529 **GRE** (Generic Route Encapsulation), 525 Group Call Pickup, configuring, 361 group configuration, CallManager, 79-81 groups, MLA (Multilevel Administration) functional groups, 489-499 user groups, 490-499 GSU (Gateway Statistics Utility), 764

# Η

H.225 gatekeeper controlled trunks, 175 H.225 gatekeeper-controlled intercluster trunks, 640 H.261 video codec, 624 H.263 video codec, 623-624 H.264 video codec, 624 H.320 gateways, IP video telephony, 619 H.323 endpoints, IP video telephony, 625-628 H.323 gatekeepers communication, 289-296 IP video telephony, 620 H.323 gateways, 163 configuring, 165-169 hardening IP phones, 523 disabling settings, 526-530 endpoint threats, 523-530 rogue image blocking, 525-526 Windows 2000 Server Operating System, 463-467 file sharing, 467 **IP** Telephony Operating System scripts, 464-466 hardware, conference bridges, 311-315 configuring, 315-316

hardware requirements, VT (Video Telephony) Advantage, 661-662 hash functions, 541-544 headless agent, CSA (Cisco Security Agent), 469 Help menu (Attendant Console), 427 Help menu, Serviceability tool (CallManager), 684 HIPS (host-based intrusion prevention system), 468 histogram view (Performance Monitor), 700-701 hold feature, 347 host-based intrusion prevention system (HIPS), 468 hot fix policy, Windows 2000 Server **Operating System, 461–462** HTTPS (Secure HTTP) CallManager, 483 securing, 483-487 certificates, 484-485 self-signed certificates, 485-487 Hunt Configuration menu, 241 hunt groups, 235, 411 call-distribution components, 235-236 hunting and forwarding, 240-241 line groups, 236-243 CallManager Attendant Console, 413-414 configuring, 420-422 Hunt List Configuration window, 244 hunt lists, 241-242 configuring, 243-245 hunt options, line groups, 238-240 Hunt Pilot Configuration window, 246 hunt pilots, 241-242 configuring, 245-247 hunting and forwarding, 240-241

identity spoofing, 573 Ignore Presentation Indicators (CallManager), 397–398 image authentication, IP Phone, 525–526 image display (IP Phone Services), 372 images, rogue images, blocking, 525–526 Immediate Divert, configuring, 358–359 impersonation attacks, 573

#### 848 inbound telephone calls

inbound telephone calls, routing, methods, 409 incoming telephone calls, CallManager Attendant Console queuing, 415 routing, 414-415 independent and separated PKI topology, 579 informational tones, 309 infrastructure layer (Unified **Communications**), 7 initial configuration, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 741-742 inline power, Catalyst switches, 145 input display (IP Phone Services), 372 inserting, IP Phones, BAT (Bulk Administration Tool), 132-134 inside facilitators, toll fraud, 505 installation Assistant Console, IPMA (IP Manager Assistant), 450-452 Attendant Console client, 425-426 BAT (Bulk Administration Tool), 121-123 CallManager, clean installation process, 35-45 CTL client, 600-602 DNA (Dial Number Analyzer), 777-778 subscription servers, 38 VT (Video Telephony) Advantage, 663-665 clients, 661-667 installation configuration data, CallManager, clean installations, 36-38 installation disks, CallManager, clean installations, 35-36 integration, SIP (Session Initiation Protocol), CallManager, 181-183 integrity, authentication, 585-588 Interactive Voice Response (IVR), 8 intercluster gatekeeper-controlled trunks, 175 intercluster nongatekeeper-controlled trunks, 175 intercluster trunks calling search spaces, 256 CallManager, 640 configuring, 176-179 interdigit timeouts, CallManager, 202-203 interfaces Attendant Console, 427

Serviceability tool (CallManager), 679 **International Telecommunication Union** Telecommunication (ITU-T), audio codec standards, 67 intracluster communication, IP Phones, configuring for, 73-87 intracluster run-time data, CallManager server, 18-19 intrgrity, loss of, 573 IOS gatekeepers, commands, 293 **IP** Communicator, 60 IP Conference Station 7936, 60 IP Manager Assistant, CallManager, 43 IP Manager Assistant (IPMA). See IPMA (IP Manager Assistant) IP Phone 7902G, 54-55 IP Phone 7905G, 55 **IP Phone 7910G+SW, 55 IP Phone 7911G, 55** IP Phone 7912G, 55 IP Phone 7914 Expansion Module, 60 IP Phone 7940G, 59 IP Phone 7941G, 57, 59 **IP Phone 7941G-GE, 57** IP Phone 7960G, 59 IP Phone 7961G, 57, 59 **IP Phone 7961G-GE, 57 IP Phone 7970G, 58 IP Phone 7971G-GE, 58** IP Phone 7980G, 58 IP Phone 79XXG-GE, 57 IP Phone Help Desk Utility (IPHDU), 764 IP Phone Information Utility (IPIU), 764 **IP Phones**, 53 authentication, enabling, 530 BAT (Bulk Administration Tool), 123-135 inserting, 132-134 TAPS (Tool for Auto-Registered Phones Support), 136-138 updating, 134-135 validating, 131-132 CallManager automatic registration, 90-92 configuration for, 87-92 configuring for, 73-87 device pool design, 92-95 group configuration, 79-81 interaction, 8-9

manual directory number configuration, 87-90 region configuration, 82 registering with, 67 services, 110-111 softkey template configuration, 83-84 Catalyst Switches, obtaining power from, 65 codec support, 67 configuration, 368-372 intracluster communication, 73-87 device pools, configuring, 75-87 device security mode configuring, 607-608 negotiating, 608-609 displays, 372 DNS reliance, removing, 73-75 encryption, enabling, 530 endpoints, threats to, 523-530 entry-level IP Phones, 54-56 features, 61, 64 G.711 coder-decoder (codec), 24 Gratuitous ARP setting, disabling, 528-529 hardening, 523 image authentication, 525-526 IP addresses, obtaining, 66 IP video telephony, 620 maximum cluster size, 18 midrange IP Phones, 56-59 PC Port setting, disabling, 526-527 PC Voice VLAN Access setting, disabling, 529-530 rogue images, blocking, 525-526 RTP (Real-Time Transport Protocol), IP Phones, 8 settings, disabling, 526-530 Settings Access setting, disabling, 526-527 SIP (Session Initiation Protocol), 8 startup process, 64-67 stored phone images, loading, 65 template buttons, 84-86 **TFTP** servers addresses, obtaining, 66 contacting, 66 upper-end IP Phones, 56-59 VLAN, configuring, 65 VT (Video Telephony) Advantage, configuring for, 657-661 Web Access setting, disabling, 527-528

IP telephony, 5 IP telephony endpoints, 59-61, 64 IP Telephony Monitor (ITM), 763 IP telephony networks, design models, 23 clustering over the IP WAN, 30-31 multisite CallManager deployment model, 25 - 27multisite CallManager deployment model with distributed call processing, 27-30 single-site CallManager deployment model, 23-25 **IP** Telephony Operating System scripts, Windows 2000 Server, hardening, 464-466 IP telephony systems, threats to, 573 protecting against, 574-576 IP telephony users, CallManager adding, 102-104 call forwarding, 107-108 configuration, 102-114 device pool configuration, 104-105 Fast Dial service, 111-112 IP Phone services, 110-111 locale settings, 113-114 logon options, 105-106 Message Waiting Lamp page, 112-113 Personal Address Book service, 111-112 speed dialing, 108-110 user database, 101-102 User Options welcome screen, 106-107 IP video telephony, 619 7985 IP Phone, 620 bandwidth calculating, 630-631 call admission control, 631-632 management, 628-632 requirements, 629-630 call admission control, 637-638 clusters, 632-643 location configuration, 635-637 region configuration, 634-635 Retry Video Call as Audio setting, 638-640 CallManager, 619 components, 619-621 H.320 gateways, 619 H.323 endpoints, 625-628 H.323 gatekeepers, 620 MCUs (Multipoint Control Units), 619 protocols, 624-628

#### 850 IP video telephony

SCCP endpoints, 620, 625-627 video calls, 621 call flow, 622-623 CallManager, 621-622 codec support, 623-624 VT (Video Telephony) Advantage, 620, 647 call-routing, 654 calls, 651-652 client installation, 661-667 components, 647-648 configuring, 653-654 configuring IP phones for, 657-661 deployment tools, 655-657 hardware requirements, 661-662 installing, 663-665 protocols, 649-650 software requirements, 661-662 supported standards, 648-649 video modes, 652-653 **IP Voice Media Streaming application, 312** CallManager, 42 **IP Voice Streaming application**, activating, 310 IP WANs, CallManager clustering, 30-31 IP/VC 3500 H.320 gateways, 619 IP/VC 3500 Series MCUs (Multipoint Control Units), 619 IP/VC-3500 Series Video Multipoint **Conference Unit**, 313 IPHDU (IP Phone Help Desk Utility), 764 **IPIU (IP Phone Information Utility), 764** IPMA (IP Manager Assistant), 437 activating, 441 architecture, 439-440 assistants, configuring, 444-448 Assitant Console, intalling, 450-452 call divert targets, configuring, 449-450 managers, configuring, 444-448 proxy-line support, 438 restarting, 444 service parameters, configuring, 442-443 shared-line support, 438-439 configuring for, 440-452 IPMASysUser account, password, changing, 775 IPsec, 525 ITM (IP Telephony Monitor), 763

ITU-T (International Telecommunication Union Telecommunication), audio codec standards, 67 IVR (Interactive Voice Response), 8

# J-K

Java applications, CallManager alarms, configuring, 716–717 JTAPI (Java Telephony Application **Programming Interface)**, 716 key exchange, PKI (Public Key Infrastructure), 551 as trusted third-party protocol, 553-556 asymmetric cryptography, 552-553 CA (Certificate Authority), 556-559 certificates, 557-559 CRL (certificate revocation lists), 557 enrollment, 559-561 entities, 556-559 key storage, 562-563 revocation methods, 561-562 Smart Cards, 563 smart tokens, 563 SSL, 563-564 symmetric cryptography, 551-552 TLS (Transport Layer Security), 563-564 web server certificate exchange, 564-567 keys, storage IP telephony, 585 PKI (Public Key Infrastructure), 562-563

### L

L2TP (Layer 2 Protocol Tunneling), 525 Layer 2 Protocol Tunneling (L2TP), 525 Layers, Unified Communications, 7 LDAP (Lightweight Directory Access Protocol) directory, CallManager, 101–102 Line Group Configuration window, 242 line groups, 236–237, 241–242 call-distribution algorithms, 237–238 configuring, 242–243 hunt options, 238–240 Line Number field (hunt group configuration), 422 LMHOST files, creating, 37 loading stored phone images, IP Phones, 65 local name resolution, 37 locale settings, CallManager, 113-114 locally significant certificates (LSCs). See LSCs (locally significant certificates) location configuration, call admission control, 635-637 Location field (pilot point configuration), 420 locations-based call admission control, 276 - 288AAR (Automated Alternate Routing), 280 - 288configuring, 278-279 logon options, users, CallManager, 105-106 logs, QRT (Quality Report Tool), viewing, 782-785 longest idle time call-distribution algorithm, 238 loss of intgrity threats, 573 loss of privacy threats, 573 LSCs (locally significant certificates), 577-579, 602-607

# Μ

mail parameters, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, configuring, 743-744 Malicious Call Identification (MCID). See MCID (Malicious Call Identification) managed agent, CSA (Cisco Security Agent), 469-470 management tools CallManager, 688-690 databases, 673-674 DBLHelper, 674, 677-678 SQL Server 2000 Enterprise Manager, 674-677 Manager Assistant, 437 activating, 441 architecture, 439-440 Assistant Console, installing, 450-452 assistants, configuring, 444-448 call divert targets, configuring, 449-450 managers, configuring, 444-448 proxy-line supprt, 438 restarting, 444 service parameters, configuring, 442-443

shared-line support, configuring for, 440-452 shared-line supprt, 438-439 managers, IPMA (IP Manager Assistant), configuring, 444-448 man-in-the-middle enrollment attacks, PKI (Public Key Infrastructure), 560 manual directory number configuration, IP Phones, 87-90 MCID (Malicious Call Identification), 399 configuring, 399-403 MCSs (Media Convergence Servers), CallManager, 11 MCUs (Multipoint Control Units), 653 IP video telephony, 619 Media Convergence Servers (MCSs). See MCSs (Media Convergence Servers) Media Gateway Control Protocol (MGCP) gateways, 25 Media Resource Group Lists (MRGLs), 653 Media Resource Managers (MRMs). See **MRMs (Media Resource Managers)** media resources, 309-310 annunciators, 319-320 configuring, 320-321 conference bridges, 310-311 ad hoc conferencing, 311 Cisco IP Voice Media Streaming application, 312 hardware, 311-313, 315 hardware configuration, 315-316 IP/VC-3500 Series Video Multipoint Conference Unit, 313 Meet-Me conferencing, 311 NM-HD network modules, 313 NM-HD-2VE network modules, 313 NM-HDV network modules, 313 NM-HDV2 network modules, 313 WS-SVC-CMM conference bridge type, 312 WS-X6608-E1 conference bridge type, 312 WS-X6608-T1 conference bridge type, 312 conferencing, 309 informational tones, 309 MoH (music on hold), 309, 324-325 audio source file creation, 326-327 configuring, 327-334

MRM (Media Resource Manager), 335 media resource design, 335-336 MRGLs (Media Resource Group Lists), 338-341 MRGs (Media Resource Groups), 336-338 MTPs (Media Termination Points), 316-317 configuring, 318 spoken word progress tones), 309 transcoders, 321-323 configuring, 323-324 Media Termination Points, 309 Media Termination Points (MTPs), 316-318 media transfers, secure media transfers, CallManager, 574-575 Meet-Me conferencing, 311 menu (IP Phone Services), 372 menu bar, RTMT (Real-Time Monitoring Tool), 703 menus Attendant Console, 427 Serviceability tool (CallManager), 678 Message Waiting Lamp page, CallManager, 112 - 113messaging interface, CallManager, 42 MGCP (Media Gateway Control Protocol) gateways, 25, 163 configuring, 169-172 Microsoft Event Viewer. See Event Viewer **Microsoft Performance Monitor** graph view, 700-701 histogram view, 700-701 report view, 699-700 Windows Task Manager, 702 Microsoft Performance Monitor. See **Performance Monitor Microsoft SQL Server 2000 Enterprise** Manager, 674-677, 689 Microsoft Windows Task Manager, Perfomance Monitor, 702 MICs (manufacturing installed certificates) CTL client, 581 PKI topologies, 577-578 midrange IP Phones, 56-59 midspan power injection, Catalyst switches, 146 MLA (Multilevel Administration), CallManager, 487-488

access privileges, 491-493 enabling, 488-489 functional groups, 489-499 user groups, 490-499 modular switching, PoE (Power over Ethernet), Catalyst switches, 148 MoH (music on hold), 309, 324-325 audio source files, creating, 326-327 configuring, 327-334 audio source files, 330-331 audio source ID assignments, 334 audio translator, 327-328 fixed audio source, 332-333 servicewide settings, 331-332 coresident deployment, 325 standalone deployment, 325 MoH Audio Translator, CallManager, 42 activating, 310 monitoring performance, 695 Event Viewer, 697-698 Performance Monitor, 699 graph view, 700-701 histogram view, 700-701 report view, 699-700 Windows Task Manager, 702 RTMT (Real-Time Monitoring Tool), 702-706 Alert Central, 707-708 call activity monitoring, 706-707 configuration profiles, 704–705 Device Search wizard, 707 performance counters, 695-697 MRGLs (Media Resource Group Lists), 653 assigning, 339 configuring, 338-339 location design, 340-341 type design, 340 MRGs (Media Resource Groups), 336-337 configuring, 337-338 MRMs (Media Resource Managers), 309, 335 annunciators, 319-320 configuring, 320-321 conference bridges, 310-311 ad hoc conferencing, 311 Cisco IP Voice Media Streaming application, 312 hardware, 311-313, 315 hardware configuration, 315-316

IP/VC-3500 Series Video Multipoint Conference Unit, 313 Meet-Me conferencing, 311 NM-HD network modules, 313 NM-HD-2VE network modules, 313 NM-HDV network modules, 313 NM-HDV2 network modules, 313 WS-SVC-CMM conference bridge type, 312 WS-X6608-E1 conference bridge type, 312 WS-X6608-T1 conference bridge type, 312 media resource design, 335-336 MoH (music on hold), 324-325 audio source file creation, 326-327 configuring, 327-334 MRGLs (Media Resource Group Lists) assigning, 339 configuring, 338-339 location design, 340-341 type design, 340 MRGs (Media Resource Groups), 336-337 configuring, 337-338 MTPs (Media Termination Points), 316-317 configuring, 318 transcoders, 321-323 configuring, 323-324 MTPs (Media Termination Points), 316-318 Multilevel Administration (MLA). See MLA (Multilevel Administration) multiple call per line appearances, configuring, 355-357 multiple-site IP telephony deployments implementing, 275 CAC (call admission control), 275-288 SRST (Survivability Remote Site Telephony), 296-298 failover process, 298 reference configuration, 300-301 router configuration, 298–299 multipoint control units (MCUs), 653 multisite CallBack design, 25-27 multisite CallBack design with distributed call processing, 27-30 music on hold (MoH). See MoH (music on hold)

# Ν

NANP (North American Numbering Plan), route definitions, 209 NAT (Network Address Translation), 608 NativeOS, dual VLANs, configuring, 153-154 negotiation, IP Phone, device security mode, 608-609 Network Address Translation (NAT), 608 NM-HD network modules, 313 NM-HD-2VE network modules, 313 **NM-HDV network modules**, 313 NM-HDV2 network modules, 313 nongatekeeper-controlled intercluster trunks, 640 Non-IOS MGCP gateways, configuring, 172-174 North American Numbering Plan (NANP), route definitions. 209 Notification Tool, 462 NXX, 210

# 0

**OCSP** (Online Certificate Status Protocol), PKI (Public Key Infrastructure), 562 OffNet calls, defining, 512-514 OnNet calls, defining, 512-514 operating systems Red Hat Linux, 459 upgrading, 461 Windows 2000 Server Operating System administrator password policies, 472-475 antivirus protection, 467-468 common exploits, 475-476 CSA (Cisco Security Agent), 468-472 hardening, 463-467 hot fix policy, 461-462 security, 459 security patches, 461-462 security settings, 476-478 threats to, 459-461

Other Group Call Pickup, configuring, 361

# Ρ

packets, SRTP packets, 590 parameters, video codecs, 624 Parked Calls pane (Attendant Console), 430-431 Partition field (hunt group configuration), 422 Partition field (pilot point configuration), 420 partitions, 253 DNs (directory numbers), 254-255 configuring, 256-258 Password Changer tool, 774–776 Password Changer tool (CallManager), 690 password policies, administrators, Windows 2000 Server, 472-475 password protection, CallManager, 38 PAT (Port Address Translation), 608 patches, Windows 2000 Server Operating System, security patches, 461–462 PBX systems, reliability, 17 PC Port setting (IP Phone), disabling, 526-527 PC Voice VLAN Access setting (IP Phone), 526 disabling, 529-530 PDF (Portable Document Format), 737 Performance category, RTMT (Real-Time Monitoring Tool), 704 performance counters, 695–696 RTMT (Real-Time Monitoring Tool), 696-697 Performance Monitor, 689, 699 graph view, 700-701 histogram view, 700-701 report view, 699-700 Windows Task Manager, 702 performance monitoring, 695 Event Viewer, 697-698 performance counters, 695-696 RTMT (Real-Time Monitoring Tool), 696-697 Performance Monitor, 699 graph view, 700-701 histogram view, 700-701 report view, 699-700 Windows Task Manager, 702 RTMT (Real-Time Monitoring Tool), 702-706 Alert Central, 707–708

call activity monitoring, 706-707 configuration profiles, 704-705 Device Search wizard, 707 periods, time-of-day routing, 260-261 configuring, 263-265 permissions (calling) calling search spaces, 254-255 configuring, 258-259 gateways, 256 intercluster trunks, 256 CoS (Class of Service), 253-254 enforcement of, 253 partitions, 254-255 configuring, 256-258 time-of-day routing, 260 configuring, 262-268 time periods, 260-261, 263-265 time schedules, 261, 265-268 usage scenario, 268–270 user effects, 262 Personal Address Book service, CallManager, 111-112 Personal Assistant, 8 phone certificates, issuing authentication strings, 605-607 CAPF, 607 phone configuration files, authentication, CallManager, 574, 576 phone feature administration (CallManager), 8 phone images, authentication, CallManager, 574-576 phone loads, verifying, 657-658 phones. See IP Phones phone-to-server authentication, 587-588 Pilot Name field (pilot point configuration), 420 Pilot Number field (pilot point configuration), 420 pilot points, 411 CallManager Attendant Console, 413-414 configuring, 419-420 PKI (Public Key Infrastructure), 551 as trusted third-party protocol, 553-556 asymmetric cryptography, 552-553 CA (Certificate Authority), 556-559 certificates, 544, 557 self-signed certificates, 558-559 X.509v3 certificates, 557-558

CRLs (certificate revocation lists), 557, 562 enrollment, 559-561 man-in-the-middle enrollment attacks, 560 entities, 556-559 IP telephony, enrollment, 583-585 key storage, 562-563 OCSP (Online Certificate Status Protocol), 562 revocation methods, 561-562 Smart Cards, 563 smart tokens, 563 SSL, 563-564 symmetric cryptography, 551-552 TLS (Transport Layer Security), 563-564 web server certificate exchange, 564-567 PKI topologies, IP telephony, 576 CAPF (CallManager Certificate Authority Proxy Funtion), 577 CTL clint, 580-583 LSCs (locally significant certificates), 577-579 MICs (manufacturing installed certificates), 577-578 multiple PKI topologies, 579 self-signed certificates, 576-577 PoE (Power over Ethernet), Catalyst switches, 146-148 Catalyst EtherSwitch modules, 149 Catalyst modular switching, 148 Catalyst stackable switching, 149 configuring, 150 device detection, 147-148 verifying, 151 Port Address Translation (PAT), 608 Portable Document Format (PDF), 737 positioning softkeys, modifying, 353-354 postinstallation procedures, CallManager, clean installations, 40-41 powering IP Phones, Catalyst switches, 146-151 precedence (CallManager), 403-404 preemption (CallManager), 403-404 preferred public switched telephone network (PSTN), 209 Privacy, configuring, 367-368 privacy, loss of, 573 privileges, access privileges MLA (Multilevel

Administration), 491-493

privileges (calling) calling search spaces, 254-255 configuring, 258-259 gateways, 256 intercluster trunks, 256 CoS (Class of Service), 253-254 enforcement of, 253 partitions, 254-255 configuring, 256-258 time-of-day routing, 260 configuring, 262-268 time periods, 260-261, 263-265 time schedules, 261, 265-268 usage scenario, 268-270 user effects, 262 **Product Security Incident Response Team** (PSIRT) Advisory Notification Tool, 462 programming interface to external applications (CallManager), 8 protection rules, CSA (Cisco Security Agent), 471 protocols video protocols, 624-628 VT (Video Telephony) Advantage, protocols, support, 649-650 proxy servers, SIP (Session Initiation Protocol), 179 proxy-line support, IPMA (IP Manager Assistant), 438 **PSTN** (preferred public switched telephone network), 209 **PSTN** (public switched telephone network), 275 PTSN (public switched telephone network), 161 public key cryptography, PKI (Public Key Infrastructure), 552–553 Public Key Infrastructure (PKI). See PKI (Public Key Infrastructure) public keys (PKI) exchanging, 553-567 storage, 562-563 public switched telephone network (PSTN), 161, 275

public-key encryption, 540-541

856 Q.931 Translator (CallManager)

# Q

Q.931 Translator (CallManager), 732 QRT (Qulaity Report Tool), 780–784 logs, viewing, 782–785 softkey, activating, 781–782 QRT Viewer, 690 queuing incoming telephone calls, CallManager Attendant Console, 415

# R

Real-Time Monitoring Tool (RTMT). See **RTMT (Real-Time Monitoring Tool)** Real-Time Transport Protocol (RTP). See **RTP (Real-Time Transport Protocol)** records, BAT (Bulk Administration Tool), 119 **Red Hat Linux**, 459 redial feature, 347 redirect servers, SIP (Session Initiation Protocol), 180 redundancy, CallManager, gateways, 162 redundancy designs, CallManager server, 19-22 references, SRST (Survivability Remote Site Telephony), configuring, 300-301 region configuration, CallManager, 82 call admission control, 634-635 registrar servers, SIP (Session Initiation Protocol), 180 registrations, IP Phones, automatic registrations, 90-92 reimaging, CallManager, 46 remote management tools ITEM (IP Telephony Environment Monitor), 763-764 SNMP (Simple Network Management Protocol), 764-768 Syslog, 769-771 report scheduling, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 748-752 report view (Performance Monitor), 699-700 reports CAPF reports, generating, 609-611 route plans, generating, 229 restarting IPMA (IP Manager Assistant), 444

restrictions (calling) calling search spaces, 254-255 configuring, 258-259 gateways, 256 intercluster trunks, 256 CoS (Class of Service), 253-254 enforcement of, 253 external call transfers, 511-516 partitions, 254-255 configuring, 256-258 time-of-day routing, 260 configuring, 262-268 time periods, 260-261, 263-265 time schedules, 261, 265-268 usage scenario, 268-270 user effects, 262 Retry Video Call as Audio setting, call admission control, 638-640 revocation methods, PKI (Public Key Infrastructure), 561–562 Rijmen, Vincent, 539 **Rijndael cipher**, 539 Ring No Answer Reversion (RNAR), 236 ringback tones, 319 **RIS (Real-Time Information Server) Data** Collector, CallManager, 42 Rivest, Ronald L., 541 **RNAR** (Ring No Answer Reversion), 236 rogue images blocking, 525-526 IP phones, blocking, 525-526 route filters, route patterns, 209-210 applying, 214-215 configuring, 212-214 example, 215-217 route filter tags, 211-212 route groups, CallManager, configuring, 189-192 route lists, CallManager, configuring, 192-194 route patterns CallManager, configuring, 194-199 CMCs (Code Matter Codes), enabling, 394-395 FACs (Forced Authentication Codes), enabling, 394-395 route plans, CallManager, 187, 204-205, 209 configuration, 189-205 DDIs (Discard Digit Instructions), 217-219 digit analysis, 200

digit collection, 201-203 reports, 229 route filters, 209-217 route groups, 189-192 route lists, 192-194 route patterns, 194-199 transformation masks, 219-225 translation patterns, 226-228 routers, SRST (Survivability Remote Site Telephony), configuring, 298-299 routing inbound telephone calls methods, 409 CallManager Attendant Console, 414-415 time-of-day routing, 509-510 RSA algorithm, 541 digital signatures, 545-546 RTMT (Real-Time Monitoring Tool), 690, 696-697,702-706 Alert Central, 707-708 call activity, monitoring, 706-707 configuration profiles, saving, 704-705 Device Search wizard, 707 RTP (Real-Time Transport Protocol), 8, 650

# S

SCCP (Skinny Client Control Protocol), 650 CallManager, 8-9 endpoints, IP video telephony, 620, 625-627 gateways, 164 schedules, time-of-day routing, 261 applying, 266-268 configuring, 265-266 SDK (Software Development Kit), CallManager, 7 Secure HTTP (HTTPS). See HTTPS (Secure HTTPS) secure media transfers, CallManager, 574-575 secure signaling, CallManager, 574-575 security authentication certificate storage, 585 configuring, 597-599 CTL client, 600-602 digital signatures, 544-546 hash functions, 541-544

integrity, 585-588 key storage, 585 phone-to-server authentication, 587-588 server-to-phone authentication, 586-587 CallManager, HTTPS (Secure HTTP), 483-487 cryptography, 535-537 authentication, 537-538 data authenticity, 535 data confidentiality, 535 data integrity, 535 data nonrepudiation, 535 encryption, 537-538 services, 535 encryption, 588-589 asymmetric encryption, 540-541 call flow, 591 configuring, 597-599 CTL client, 600-602 SRTP media encryption, 589-590 symmetric encryption, 538-540 TLS AES encryption, 589 IP telephony threats, protecting against, 574-576 PKI (Public Key Infrastructure), 551, 576 as trusted third-party protocol, 553-556 asymmetric cryptography, 552-553 CA (Certificate Authority), 556-559 CAPF (CallManager Certificate Authority Proxy Funtion), 577 certificates, 557-559 CRL (certificate revocation lists), 557 CTL client, 580-583 enrollment, 559-561, 583-585 entities, 556-559 key storage, 562-563 LSCs (locally significant certificates), 577-579 MICs (manufacturing installed certificates), 577-578 multiple PKI topologies, 579 revocation methods, 561-562 self-signed certificates, 576-577 Smart Cards, 563 smart tokens, 563 SSL, 563-564

#### 858 security

symmetric cryptography, 551–552 TLS (Transport Layer Security), 563-564 web server certificate exchange, 564-567 Windows 2000 Server Operating System, 459 administrator password policies, 472-475 antivirus protection, 467-468 common exploits, 475-476 CSA (Cisco Security Agent), 468-472 hardening, 463-467 hot fix policy, 461-462 patches, 461-462 security patches, 461-462 security settings, 476-478 threats to, 459-461 security settings, Windows 2000 Server, 476-478 self-signed certificates CallManager, accessing through, 485-487 PKI (Public Key Infrastructure), 558-559, 576-577 Server category, RTMT (Real-Time Monitoring Tool), 703 servers CallManager, 11 call-processing deployment models, 23-31 clusters, 17-22 configuring, 416-426 subscription servers, installing, 38 server-to-phone authentication, 586-587 Service Activation tool, Serviceability tool (CallManager), 686 Service category, RTMT (Real-Time Monitoring Tool), 704 service parameters, CallManager, Extension Mobility, 381-382 Serviceability Alarm menu (CallManager), 713-714 Serviceability Reporter, CallManager, 43 Serviceability tool (CallManager), 678, 687-688 Alarm service, 679-680 Application menu, 683 Control Center, 684-686 Help menu, 684

interface, 679 menus, 678 Service Activation tool, 686 Services MMC, 687 Tools service, 681-682 Trace service, 680-681 services CallManager, activating, 41-45 IP Phones, 110-111 Services MMC, Serviceability tool (CallManager), 687-689 servicewide settings, MoH (music on hold), configuring, 331-332 Session Initiation Protocol (SIP). See SIP (Session Initiation Protocol) settings, CallManager Administration, disabling, 526-530 Settings Access setting (IP Phone), 526–527 SHA-1 keys, exchanges, 588 Shamir, Adi, 541 shared-line support, IPMA (IP Manager Assistant), 438-439 activating, 441 assistant configuration, 444-448 Assistant Console installation, 450-452 call-divert target configuration, 449-450 configuring for, 440-452 manager configuration, 444-448 restarting, 444 service parameters, 442-443 signaling, CallManager, 8-9 secure signaling, 574-575 signatures, digital signatures, 544–546 Simple Network Management Protocol (SNMP), 764-768 single-site CallBack design, 23-25 SIP (Session Inititation Protocol), 179 CallManager, 179 components, 179-181 configuration, 181-183 integration, 181-183 proxy servers, 179 redirect servers, 180 registrar servers, 180 user agents, 180 gateways, controlling, 164 IP Phones, 8 trunks, 176, 640

Skinny Client Control Protocol (SCCP). See SCCP (Skinny Client Control Protocol) Smart Cards, PKI (Public Key Infrastructure), 563 smart tokens, PKI (Public Key Infrastructure), 563 **SNMP** (Simple Network Management Protocol), 764-768 social engineering toll fraud, 505 softkey template configuration, CallManager, 83-84 softkeys QRT (Quality Report Tool), activating, 781-782 Standard IPMA Shared Mode Manager template, 438 templates, 351-352 adding, 352 assigning, 354 deleting, 355 modifying, 353-354 software requirements, VT (Video Telephony) Advantage, 661-662 source IP, 280 SPAN (Switched Port Analyzer), 525 speed dialing, 108-110, 348, 429-430 Speed Dials pane (Attendant Console), 429-430 spoken work progress tones, 309 SQL (Structured Query Language) databases, 673 clusters, 17-18 management tools, 673-674 DBLHelper, 674, 677-678 SQL Server 2000 Enterprise Manager, 674-677 SQL (Structured Query Language) Server 2000, 10 SQL Server 2000 Enterprise Manager, 674-677,689 SRST (Survivability Remote Site Telephony), 275, 296-298 commands, 299 configuring, 300-301 failover process, 298 references, configuring, 300-301 routers, configuring, 298-299 SRTP media encryption, 589-590

SSL (Secure Socket Layer), PKI (Public Key Infrastructure), 563-564 stackable switching, PoE (Power over Ethernet), Catalyst switches, 149 standalone deployment, MoH (music on hold), 325 Standard IPMA Shared Mode Manager softkey template, 438 startup process, IP Phones, 64-67 static IP information, CallManager, 37 stopping CallManager server manually, 19 storage certificates, 585 keys, PKI (Public Key Infrastructure), 562-563,585 stored phone images, IP Phones, loading, 65 subscriber servers, installing, 38 Summary category, RTMT (Real-Time Monitoring Tool), 703 Survivability Remote Site Telephony (SRST). See SRST (Survivability Remote Site **Telephony**) Switched Port Analyzer (SPAN), 525 switches, Catalyst switches, 145 Auxiliary VLAN support, 145 CoS (class of service), 155-156 CoS marking, 146 data VLANs, 152-154 dual VLANs, 153-154 inline power, 145 IP Phones, 146-151 IP telephony, 145-146 midspan power injection, 146 PoE (Power over Ethernet), 146-151 voice VLANs, 152-154 wall power, 146 symmetric cryptography, PKI (Public Key Infrastructure), 551-552 symmetric encryption, 538-540 Syslog, 769-771 system database, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, configuring, 752-756 system parameters, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, configuring, 742-743 system preferences, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, configuring, 747-748

system reports, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 740

# T

tab bar, RTMT (Real-Time Monitoring Tool), 704 tags, route filters, 211-212 **TANDBERG SCCP endpoints, IP video** telephony, 620 **TAPS (Tool for Auto-Registered Phones** Support), 119 BAT (Bulk Administration Tool), 136-138 TCD (Telephony Call Dispatcher), 411-412 activating, 423-424 telephones. See IP Phones **Telephony Call Dispatcher, CallManager, 42** telephony endpoints (IP), 59-61, 64 templates BAT (Bulk Administration Tool) templates, 438 configuring, 126–127 softkey templates, 351-352 adding, 352 assigning, 354 deleting, 355 modifying, 353-354 Standard IPMA Shared Mode Manager, 438 text display (IP Phone Services), 372 **TFTP server certificates, CTL client, 580 TFTP servers**, 42 addresses, obtaining, 66 contacting, IP Phones, 66 threats CallManager, Administrator, 483 IP phones endpoints, 523-530 rogue images, 525-526 IP telephony systems, 573 protecting against, 574-576 Windows 2000 Server Operating System, 459-461 time-of-day routing, 253, 260 configuring, 262-268 time periods, 260-261, 263-265 time schedules, 261, 265-268 toll fraud, preventing, 509-510

usage scenario, 268-270 user effects, 262 TLS (Transport Layer Security) PKI (Public Key Infrastructure), 563-564 sessions, certificate exchanges, 586 **TLS AES encryption, 589** TLS SHA-1 sessions, key exchanges, 588 toll frauds, 503-504 ad hoc conferencing, dropping, 516-517 CFA (Call Forward All), preventing, 504-507 CMC (Client Matter Codes), using, 511 commonly exploited area codes, blocking, 507-509 external transfers, restricting, 511-516 FAC (Forced Authorization Codes), using, 510-511 inside facilitators, 505 social engineering, 505 time-of-day routing, using, 509-510 transfers from voice mail, preventing, 505-507 **Tomcat Web Application Manager,** CallManager Extension Mobility, configuring, 379-381 **Tool for Auto-Registered Phones Support** (TAPS). See TAPS (Tool for Auto-**Registered Phones Support**) Tools service, Serviceability tool (CallManager), 681-682 top down call-distribution algorithm, 237, 239 Trace Analysis tool (CallManager), 725-728 Trace Collection tool (CallManager), 728-730 Trace service, Serviceability tool (CallManager), 680-681 traces, 720 Bulk Trace Analysis tool, 730-732 configuring, 719-725 Dick Tracy tool, 732 Ethereal tool, 732-733 Q.931 Translator, 732 Trace Analysis tool, 725-728 Trace Collection tool, 728-730 Voice Log Translator, 732 transaction files, 673 transcoders, 321-323 configuring, 323-324 transcoding, 309 transfers, 347

external transfers, restricting, 511-516 voice mail, toll fraud, 505-507 transformation masks, 219-220 called-party transformations, configuring, 220-224 example, 224-225 translation patterns, 226 configuring, 226-227 practical use of, 227-228 Transport Layer Security (TLS). See TLS (Transport Layer Security) trunks, 161, 174-175 H.225 gatekeeper controlled trunks, 175 intercluster gatekeeper-controlled trunks, 175 intercluster nongatekeeper-controlled trunks, 175 intercluster trunks calling search spaces, 256 CallManager, 640 configuring, 176-179 SIP trunks, 176

# U

ultilevel precedence, 403-404 ultilevel preemption, 403-404 Unified CallManager. See CallManager Unified Communications, 5–7 CallManager, 7-8 components, 10 IP Phone interaction, 8-9 servers, 11 layers, 7 updating IP Phones, BAT (Bulk Administration Tool), 134-135 upgrades, Cisco upgrades, release of, 46 upgrading CallManager, 45-47 operating systems, 461 upper-end IP Phones, 56-59 user agents, SIP (Session Initiation Protocol), 180 user database, CallManager, 101-102 user device profiles, CallManager, Extension Mobility, 383-386 user features, 347, 377 abbreviating dialing, 348

Auto Answer, 349 Barge, 365-366 Call Display Restrictions, 395-396 Calling Line ID Presentation, 396-397 Connected Line ID Presentation, 397 Ignore Presentation Indicators, 397-398 call forwarding, 349-351 Call Join, 358 Call Park, 359-360 Call Pickup, 360-363 call waiting, 347 CallManager Extension Mobility, 377-378 configuring, 378-389 default device profiles, 382-383 service parameters, 381-382 user device profiles, 383-386 Cisco Call Back, 364 CMCs (Code Matter Codes), 389, 391-392 configuring, 392-394 creating, 392 route patterns, 394-395 Direct Transfer, 357 FACs (Forced Authentication Codes), 389-390 configuring, 392-394 creating, 393-394 route patterns, 394-395 Group Call Pickup, 361 hold, 347 Immediate Divert, 358-359 IP Phone Services, 368-372 MCID (Malicious Call Identification), 399 configuring, 399-403 multiple calls per line appearances, configuring, 355-357 Other Group Call Pickup, 361 precedence, 403-404 preemption, 403-404 Privacy, 367-368 redial, 347 softkey templates, 351-352 adding, 352 assigning, 354 deleting, 355 modifying, 353-354 speed dialing, 348 transfers, 347

user groups, MLA (Multilevel Administration), 490-491 creating, 492-499 user levels, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 740 User Name field (hunt group configuration), 422 User Options welcome screen, CallManager, 106-107 user reports, CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 740 configuring, 756-758 users CallManager adding, 102-104 call forwarding, 107-108 configuration, 102-114 Fast Dial service, 111–112 IP Phone services, 110–111 locale settings, 113-114 logon options, 105-106 Message Waiting Lamp page, 112–113 Personal Address Book service, 111-112 speed dialing, 108–110 User Options welcome screen, 106-107 CallManager Attendant Console, adding, 416-417 CAR (Call Detail Record {CDR} Analysis and Reporting) tool, 739

### V

validation, IP Phones, BAT (Bulk Administration Tool), 131–132 verification dual VLANs *CatOS, 153 NativeOS, 153–154* PoE (Power over Ethernet), Catalyst switches, 151 video calls, 621 CallManager, 621–623 *configuring for, 653–654* codec support, 623–624 video call flow, 622 video codecs, CallManager, 623-624 video modes. VT (Video Telephony) Advantage, 652-653 video protocols, 624-628 video telephony (IP), 619 7985 IP Phone, 620 bandwidth calculating, 630-631 call admission control, 631-632 management, 628-632 requirements, 629-630 call admission control, 637-638 clusters, 632-643 location configuration, 635-637 region configuration, 634-635 Retry Video Call as Audio setting, 638-640 CallManager, 619 components, 619-621 H.320 gateways, 619 H.323 gatekeepers, 620 MCUs (Multipoint Control Units), 619 protocols, 624-628 SCCP endpoints, 620 video calls, 621 call flow, 622-623 CallManager, 621-622 codec support, 623-624 VT (Video Telephony) Advantage, 620, 647 call routing, 654 calls, 651-652 client installation, 661-667 components, 647-648 configuring, 653-654 configuring IP phones for, 657-661 deployment tools, 655-657 protocols, 649-650 supported standards, 648-649 video modes, 652-653 View menu (Attendant Console), 427 viewing pane, RTMT (Real-Time Monitoring Tool), 704 VLANs (virtual LANs), IP Phones, configuring for, 65 voice gateways, 161 analog gateways, 161-162 CallManager call survivability, 163 redundancy support, 162

communications, 163-164 configuring, 164-170, 172-174 core requirements, 162-163 digital gateways, 161-162 DTMF (dual tone multifrequency) relay capabilities, 162 H.323 gateways, 163 configuring, 165-169 MGCP gateways, 163 configuring, 169-170, 172 Non-IOS MGCP gateways, configuring, 172-174 SCCP gateways, 164 supplementary services support, 162 Voice Log Translator (CallManager), 732 voice mail Immediate Divert, configuring, 358-359 toll fraud, preventing, 505-507 voice VLANs, Catalyst switches, 152-154 voice-capable Catalyst switches, 145 Auxiliary VLAN support, 145 CoS (class of service), configuring, 155-156 CoS marking, 146 dual VLANs, configuring, 153-154 inline power, 145 **IP** Phones data VLANs, 152-154 midspan power injection, 146 PoE (Power over Ethernet), 146-147 powering, 146-151 voice VLANs, 152-154 wall power, 146 IP telephony, role in, 145-146 PoE (Power over Ethernet), 146-148 Catalyst EtherSwitch modules, 149 Catalyst modular switching, 148 Catalyst stackable switching, 149 configuring, 150 device detection, 147-148 verifying, 151 VT (Video Telephony) Advantage, 59, 647 CallManager call routing, 654 configuring, 653-654 deployment tools, 655-657 calls, 651-652 clients, installing on, 661-667 components, 647-648

hardware requirements, 661–662 installing, 663–665 IP phones, configuring for, 657–661 IP video telephony, 620 protocols, 649–650 software requirements, 661–662 supported standards, 648–649 video modes, 652–653

### W

wall power, Catalyst switches, 146 WAN Performance Utility (WPU), 764 WANs (wide area networks), CallManager clustering, 30-31 Web Access setting (IP Phone), 526 disabling, 527-528 web servers, PKI (Public Key Infrastructure), certificate exchange, 564-567 WebDialer, CallManager, 43 wildcards, route patterns, 197-199 Windows 2000 Server Operating System, 10 administrator password policies, 472-475 antivirus protection, 467-468 common exploits, 475-476 CSA (Cisco Security Agent), 468-472 headless agent, 469 managed agent, 469-470 protection rules, 471 supported applications, 470-471 hardening, 463-467 file sharing, 467 IP Telphony Operating System scripts, 464-466 hot fix policy, 461-462 security, 459 security patches, 461-462 security settings, 476-478 threats, 459-461 Windows Internet Naming Service (WINS), 37 Windows Task Manager, Perfomance Monitor, 702 WINS (Windows Internet Naming Service), 37 Wireless IP Phone 7920, 61

864 wizards

wizards, BAT (Bulk Administration Tool) device selection, 123–124 device specifics, 124–125 worksheets, configuration data, CallManager, 38 WPU (WAN Performance Utility), 764 WS-SVC-CMM conference bridge type, 312 WS-X6608-E1 conference bridge type, 312

# X-Z

X.509v3 certificates, PKI (Public Key Infrastructure), 557–558



# **3 STEPS TO LEARNING**

STEP 1	STEP 2	STEP 3	
Catt States whowho.	Conce Stretters AlsoAlso,	Cons former	
Routing			
Your first-step into the world of routing > Step-by-step instruction! > Easy to understand!	IP Routing Fundamentals	Internet Routing Architectures Second Editon	
➤ No experience required!	A comprehensive introduction to routing concepts and protocols in IP networks	The definitive BGP resource	
William Parkhurst           ciscopress.com         A leading introductory networking author	cisogress.com Mark A. Sporta	ack ciuspress.com Sam Halabi	
First-Step	Fundamentals	Networking	
		Technology Guides	

- **STEP 1 First-Step**—Benefit from easy-to-grasp explanations. No experience required!
- **STEP 2 Fundamentals**—Understand the purpose, application, and management of technology.
- **STEP 3 Networking Technology Guides**—Gain the knowledge to master the challenge of the network.



#### **NETWORK BUSINESS SERIES**

The Network Business series helps professionals tackle the business issues surrounding the network. Whether you are a seasoned IT professional or a business manager with minimal technical expertise, this series will help you understand the business case for technologies.

Justify Your Network Investment.

Look for Cisco Press titles at your favorite bookseller today.



Visit www.ciscopress.com/series for details on each of these book series.



# Your first-step to networking starts here

Are you new to the world of networking? Whether you are beginning your networking career or simply need a better understanding of a specific technology to have more meaningful discussions with networking experts, Cisco Press First-Step books are right for you.

- No experience required
- Includes clear and easily understood explanations
- Makes learning easy

#### Check out each of these First-Step books that cover key networking topics



Computer Networking First-Step ISBN: 1-58720-101-1

LAN Switching First-Step ISBN: 1-58720-100-3



Network Security First-Step ISBN: 1-58720-099-6

TCP/IP First-Step ISBN: 1-58720-108-9



Voice over IP First-Step ISBN: 1-58720-156-9

Routing First-Step ISBN: 1-58720-122-4



Wireless Networks First-Step ISBN: 1-58720-111-9

Visit www.ciscopress.com/firststep to learn more.

#### What's your next step?


Eager to dig deeper into networking technology? Cisco Press has the books that will help you move to the next level. Learn more at **www.ciscopress.com/series**.

ciscopress.com

Learning begins with a first step.



# **FUNDAMENTALS SERIES** ESSENTIAL EXPLANATIONS AND SOLUTIONS



When you need an authoritative introduction to a key networking topic, **reach for a Cisco Press Fundamentals book**. Learn about network topologies, deployment concepts, protocols, and management techniques and **master essential networking concepts and solutions**.

#### Look for Fundamentals titles at your favorite bookseller

802.11 Wireless LAN Fundamentals ISBN: 1-58705-077-3

Cisco CallManager Fundamentals: A Cisco AVVID Solution ISBN: 1-58705-008-0

**Cisco LAN Switching Fundamentals** ISBN: 1-58705-089-7

**Cisco Unity Fundamentals** ISBN: 1-58705-098-6

Data Center Fundamentals ISBN: 1-58705-023-4

IP Addressing Fundamentals ISBN: 1-58705-067-6

IP Routing Fundamentals ISBN: 1-57870-071-X Network Security Fundamentals ISBN: 1-58705-167-2

Storage Networking Fundamentals ISBN: 1-58705-162-1

Voice over IP Fundamentals ISBN: 1-57870-168-6

#### Coming in Fall 2005

Cisco CallManager Fundamentals: A Cisco AVVID Solution, Second Edition ISBN: 1-58705-192-3

Visit www.ciscopress.com/series for details about the Fundamentals series and a complete list of titles.



## **NETWORKING TECHNOLOGY GUIDES** MASTER THE NETWORK

Turn to Networking Technology Guides whenever you need **in-depth knowledge** of complex networking technologies. Written by leading networking authorities, these guides offer theoretical and practical knowledge for **real-world networking** applications and solutions.

#### Look for Networking Technology Guides at your favorite bookseller

Cisco CallManager Best Practices: A Cisco AVVID Solution ISBN: 1-58705-139-7

**Cisco IP Telephony: Planning, Design, Implementation, Operation, and Optimization** ISBN: 1-58705-157-5

Cisco PIX Firewall and ASA Handbook ISBN: 1-58705-158-3

Cisco Wireless LAN Security ISBN: 1-58705-154-0


End-to-End QoS Network Design: Quality of Service in LANs, WANs, and VPNs ISBN: 1-58705-176-1

Network Security Architectures ISBN: 1-58705-115-X

Optimal Routing Design ISBN: 1-58705-187-7

Top-Down Network Design, Second Edition ISBN: 1-58705-152-4

Visit **www.ciscopress.com/series** for details about Networking Technology Guides and a complete list of titles.








### **CISCO CERTIFICATION SELF-STUDY**

#1 BEST-SELLING TITLES FROM CCNA® TO CCIE®

# Look for Cisco Press Certification Self-Study resources at your favorite bookseller




Visit **www.ciscopress.com/series** to learn more about the Certification Self-Study product family and associated series.





## CCIE PROFESSIONAL DEVELOPMENT RESOURCES FROM EXPERTS IN THE FIELD

CCIE Professional Development books are the ultimate resource for advanced networking professionals, providing practical insights for effective network design, deployment, and management. Expert perspectives, in-depth technology discussions, and real-world implementation advice also make these titles essential for anyone preparing for a CCIE<sup>®</sup> exam.



### Look for CCIE Professional Development titles at your favorite bookseller

Cisco BGP-4 Command and Configuration Handbook ISBN: 1-58705-017-X

**Cisco OSPF Command and Configuration Handbook** ISBN: 1-58705-071-4

Inside Cisco IOS® Software Architecture ISBN: 1-57870-181-3

Network Security Principles and Practices ISBN: 1-58705-025-0

Routing TCP/IP, Volume I ISBN: 1-57870-041-8

Visit **www.ciscopress.com/series** for details about the CCIE Professional Development series and a complete list of titles. Troubleshooting IP Routing Protocols ISBN: 1-58705-019-6

Troubleshooting Remote Access Networks ISBN: 1-58705-076-5

Coming in Fall 2005

**Cisco LAN Switching,** Volume I, Second Edition ISBN: 1-58705-216-4

Routing TCP/IP, Volume I, Second Edition ISBN: 1-58705-202-4






# **NETWORK BUSINESS SERIES**

### JUSTIFY YOUR NETWORK INVESTMENT

Understand the business case for technologies with Network Business books from Cisco Press. Designed to support anyone **searching for optimal network systems**, Network Business titles help you justify your network investments.



### Look for Network Business titles at your favorite bookseller

The Business Case for E-Learning Kelly / Nanjiani • ISBN: 1-58720-086-4

The Business Case for Network Security Paquet / Saxe • ISBN: 1-58720-121-6

The Business Case for Storage Networks Williams • ISBN: 1-58720-118-6

The Case for Virtual Business Processes Young / Jude • ISBN: 1-58720-087-2

IP Telephony Unveiled Brown • ISBN: 1-58720-075-9

Power Up Your Small-Medium Business Aber • ISBN: 1-58705-135-4

**The Road to IP Telephony** Carhee • ISBN: 1-58720-088-0

Taking Charge of Your VolP Project Walker / Hicks • ISBN: 1-58720-092-9

#### Coming in Fall 2005

The Business Case for Enterprise-Class Wireless LANs Castaneda / Alasdair / Vinckier • ISBN: 1-58720-125-9

MPLS for Decision Makers Sayeed / Morrow • ISBN: 1-58720-120-8


Network Business Series. Justify Your Network Investment.

Visit **www.ciscopress.com/netbus** for details about the Network Business series and a complete list of titles.



# **SAVE UP TO 30%**

#### Become a member and save at ciscopress.com!



Complete a **user profile** at ciscopress.com today to become a member and benefit from **discounts up to 30% on every purchase** at ciscopress.com, as well as a more customized user experience. Your membership will also allow you access to the entire Informit network of sites.

Don't forget to subscribe to the monthly Cisco Press newsletter to be the first to learn about new releases and special promotions. You can also sign up to get your first **30 days FREE on Safari Bookshelf** and preview Cisco Press content. Safari Bookshelf lets you access Cisco Press books online and build your own customized, searchable electronic reference library.

Visit www.ciscopress.com/register to sign up and start saving today!


The profile information we collect is used in aggregate to provide us with better insight into your technology interests and to create a better user experience for you. You must be logged into ciscopress.com to receive your discount. Discount is on Cisco Press products only; shipping and handling are not included.



## SEARCH THOUSANDS OF BOOKS FROM LEADING PUBLISHERS



Safari<sup>®</sup> Bookshelf is a searchable electronic reference library for IT professionals that features more than 2,000 titles from technical publishers, including Cisco Press.



With Safari Bookshelf you can

- Search the full text of thousands of technical books, including more than 70 Cisco Press titles from authors such as Wendell Odom, Jeff Doyle, Bill Parkhurst, Sam Halabi, and Karl Solie.
- Read the books on My Bookshelf from cover to cover, or just flip to the information you need.
- Browse books by category to research any technical topic.
- Download chapters for printing and viewing offline.

With a customized library, you'll have access to your books when and where you need them—and all you need is a user name and password.

#### **TRY SAFARI BOOKSHELF FREE FOR 14 DAYS!**

You can sign up to get a 10-slot Bookshelf free for the first 14 days. Visit **http://safari.ciscopress.com** to register.