

INDEX

Symbols

- & (ampersand) operators, 254
- * (asterisk) wildcards, 694
- + (plus sign) operators, 254
- (hyphens), layout names, 132

A

- abbreviations, decoding, 438-439
- Abs functions, 272
- absolute paths, 587-588
- abstraction (scripts), 294
- access logs, IWP, 695
- access privileges, troubleshooting, 399
- Access via FileMaker Mobile
 - extended privilege, 391
- Access via FileMaker Network
 - extended privilege, 391
- Access via Instant Web Publishing
 - extended privilege, 391
- Access via ODBC/JDBC
 - extended privilege, 391
- Access via XML Web Publishing
 - extended privilege, 391
- Access via XSLT Web Publishing
 - extended privilege, 392
- accessing
 - Amazon.com Web services, 681
 - custom functions, restricting, 466
 - plug-in names/version numbers, 824-825

- Accounts and Privileges menu**
 - Extended Privileges tab, 698
 - Privilege Sets tab, 698
- Accounts tab (Define Accounts & Privileges dialog)**
 - user account security, 378
 - user accounts, reviewing privilege sets, 380
- ACID tests, 355-356**
 - atomicity, 356
 - consistency, 356
 - durability, 356
 - isolation, 356
- Actions option (Synchronization button), 847**
- Active Directory servers**
 - FileMaker Server registration, 814-817
 - registration, troubleshooting, 827
- Add Account script step, 399**
- Add Table Occurrence icon (Relationships Graph), 237**
- adding**
 - external ODBC data sources to Relationships Graph, 620
 - fields to layouts, 152-153
 - files to runtime applications, 773
 - layout objects to layouts, 137-138
 - merge fields to layouts, 157
 - pictures to layouts, 139
 - portals to layouts, 498-499
 - related records to master records, 207
 - search paths to file references, 236
 - tables to multitable systems, 199
- Admin access, removing via Developer Utilities (FileMaker Developer), 775**
- Admin accounts, user-level internal security, 379**
- Admin Console, 802**
 - Administration section, 804-805, 808
 - scheduling feature, 806-808
 - statistics, monitoring, 808-809
- Configuration section, 810**
 - database cache, RAM allocation, 812
 - web publishing settings, 812
- CWP URL requests, troubleshooting, 746**
- FileMaker Server , 804**
 - access, troubleshooting, 746
 - launching, 802
 - passwords, troubleshooting, 398
 - WPE access, troubleshooting, 746
- Advanced Web Publishing Options dialog (IWP Database Homepage), 693**
- aesthetics (report design), 322**
- aggregate functions, 276**
- Align command (Arrange menu), 147**
- aligning layout objects, 147**
- All Modifiable setting (Edit Privileges dialog), 387**
- All No Access setting (Edit Privileges dialog), 386**
- All View Only setting (Edit Privileges dialog), 386**

Allow Creation of Records in This Table via This Relationship option

Edit Relationships dialog, 207, 501

Portal Setup dialog, 503

Allow Deletion of Portal Records option (Portal Setup dialog), 500

Allow Exporting dialog (Edit Privileges dialog), 389

Allow Printing dialog (Edit Privileges dialog), 389

Allow User Abort scripts, 298

Allow User Abort setting (IWP), 704

Allow User to Modify Their Own Password option (Edit Privileges dialog), 390

Allow User to Override Data Validation Warnings option (Edit Privileges dialog), 390

Also Reduce the Size of the Enclosing Part option (Set Sliding/Printing dialog), 149

Alternate Background Fill option (Part Definition dialog), 137

alternating row color in reports, 321

Always During Data Entry option (Validation dialog), 109

Always Lock Layout tools option (Layout mode), 138

Amazon.com, Web services

accessing, 681

HTTP requests, 681

importing data to FileMaker, 682-685

ampersand (&) operators, 254

And filtered portals, 508

and operators, 254

Apple iPhone, specifying style sheet, 848

application flow, IWP, 708

creating file links, 710-711

explicit record commits, 709

hiding status area, 709-710

portals, 710

session management, 708

application logs, IWP, 694

script errors, 695

Web publishing errors, 695

applications, ODBC, 604-605

Arrange menu (Layout mode)

Align command, 147

Bring Forward command, 148

Bring to Front command, 148

Distribute command, 147

Move to Back command, Tab Control objects, 152

Object Grids command, 143

Resize To alignment tools, 142

Resize To command, 147

Send Backward command, 148

Send to Back command, 148

array functions, 455

GetValue functions, 456

LeftValue functions, 456

troubleshooting, 474

MiddleValues functions, 456

troubleshooting, 474

RightValues functions, 456

troubleshooting, 474

stepping through, 457

usage examples, 456

ValueCount functions, 456

troubleshooting, 474

arrays

elements, navigating, 457

text arrays, passing multi-valued script parameters, 481

Asian-language double-byte language support, 115

asterisk (*) wildcards, 694

atomicity (ACID tests), 356

attributes (database design), 165-166

ERD, 166, 191

join entities, 182

process analysis, 190

versus entities, 167-169

audit trails, 362

auto-entry techniques, 363-366

troubleshooting, 368

blank rows, troubleshooting, 365

meta data, 362

rollbacks, 366

script-controlled editing, 362

timestamps, 362

AuditLog fields, 363, 365

authentication

external authentication security, 396-397

IWP accounts/privileges, 700

user authentication security, 395

Auto Update feature

(FileMaker Server), 820

auto-entry options (fields), 102-103

Calculated Value option, 105

calculation formulas, 253

Creation option, 103

Data option, 105

Looked-Up Value option, 105-106

Modification option, 103

Serial Number option, 104-105

Value from Last Visited Record option, 105

Auto-Entry Options dialog, Do Not Evaluate If All Fields Are Empty option, 365

automatic logins, user-level internal security, 379

Automatically Create Indexes as Needed check box (Indexing option), 259

AutoUpdate directories

building, 821

folder naming structures, 822

AutoUpdate plug-in

enabling, 822

FMSUAC_FindPlugin function, 823

accessing plug-in

names/version numbers, 824

FMSUAC_UpdatePlugin function

downloading plug-ins, 825-826

error codes, 823

FMSUAC_Version function, 823

Available Menu Commands option (Edit Privileges dialog), 390

Average of function (summary fields), 101

B

background colors, layout parts, 135

Backup at HotSync option (FileMaker Mobile), 841

backups
open files, 788
scheduling, 808
FileMaker Server maintenance, 829

BASIC file format (exporting data), 655

bidirectional relationships, 224-225

binary search technique (debugging scripts), 578

bind keys, adding/replacing files in runtime applications, 773

Bindkey option (Solution Options), 773

Blank Layouts, 123

blank rows (audit logs), troubleshooting, 365

Book icon
Layout mode, 138
Status Area, 42

Boolean formulas, 252
Choose functions, 438

bound runtime applications, adding/replacing files, 773

branching scripts, conditional script steps, 305-306

break fields, 330
subsummary reports, 333

breakpoints (scripts), 578

Bring Forward command (Arrange menu), 148

Bring to Front command (Arrange menu), 148

Browse mode
dependencies, table context, 568
list reports, 318
Status Area, 41

Browse mode, 43
IWP, 711

building

AutoUpdate directory, 821
buttons, 311
custom function libraries, 475
customizable list reports, 440-448
field matches, 221
HTML-formatted search result stylesheets, 738
URL format, 738-739

many-to-many relationship structures, 212

multiple find requests, 728-729

one-to-many relationships, adding tables to multitable systems, 199

relationships with global values, 229, 232

script libraries, 313

web site with XSLT Site Assistant, 733-734
xslt-template files, modifying, 737-738

windows, troubleshooting, 547

Button Definition dialog, accessing, 153**Button Setup dialog, Current Script option**, 528

buttons, 46
building, 311
fields as, 153

C**calculated replaces**

fields, calculation formulas, 253
scripts, 563

Calculated Value option (field auto-entry options), 105**Calculation Context section (Specify Calculation dialog)**, 260-261**calculation fields**, 60, 98-100, 250

data types, 257
troubleshooting, 280
global storage, 259
indexing, 259-260
number of repetitions, 257

calculation formulas, 250

auto-entry options (fields), 253
calculated replaces (fields), 253
context, specifying, 260-261
debugging, 436
field names, troubleshooting, 279
field validation, 252
record-level security, 253
script steps, 252
writing, 250, 253-254
legibility, 255
selecting fields, 254
selecting functions, 255
selecting operators, 254

calculation functions

Exact function, 267
Length function, 266
PatternCount function, 266
Position function, 266
Substitute function, 268
Trim function, 267-268
WordCount function, 267

Calculation Result Is feature (Specify Calculation dialog), 99-100**calculations**

comments, 556
debugging, 560
nontext, troubleshooting text
formatting functions, 473
slowness (performance), 562
table context, 567
writing tips, 280-282

calendars

Drop-Down Calendar option (Field/Control Setup dialog), 154
portals, creating via, 505

camel case, 555**Cancel buttons, designing dialog windows**, 527**candidate entities**, 168**capturing**

errors, troubleshooting, 368
record locking in scripts, 359-360

cardinality

entity relationships, 174
Relationships Graph, 201

- carriage returns**
 - in fields, 155
 - transformations (exporting data), 653
- Cartesian product relationships.** *See cross-product relationships*
- cascading deletions (portal records),** 502
- case altering functions,** 268
- Case statements, conditional functions,** 275
- CDML (Claris Dynamic Markup Language) configurations, converting,** 599
- Ceiling functions,** 271
- centering layout objects,** 147
- change Password script step,** 400
- changing FileMaker 9 modes,** 44
- character transformations (exporting data)**
 - BASIC file format, 655
 - carriage returns, 653
 - CSV format, 654
 - DBF file format, 654-656
 - DIF, 654-656
 - Excel file format, 655
 - FileMaker Pro file format, 655
 - HTML Table format, 655
 - Merge format, 655
 - repeating fields, 653
 - SYLK format, 654
 - Tab character, 653
 - tab-separated text format, 654
 - WKS file format, 654-656
 - XML file format, 655
- charting subsummary reports,** 341
- Checkbox Set formats (fields),** 56
- Checkbox Set option (Field/Control Setup dialog),** 154
- child entities,** 173
- child records,** 67
 - related parent data, 210
- Choose functions,** 437-439
- Closing Splash Screen option (Solution Options),** 774
- closing/opening files, troubleshooting,** 399
- code, writing**
 - comments, 555-556
 - naming database files, 553
 - naming fields, 554
 - naming functions, 555
 - naming layouts, 554
 - naming parameters, 555
- collection lists**
 - employee tables, example of, 17
 - flat files, 19
 - phone directory flat files, example of, 18
 - relational databases, 18-19
- color**
 - background colors, layout parts, 135
 - reports, alternating row color, 321
- Columnar List/Report layouts,** 122
- columns**
 - highlights, repeatable fields for, 327
 - multi-column layouts, 128
 - subsummaries, 130
 - trailing grand summaries, 130
 - viewing, 130
- sortable headers,** 324-327
 - ascending/descending logic, 328-329
- commands (custom menu components),** 422
- Comment dialog (field definition dialog),** 555
- Comment text box (Define Database dialog),** 89
- comments**
 - fields,
 - adding to, 95
 - viewing in, 89
 - proactive troubleshooting, 555-556
 - scripts, 292-293
 - viewing, 555
- Commit button (IWP status area),** 709
- Commit Record/Request script step,** 360
- Commit Record/Request step (IWP),** 704
- committed data**
 - records, 54
 - versus created data, 357
- comparison operators, find command,** 727
- completing scripts, Allow User Abort scripts,** 298
- concatenation,** 254, 266
- concurrency,** 355
 - ACID tests, 355-356
 - atomicity, 356
 - consistency, 356
 - durability, 356
 - isolation, 356
- conditional formatting,** 429
- conditional functions,** 274
 - Case statements, 275
- conditional privileges,** 385-386
- conditional script steps,** 305-306
 - loops, 308
 - troubleshooting, 312
- conditional tests, Choose functions,** 437
- Configuration section (Admin Console),** 810
 - database cache, RAM allocation, 812
 - web publishing settings, 812
- Configure button (FileMaker Mobile),** 847
- configuring**
 - custom function accessibility, 466
 - custom function availability, 466
 - databases for CWP, 719-721
 - external authentication services for FileMaker Server, 820
 - field access, 154
 - field data entry guidelines, 155
 - FileMaker databases for ODBC, 605, 607
 - FileMaker Server for automatically updating plug-ins, 822
 - IWP, 695
 - plug-ins, 781
 - portals, 203
 - Web Viewer, 404, 407-409
- Conflict Resolution option (Synchronization button),** 846

- connecting to FileMaker Server with PHP Site Assistant, 755-756**
- connectivity, troubleshooting**
Crosstalk, 564-565
server connections, 563-564
- consistency (ACID tests), 356**
- Consistency Checker (FileMaker Server), 788**
- constrain requests, 74**
- Constraint Found Sets, 74**
- constructors,**
Time/Date/TimeStamp functions, 273
- container fields, 60, 98**
Export Field Contents option, 61
exporting data, 659
Import option, 61
Insert option, 61
IWP restrictions, 707
OLE support, 61
Paste option, 61
preparing for Web Publishing Engine, 752-753
saving/retrieving information in, 61
- context, troubleshooting, 566**
layout dependencies, 566
record pointers, 569
table context, 566-568
- Continue buttons, designing dialog windows, 526**
- controls, adding to Web Viewer, 411**
- converted files, building databases, 239-240**
- converted passwords, troubleshooting, 398**
- converting web-enabled databases, 599**
CDML configurations, 599
IWP configurations, 599
- Copy command (Preview mode), 568**
- Copy script steps, 301**
- copying/pasting**
fields, troubleshooting, 159
layouts, 124
objects, 140-141
open files, 788
- corrupted files, troubleshooting, 81**
- Count functions, 276**
- Count of function (summary fields), 101**
- Create setting (Custom Privileges dialog), 384**
- created data versus committed data, 357**
- Creation Account Names fields, 107**
- Creation option (field auto-entry options), 103**
- Creation Timestamp fields, 107**
- cross-platform layouts, building, 160**
- cross-product operators (x), portals, 496**
- cross-product relationships, building, 232-233**
- CrossProduct functions, 470-471**
- crosstalk**
troubleshooting, 564-565
multiple files, 235
- CSV (comma-separated text) format (exporting data), 654**
- Current Record Numbers (Status Area), 42**
- Current Script option (Button Setup dialog), 528**
- custom development software, 16**
- custom dialogs, scripts, 309-310**
- custom functions, 461**
access, restricting, 466
automatic updates, 463
availability, configuring, 466
building, 464, 466
comments, proactive troubleshooting, 556
complex formulas, simplifying, 462
CrossProduct functions, 470-471
Hypotenuse functions, 467
libraries, building, 475
naming conventions, 465, 555
NthRoot functions, 467
- PadCharacters functions, 469**
- parameters, naming, 555**
- Quarter functions, 467**
- recursive functions, 464**
- refactoring, 463**
- RepeatText functions, 468**
- system constants, defining, 463**
- TrimChar functions, 470**
- WeekEndingFriday functions, 467**
- Custom Image option (Solution Options), 774**
- Custom Menus feature**
scripts, error handling, 558
security, 376
- Custom Menus tab (Define Custom Menus dialog), 424**
- Custom Privileges dialog (Define Accounts & Privileges dialog), 383**
Create setting, 384
Delete setting, 384
Edit setting, 384
Field Access setting, 384
View setting, 384
- Custom Privileges setting (Edit Privileges dialog), 387**
- Custom Script Privileges dialog (Edit Privileges dialog), 388-389**
- Custom Value List Privileges dialog (Edit Privileges dialog), 387-388**
- Custom Web Publishing (CWP). *See CWP***
- customizable list reports, building, 440-443, 445-446, 448**
- customizing**
extended privileges, user-level internal security, 392-393 privilege sets, 383-384 solutions via Developer Utilities (FileMaker Developer), 777
- Cut script steps, 301**
- CWP (Custom Web Publishing), 716**
commands
dbnames, 741
delete, 741

dup, 741
 edit, 741
 find, 742
 findall, 742
 findany, 742
 layoutnames, 742
 new, 742
 process, 742
 scriptnames, 742
 view, 742
 databases, configuring for, 719
 extended privileges, 719-721
 naming scripts, 290
 operators, 727
 PHP, 750
 extended privileges, config-
 uring, 751
 layouts, reviewing, 752
 placing files on Web server,
 752-753
 preparing FileMaker Server
 for, 752
 selecting, 750
 session management, 745-746
 stylesheets, sharing data
 between, 740-741
 URL
 exact match searches,
 726-727
 multiple criteria searches,
 728
 multiple find requests,
 728-729
 numerical comparison
 searches, 727
 parameters, 742-744
 requests, troubleshooting,
 746
 specific record searches,
 725-726
 specifying search result sort
 order, 729
 table searches, 725
 versus IWP, 718
 versus XML export, 719
 WPE, troubleshooting access,
 746
 XML publishing, 721-724, 730
 query strings, 724
 XSLT, 730
 building HTML-formatted
 search result stylesheets,
 738-739

embedding query parame-
 ters in stylesheets,
 739-740
 query strings, 739
 stylesheet placement, 730
 URL formats, 738-739
 XSL extensions, 745
 XSLT processors, 744

D

data, exporting. *See also* **data**

character transformations
 carriage returns, 653
 repeating fields, 653
 Tab character, 653
 container fields, 659
 fields, selecting, 651, 653
 file formats
 BASIC file format, 655
 choosing, 651
 CSV format, 654
 DBF file format, 654, 656
 DIF, 654, 656
 Excel file format, 655
 FileMaker Pro File format,
 655
 HTML Table format, 655
 Merge format, 655
 SYLK file format, 654
 tab-separated text format,
 654
 WKS file format, 654, 656
 XML file format, 655
 file privileges, 652
 fixed-width formats, padding
 data, 658-659
 formatting, 656
 from all records, 653
 grouped data, 657-658
 large fields, 659
 reasons for, 650
 related fields, 657
 scripts, 660
 SSL data transfer, 789
 source tables, choosing, 650

data. *See also* **data, exporting**

editing
 audit trails, 362-368
 meta data, 362
 script-controlled editing,
 362

fields, inserting into, 83-84
 globally replacing, 82-83
 importing
 field validation, trou-
 bleshooting, 646
 troubleshooting, 645
 integrity, troubleshooting, 81
 lost data, troubleshooting, 80
 multitiered sorting, 84
 timestamps, 362
 validating, 63
 override privileges, secu-
 rity, 390

XML publishing, 721-724,
 730
Data Access and Design dialog
(Edit Privileges dialog),
388-389

data configuration scripts, 299
 Copy script steps, 301
 Cut script steps, 301
 Go to Field script steps, 300
 Paste script steps, 301
 Set Field script steps, 300-301

data control scripts, 299
 Copy script steps, 301
 Cut script steps, 301
 Go to Field script steps, 300
 Paste script steps, 301
 Set Field script steps, 300-301

data entry, carriage returns,
 155

Data Field elements, 365

Data option (field auto-entry
options), 105

data source names, managing
ODBC, 610

Data Type option (Specify
Calculation dialog), 257

Data Viewer (Tools menu)

Debug Scripts feature, 580
 expressions, defining, 579
 values, inspecting, 578

database design

as iterative process, 170
 attributes, 165-166
 ERD, 166
 versus entities, 167-169
 entities, 165-166
 ERD, 166
 keys, 179-180

- relationships, 170-180
 - versus attributes, 167-169
- ERD**, 164-165
 - attributes, 191
 - attributes/entities, 166, 169
 - many-to-many relationships, 182
 - notation, 170-171
- many-to-many optionality relationships, 175-176
- one-to-one optionality relationships, 178
 - one-to-one relationships, 171
 - process analysis, 186, 188-189, 192
- process analysis, 186
 - adding attributes, 190
 - determining entities, 187-189
- database extensions, runtime applications**, 773
- database files, naming**, 553
- Database Homepage (IWP)**, 699
- Database Options (FileMaker Mobile)**, 841-842
 - Backup at HotSync option, 841
 - Include in Global Find option, 841
 - Login option, 841
 - Synchronize Database option, 841
- database software**
 - advantages of, 14
 - as custom development software, 16
 - as off-the-shelf software, 16
 - functions of, 14
 - employee table example, 17
 - phone directory flat file example, 18
 - relational database example, 18
- DatabaseNames functions**, 278
- databases**
 - building
 - Define Database dialog, 88-89
- from converted files, 239-240
- concurrency**, 355
 - ACID tests, 355-356
 - committed data versus created data, 357
 - multi-context locking, 361
 - multi-window locking, 360
 - record locking, 358-360
 - script logs, 357
 - serial IDs, 358
- CWP**, configuring for, 719
 - extended privileges, 719-721
- data validation**, 63
- deploying**
 - FileMaker Server
 - Advanced hosting, 22
 - Kiosk mode (FileMaker Pro Advanced), 22
 - peer-to-peer hosting, 21
 - server hosting, 22
 - single-user deployment, 21
 - single-user runtime deployments (FileMaker Pro Advanced), 22
 - directory structures, FileMaker Server maintenance, 829
 - fields, indexing, 111-114
 - FileMaker Pro, opening in, 48
 - local files, 48
 - remote files, 50
 - files, naming, 553
 - LAN, opening on, 51
 - multi-file structures, 240
 - data/application logic separation, 242-243
 - file maintenance, 241
 - reusability, 244
 - shared development, 240
 - navigating, 84
 - ODBC, configuring, 605, 607
 - team development, 368-369
 - tracking sessions, 354
 - transactions, 355
- date fields**, 59. *See also time fields*
 - timestamp fields, 96
- Date functions**, 272-274
- db URL parameters**, 742
- DBF file format (exporting data)**, 654-656
- dbnames command**, 741
- DDR (Database Design Reports)**, 572
 - creating, 573
 - HTML, 574
 - Word (MS) documents, formatting as, 573
- Debug Scripts feature (Data Viewer)**, 580
- debugging**
 - calculations, 436, 560
 - processes, script logs, 357
 - scripts, 575, 577
 - inspecting values, 578
 - looping scripts, 578
 - placing breakpoints, 578
- declarations (XML, XSL stylesheets)**, 670
- declarative programming**, 604
- decoding abbreviations**, 438-439
- dedicated find layouts**, 545
 - Find mode layouts, 546
 - script-driven finds, 546
- Define Accounts & Privileges dialog**
 - Accounts tab
 - user account privilege sets, reviewing, 380
 - user account security, 378
 - Edit Account dialog
 - security, 381
 - Privilege Sets tab, 382
 - Custom Privileges dialog, 383-384
 - Edit Privilege Set dialog, 383
 - Full Access privilege set option, 382
- Define Custom Menus dialog**, 423
 - Custom Menus tab, 424
 - Menu Sets tab, 424
- Define Database dialog**, 88-89
 - Comment text box, 89
 - Fields tab, 88
 - Relationships Graph, Specify Table dialog, 222

- Relationships tab, 89
- Table menu, Table Name box, 199
- Define Scripts dialog (ScriptMaker Interface), 287-289**
- defining**
 - field behaviors, 154
 - layout parts, 136
- Delete Account script step, 400**
- Delete All Records option (FileMaker Mobile), 838**
- delete command, 741**
- Delete Record option (FileMaker Mobile), 838**
- Delete Related Records in This Table when a Record Is Deleted in the Other Table option (Edit Relationships dialog), 502**
- Delete setting (Custom Privileges dialog), 384**
- deleting**
 - parts of layouts, 135
 - portal records, 500
 - related records, cascading deletions, 502
 - portal rows, 67
 - records from FileMaker, 54
 - restricted deletes, troubleshooting, 216
- deploying**
 - databases
 - FileMaker Server Advanced hosting, 22
 - Kiosk mode (FileMaker Pro Advanced), 22
 - peer-to-peer hosting, 21
 - server hosting, 22
 - single-user deployment, 21
 - single-user runtime deployments (FileMaker Pro Advanced), 22
 - plug-ins via FileMaker Server, 781
 - solutions, runtime solutions, 768
- Design functions, 278**
 - DatabaseNames functions, 278
 - ValueListItems functions, 279
 - WindowNames functions, 279
- designing**
 - databases
 - as iterative process, 170
 - attributes, 165-169
 - entities, 165-169
 - entity keys, 179-180
 - entity relationships, 170-180
 - ERD, 164-178, 186-192
 - process analysis, 186
 - process analysis, adding attributes, 190
 - process analysis, determining entities, 187-189
 - reports
 - alternating row color, 321
 - horizontal/vertical dividers, 322-324
 - sortable column headers, 324-329
 - trailing summaries, 320
 - user interfaces, design guidelines, 432
- desktops, window desktops, 519-520**
- detail records (reports), displaying, 329**
- developer fields, 93**
 - naming, 554
- Developer Utilities (FileMaker Developer), 768**
 - Admin access, removing, 775
 - creating runtime applications, 771, 774-775
 - customizing solutions, 777
 - error logs, 778
 - files, renaming, 769
 - Kiosk mode
 - enabling, 776-777
 - securing, 776
 - removing Admin access, 775
 - renaming files, 769
 - runtime applications, creating, 771, 774-775
 - Solution Options, 771
 - Bindkey option, 773
 - Closing Splash Screen option, 774
 - Custom Image option, 774
 - Extension option, 773
 - Runtime Name option, 773
 - solutions, customizing, 777
- dialog windows**
 - designing, 526-529
 - troubleshooting, 548-549
 - pause states, 528-529
- DIF (Data Interchange Format), exporting data, 654-656**
- digital cameras, photo imports, 642-644**
- directories**
 - AutoUpdate directory building, 821
 - folder naming structures, 822
 - FileMaker Server maintenance, 829
 - phone directory flat files, example of, 18
- directory servers, FileMaker Server registration, 813**
- Disconnect User from FileMaker Server When Idle option (Edit Privileges dialog), 390**
- displaying**
 - detail records (reports), 329
 - portal rows, troubleshooting, 515
 - records in layouts, troubleshooting, 159
- Distribute command (Arrange menu), 147**
- Div functions, 272**
- dividers (reports), 322-324**
- Do Not Evaluate If All Fields Are Empty option (Auto-Entry Options dialog), 365**
- Do Not Evaluate If All Referenced Fields Are Empty check box (Specify Calculation dialog), 257-258**
- Do Not Store Calculation Results check box (Indexing option), 259**
- documentation**
 - creating for pre-FileMaker 7 software migration, 586-587
 - DDR, 572
 - creating, 573
 - HTML, 574
 - Word (MS) documents, formatting as, 573

- downloading plug-ins, 825-826
drivers, ODBC, 604-605
 installing, 607-608
 managing, 611
Drop-Down Calendar option (Field/Control Setup dialog), 154
Drop-down list formats (fields), 56
Drop-Down List option (Field/Control Setup dialog), 154
DSN, configuring
 on Mac OS X, 611-612, 615
 on Windows OS, 616-617
dup command, 741
Duplicate command (Edit menu), 140
duplicating
 found record sets during imports, 646
 layouts, 124
durability (ACID tests), 356
dynamic portal sorting, 511
 ascending/descending sorting, 513-514
 multiple field type sorting, 512-513
 screen refresh, managing, 512
 sort buttons, establishing, 512
- E**
- Edit Account dialog (Define Accounts & Privileges dialog), security, 381**
Edit Box format option (Field/Control Setup dialog), 153
Edit box formats (fields), 56
edit command, 741
Edit Custom Function dialog, 464-465
 Availability section, 466
Edit menu (FileMaker Mobile), 840
Edit menu (Layout mode)
 Duplicate command, 140
 Select All command, 142
Edit Menu Set dialog, 425
Edit mode (IWP), 713
- Edit Privilege Set dialog (Define Accounts & Privileges dialog), 383**
Edit Privileges dialog (Define Accounts & Privileges dialog)
 Allow Exporting dialog, 389
 Allow Printing dialog, 389
 Allow User to Modify Their Own Password option, 390
 Allow User to Override Data Validation Warnings option, 390
 Available Menu Commands option, 390
 Custom Value List Privileges dialog, 387-388
 Data Access and Design dialog, 388-389
 Disconnect User from FileMaker Server When Idle option, 390
 Layouts drop-down list, 386
 All Modifiable setting, 387
 All No Access setting, 386
 All View Only setting, 386
 Custom Privileges setting, 387
 Manage Extended Privileges option, 392-393
 Records setting, 385-386
Edit Relationship dialog, 206, 220
 Allow Creation of Records in This Table via This Relationship check box, 207, 501
 Delete Related Records in This Table when a Record Is Deleted in the Other Table option, 502
 field matches, building, 221
 Sort Records option, 502
Edit Script dialog, 290
Edit setting (Custom Privileges dialog), 384
editing
 custom menus (user interfaces), 426
 menu sets, assigning, 428
 menu sets, loading/activating, 427-428
 data
 audit trails, 362-368
 meta data, 362
 script-controlled editing, 362
 fields, 55
 scripts, 290
 value lists (fields), 57-58
Else If script steps, 305-306
Else script steps, 305-306
email, sending as reports, 345
embedding query parameters in stylesheets, 739-740
employee tables, example of, 17
Enable Account script step, 400
enabling
 AutoUpdate plug-in, 822
 Kiosk mode via Developer Utilities (FileMaker Developer), 776-777
 plug-ins, 781
encoding URL parameters, 742
End If script steps, 305-306
ending IWP sessions
 FileMaker Pro 8 configuration, 695
 troubleshooting, 714
entities (database design), 165-166
 candidate entities, 168
 child entities, 173
 ERD, 166
 join entities, attributes, 182
 keys, 179
 foreign keys, 180, 191
 primary keys, 179-180, 190, 201
 parent entities, 173
 process analysis, 187-189
 relationships, 170
 cardinality, 174
 many-to-many relationships, 173-176, 181-184, 192-194
 many-to-one relationships, 173
 notation, 170-171
 one-to-many relationships, 170, 173, 177-180, 197-199

- one-to-one relationships, 172, 178
- optionality, 174-178
- versus attributes, 167-169
- Envelope layouts**, 123
- equijoins**, 26, 221
- ERD (entity-relationship diagrams)**, 164-165
 - attributes/entities, 166, 169, 191
 - many-to-many relationships, 182
 - notation, 170-171
 - many-to-many optionality relationships, 175-176
 - one-to-one optionality relationships, 178
 - one-to-one relationships, 171
 - process analysis, 186-189, 192
 - Relationship Graphs, 218
- error capturing**
 - troubleshooting, 368
 - unsupported script steps (IWP), 704
- error codes**, FMSAUC_UpdatePlugin (AutoUpdate plug-in), 823
- error handling scripts**, 557
 - GetLastError function, 558
 - reproducing errors, 559
 - Set Error Capture scripts, 558
- error logs, Developer Utilities (FileMaker Developer)**, 778
- error management scripts**, 298
 - Allow User Abort scripts, 298
 - Get (LastError) functions, 299
 - Set Error Capture scripts, 298-299
- error messages**
 - locked records, 359-360
 - no records found, 726
 - scripts, troubleshooting, 312
- Evaluate functions**, 443
 - audit trail auto-entry techniques, 363
 - customizable list reports, 445-446, 448
 - multi-valued script parameters, passing, 482
 - subsummary reports, 337
 - uses of, 444
- EvaluationError functions**, 445
- event logs, FileMaker Server maintenance**, 830
- Exact functions**, 267
- exact match searches (CWP URL searches)**, 726-727
- Excel file format (exporting data)**, 655
 - saving/sending as reports, 344
- exclude-result-namespaces statements (xslstylesheet statements)**, 670
- executing scripts**, 289, 310
- exit conditions (loops)**, 308
- Exit script**, 293
- exiting**
 - IWP sessions, 695
 - loops, 308
- expanding windows (multi-window interfaces)**, 529
- exploring PHP site**, 761-763
- Export Field Contents option (container fields)**, 61
- Export Field Contents script step**, 660
- Export Records script step**, 660
- exporting data**
 - character transformations
 - carriage returns, 653
 - repeating fields, 653
 - Tab character, 653
 - container fields, 659
 - fields, selecting, 651, 653
 - file formats
 - BASIC file format, 655
 - choosing, 651
 - CSV format, 654
 - DBF file format, 654-656
 - DIF, 654, 656
 - Excel file format, 655
 - FileMaker Pro file format, 655
 - HTML Table format, 655
 - Merge format, 655
 - SYLK file format, 654
 - tab-separated text format, 654
 - WKS file format, 654-656
 - XML file format, 655
 - file privileges, 652
- FileMaker data as XML**, 673
- FMPDSORESULT grammar**, 665
- FMPXMLRESULT grammar**, 665
- fixed-width formats, padding data**, 658-659
- formatting**, 656
- from all records**, 653
- grouped data**, 657-658
- large fields**, 659
- privileges, security**, 389
- reasons for**, 650
- related fields**, 657
- scripts**, 660
- source tables, choosing**, 650
- Extend Found Sets**, 75
- Extend function**, 257
- extend requests**, 75
- extended privileges (IWP security)**, 698
 - Access via FileMaker Mobile privilege, 391
 - Access via FileMaker Network privilege, 391
 - Access via Instant Web Publishing privilege, 391
 - Access via ODBC/JDBC privilege, 391
 - Access via XML Web Publishing privilege, 391
 - Access via XSLT Web Publishing privilege, 392
 - configuring for PHP, 751
 - CWP, database configuration, 719-721
 - user-level internal security
 - custom privileges, 392-393
 - default privileges, 391-392
- Extended Privileges tab (Accounts and Privileges menu)**, 698
- Extension option (Solution Options)**, 773
- external authentication feature (FileMaker Server)**, 396-397, 788
- external data sources**
 - flat-file sources, importing, 628
 - Import Field Mapping dialog, 629-633
 - target, selecting, 628

in multifile table systems, 234
 Microsoft Excel file, importing data, 636-638
ODBC
 adding to Relationships Graph, 620
 specifying, 618-622

F

fact tables, 194
Field Access setting (Custom Privileges dialog), 384
Field Behavior dialog
 accessing, 154
 field access, configuring, 154
 Go to Next Object Using option, 155
field definition dialog, Comment dialog, 555
Field List (Specify Calculation dialog), 98, 254
field list filtering, 651
Field Options (FileMaker Mobile), 841
field steps (scripts), 299
 conditional script steps, 305-306
 loops, 308
 Copy, 301
 Cut, 301
 Else If script steps, 305-306
 Else script steps, 305-306
 End If script steps, 305-306
 Find, 303
 Go to Field, 300
 Go to Layout, user navigation scripts, 301
 If script steps, 305-306
 My Set Field, troubleshooting, 312
 Open Record/Request, 359
 Paste, 301
 Set Field, 300-301
 Show Custom Dialog script steps, 309
 Sort, 304
field URL parameters, 742
field validation errors, troubleshooting, 646

Field/Control Setup dialog
 accessing, 153
 Checkbox Set option, 154
 Drop-Down Calendar option, 154
 Drop-Down List option, 154
 Edit Box format option, 153
 Pop-Up Menu option, 154
fieldname URL parameters, 742
Fieldname.op URL parameters, 743
fields
 access, configuring, 154
 appearance of, 55
 as buttons, 153
 AuditLog fields, 363-365
 auto-entry options, 102-103
 Calculated Value option, 105
 calculation formulas, 253
 Creation option, 103
 Data option, 105
 Looked-Up Value option, 105-106
 Modification option, 103
 Serial Number option, 104-105
 Value from Last Visited Record option, 105
 behaviors, defining, 154
 break fields, 330
 subsummary reports, 333
 calculated replaces, 253
 calculation fields, 60, 98-100, 250
 data types, 257
 data types, troubleshooting, 280
 global storage, 259
 indexing, 259-260
 number of repetitions, 257
 comments
 adding, 95
 proactive troubleshooting, 555
 viewing, 89
 container fields, 60, 98
 Export Field Contents option, 61
 exporting data, 659
 Import option, 61

Insert option, 61
 OLE support, 61
 Paste option, 61
 saving/retrieving information in, 61
 copying/pasting, troubleshooting, 159
 creating, 95
 Creation Account Names fields, 107
 Creation Timestamp fields, 107
 data entry, 83-84, 155
 date fields, 59, 96
 developer fields, 93
 naming, 554
 editing, 55
 exporting data, selecting for, 651-653
 formatting
 Check box set formats, 56
 data in, 57
 Drop-down list formats, 56
 Edit box formats, 56
 Pop-up calendar formats, 56
 Pop-up menu formats, 56
 Radio button set formats, 56
 Furigana, 115
 globals, 62, 110, 353
 login accounts, 354
 troubleshooting, 367
 indexing, 111
 in FileMaker 8, 117
 unindexable fields, 114
 value indexes, 113-114
 word indexes, 113
 large fields, exporting data, 659
 layouts, adding to, 152-153
 layouts, formatting in, 153-154
 matches, building, 221
 merge fields, adding to layouts, 157
 misspellings, 55
 Modification Account Names fields, 107
 Modification Timestamp fields, 107
 naming, 554
 navigating, 56, 155

- number fields, 59, 96
- numerical fields, numerical comparison searches (CWP URL searches), 727
- post-conversion fixes, 595-597
- primary key fields, configuring, 201
- related fields, exporting, 657
- repeating fields, 111
 - character transformations (exporting data), 653
- selecting in calculation formulas, 254
- serial key fields, creating, 104
- summary fields, 60, 100, 320
 - Average of function, 101
 - Count of function, 101
 - Fraction of Total of function, 101
 - Maximum function, 101
 - Minimum function, 101
 - reordering in subsummary reports, 339
 - Standard Deviation of function, 101
 - subsummary reports, 335-337
 - Total of function, 101
- tab order, 155-156
- text fields, 59, 96
 - Creation Account Names fields, 107
 - Modification Account Names fields, 107
- time fields, 59, 97
- timestamp fields, 59, 97
 - Creation Timestamp fields, 107
 - Modification Timestamp fields, 107
- troubleshooting
 - field validation, 116
 - mismatched calculations, 115
 - mismatched data types, 115
 - naming conventions, 115
 - unindexed fields, searches/sorts, 561
 - user fields, naming, 554
 - validating, 107, 109
 - calculation formulas, 252
 - condition failures, 108-109
 - troubleshooting, 116
- value lists
 - editing, 57-58
 - other values, 58
 - sorting, 76
- Fields tab (Define Database dialog), 88**
- file lists, filtering, 398**
- file maintenance, multi-file database structures, 241**
- File Maintenance feature, 572**
- File Options dialog, creating default accounts, 379**
- file paths, script variables, 492**
- file recovery, 571**
 - troubleshooting, 81
- file references**
 - building, 234-235, 237
 - errors, 783
 - fixing for pre-FileMaker 7 software migration, 587-588
 - naming conventions, 238
 - search paths, adding, 236
- file requests on multiple layouts, 75**
- file sharing, IWP, 699**
- file-level access security, 393**
 - external authentication, 396-397
 - file list filtering, 398
 - networks, 394
 - server administration, 393
 - user authentication, 395
- FileMaker 8, indexing in, 117**
- FileMaker Developer**
 - Developer Utilities, 768
 - creating runtime applications, 771, 774-775
 - customizing solutions, 777
 - enabling Kiosk mode, 776-777
 - error logs, 778
 - removing Admin access, 775
 - renaming files, 769
 - securing Kiosk mode, 776
 - Solution Options, 771-773
 - sample plug-in, functions of, 780
- FileMaker Mobile**
 - Access via FileMaker Mobile extended privilege, 391
 - components of, 832
- Edit menu, 840
- FileMaker database synchronization, 842
 - adding/removing files, 847
 - configure settings, 847
 - field configuration settings, 844-845
 - permission settings, 843-844
 - synchronization settings, 845-847
 - user settings, 847
- Find Records dialog, 839
 - Go to Record option, 839
 - Show All option, 839
- Form view, 835-836
- handheld devices, installing on, 833-834
- List view, 835
- Mobile Settings dialog
 - Specifying Fields button, 844
 - Synchronization button, 845-846
- Options menu, 840
 - Database Options, 841-842
 - Field Options, 841
 - Form View Options, 841
 - List View Options, 841
- overview of, 20
- Record Functions menu
 - Delete All Records option, 838
 - Delete Record option, 838
 - New Record option, 838
 - Sort Records option, 839
- related data, publishing, 849
- Settings button, 843
- system requirements, 833
- troubleshooting
 - found sets/sessions, 848
 - missing index values, 848-849
 - missing records, 849
- FileMaker Network, Access via FileMaker Network extended privilege, 391**
- FileMaker Pro 6, FileMaker Pro 9 feature comparison, 28**
- FileMaker Pro 8**
 - IWP configuration, 692
 - access logs, 695
 - application logs, 694-695

- ending sessions, 695
- port numbers, 693
- security, 694
- FileMaker Pro 9**
 - architectural changes
 - file formats, 25
 - files with multiple windows, 27
 - privilege sets, 27
 - relationship functionality, 26
 - Relationships Graph, 25
 - development of, 13
 - FileMaker Pro 6 feature comparison, 28
 - functionality, extending, 23
 - new features, overview of, 23-24
 - security, 27
- FileMaker Pro 9 Advanced**
 - overview of, 19
 - Kiosk mode, 22
 - single-user runtime deployments, 22
- FileMaker Pro file format (exporting data), 655**
- FileMaker Server, 786**
 - access, troubleshooting, 746
 - Active Directory server registration, 814-817
 - Auto Update feature, 820
 - Consistency Checker, 788
 - database hosting, 801
 - directory server registration, 813
 - disconnecting from, 390
 - external authentication feature, 788
 - external authentication services, configuring, 820
 - LDAP Server registration, 813-814
 - viewing registered servers, 818
 - maintenance tips
 - database directory structures, 829
 - file maintenance, 830
 - hardware requirements, 828
 - monitoring event logs, 830
 - monitoring usage statistics, 829
- network infrastructures, 828
- scheduling backups, 829
- server configuration, 829
- software installation, 828
- software updates, 830
- performance, troubleshooting
 - general slowness, 561
 - script slowness, 562
- plug-in management feature, 788
- plug-ins
 - automatically updating, 820-822, 824-827
 - deploying, 781
- requirements of, 789
 - data center environments, 791
 - hard drives, 790
 - network connections, 791
 - processors, 790
 - RAM, 790
 - supported operating systems, 791
- SAT, 788
 - troubleshooting server registration, 827
- SSL data transfer feature, 789
- starting/stopping, 801
- versus peer-to-peer database hosting, 787
- FileMaker Server 8 Advanced**
 - IWP configuration, 696
 - WPAC
 - FileMaker Server Published Databases page, 696
 - Publishing Engine Configuration page, 696
- FileMaker Server 9, 20**
- FileMaker Server 9 Advanced, 20**
- FileMaker Server Advanced hosting, 22**
- FileMaker Server Published Databases page (WPAC), 696**
- FileMaker-to-FileMaker imports, 646-647**
- files**
 - converted files, building databases, 239-240
- corrupted files, troubleshooting, 81
- multiple files, building databases, 239-240
- multiple windows, FileMaker Pro 9 changes, 27
- open files, backups, 788
- renaming
 - Developer Utilities (FileMaker Developer), 769
 - file reference errors, 783
- runtime applications, adding/replacing, 773
- viewing in Web Viewer, 413
- Filter functions, 458, 460**
- filtered portals, 505**
 - And filtered portals, 508
 - Or filters, 509-510
- filtering**
 - field lists, 651
 - file lists, 398
- filtering functions**
 - Filter functions, 458, 460
 - FilterValues functions, 460
- FilterValues functions, 460**
- find command, 725-726, 742**
 - comparison operators, 727
- find layouts, 545**
 - Find mode layouts, 546
 - script-driven finds, 546
- Find mode, 43**
 - dedicated layouts, 546
 - find requests, 69
 - constrain requests, 74
 - extend requests, 75
 - multiple find requests, 73
 - on multiple layouts, 75
 - search symbols, 72
 - wildcard searches, 72
 - Modify Last Find feature, 75
 - Find mode (IWP), 713**
 - Find Records dialog (FileMaker Mobile), 839**
 - Go to Record option, 839
 - Show All option, 839
 - find requests, 69**
 - Modify Last Find feature (FileMaker Pro Find mode), 75

- multiple find requests, 73
- search symbols, 72
- wildcard searches, 72
- Find script step**, 303
- findall command**, 742
- findany command**, 742
- finding**
 - records, CWP URL searches, 725-726
 - registered FileMaker Servers via LDAP Server, 818
 - tables, CWP URL searches, 725
- firewalls**
 - CWP URL requests, 746
 - server connections, troubleshooting, 564
- fixed-width formats, exporting to**, 658-659
- flat file databases**, 15
- flat files**, 18-19
 - data sources, importing, 628-633
- Floor functions**, 271
- FMPDRESULT grammar (XML)**, 665
- FMPXMLRESULT grammar (XML)**, 665
 - Amazon.com XML data
 - importing to FileMaker, 682-684
 - importing XML files, troubleshooting, 685
 - XML data importing to FileMaker, 674, 677, 679-680
- FMSAUC_FindPlugin function (AutoUpdate plug-in)**, 823
 - plug-in names/version numbers, accessing, 824
- FMSAUC_UpdatePlugin function (AutoUpdate plug-in)**
 - error codes, 823
 - plug-ins, downloading, 825-826
- FMSAUC_Version function (AutoUpdate plug-in)**, 823
- folder imports**, 638
 - image file imports, 640-641
 - thumbnail imports, 641-642
 - text file imports, 638-640
- folders, naming AutoUpdate directory folders**, 822
- footers**, 134
 - IWP layout design restrictions, 707
 - user interfaces, 431
- foreign keys (entities)**, 180
 - process analysis, 191
- Form view (FileMaker Mobile)**, 835-836, 841
- Form view (FileMaker Pro)**, 44
- Format Painter tool**, 139
- formatting**
 - conditional formatting, 429
 - exported data, 656
 - fields
 - Check box set formats, 56
 - data in, 57
 - Drop-down list formats, 56
 - Edit box formats, 56
 - Pop-up calendar formats, 56
 - Pop-up menu formats, 56
 - Radio button set formats, 56
 - files, FileMaker Pro 9 changes, 25
 - layout fields, 153-154
 - layout parts, 135
 - reports, 319
 - text functions, 452
 - RGB, 453
 - TextColor, 453
 - TextColorRemove, 454
 - TextFont, 453
 - TextFontRemove, 454
 - TextFormatRemove, 454
 - TextSize, 453
 - TextSizeRemove, 454
 - TextStyleAdd, 453-454
 - TextStyleRemove, 453-454
- forms, viewing as layouts**, 127
- Formula text box feature (Specify Calculation dialog)**, 99, 253
- formulas**
 - boolean formulas, 252
 - calculation formulas, 250
 - auto-entry options (fields), 253
 - calculated replaces (fields), 253
- debugging, 436
- field names, troubleshooting, 279
- field validation, 252
- record-level security, 253
- script steps, 252
- specifying context, 260-261
- writing, 250, 253-254
- writing, legibility, 255
- writing, selecting fields, 254
- writing, selecting functions, 255
- writing, selecting operators, 254
- complex formulas, simplifying, 462
- post-conversion fixes, 595-597
- Found Record Numbers (Status Area)**, 43
- found sets**, 68-69
 - printing, 77
 - window construction, troubleshooting, 547
- Fraction of Total of function (summary fields)**, 101
- full access privileges (scripts)**, 291
- [Full Access] privilege set option (Define Accounts & Privileges dialog), 382
- Function List (Specify Calculation dialog)**, 98, 255
- function palettes (multi-window interfaces)**, 526
- functions**
 - Abs, 272
 - aggregate functions, 276
 - array functions, 455
 - GetValue functions, 456
 - LeftValue functions, 456, 474
 - MiddleValues functions, 456, 474
 - RightValues functions, 456, 474
 - stepping through, 457
 - usage examples, 456
 - ValueCount functions, 456, 474
- calculation functions
 - Exact functions, 267
 - Length functions, 266

- PatternCount functions, 266
- Position functions, 266
- Substitute functions, 268
- Trim functions, 267-268
- WordCount functions, 267
- case altering, 268
- Ceiling, 271
- components of, 264
- conditional functions, 274
 - Case statements, 275
- count functions, 276
- custom functions, 461
 - automatic updates, 463
 - building, 464-466
 - building custom function libraries, 475
 - comments, 556
 - configuring availability, 466
 - CrossProduct functions, 470-471
 - defining system constants, 463
 - Hypotenuse functions, 467
 - naming, 555
 - naming conventions, 465
 - naming parameters, 555
 - NthRoot functions, 467
 - PadCharacters functions, 469
 - Quarter functions, 467
 - recursive functions, 464
 - refactoring, 463
 - RepeatText functions, 468
 - restricting access, 466
 - simplifying complex formulas, 462
 - TrimChar functions, 470
 - WeekEndingFriday functions, 467
- DatabaseNames functions, 278
- Date functions, 272-274
- Design functions, 278
 - DatabaseNames functions, 278
 - ValueListItems functions, 279
 - WindowNames functions, 279
- Div, 272
- Evaluate
 - passing multi-valued script parameters, 482
 - subsummary reports, 337
- EvaluationError functions, 445
- Exact, 267
- Extend, 257
- filtering functions
 - Filter functions, 458, 460
 - FilterValues functions, 460
- Floor, 271
- Get, 277-278
 - Get (ContentHeight), 521
 - Get (ContentWidth), 521
 - Get (Height), 520-521
 - Get (LastError), 558
 - Get (ScreenHeight), 519
 - Get (ScreenWidth), 519
 - Get (ScriptParameter), retrieving script parameter values, 480
 - Get (ScriptResult), 486
 - Get (Width), 520-521
 - Get (WindowDesktopHeight), 519
 - Get (WindowDesktopWidth), 519
 - GetAsBoolean, 252
 - GetLayoutObjectAttribute, identifying current Web Viewer page, 412-413
- GetNthRecord functions, 472-473
- GetParam, passing multi-valued script parameters, 483
- GetSummary, subsummary reports, 337
- Int, 271
- IsValidExpression functions, 445
- Length, 265-266
- Let, passing multi-valued script parameters, 481-482
- logical functions
 - Choose functions, 437-439
 - Evaluate functions, 443-446, 448
 - GetField functions, 439-443
 - Let functions, 434-437, 474
 - Lookup functions, 449
- LookupNext functions, 449-452
- Self function, 434
- Mod, 272
- naming, 555
- nesting functions, 265, 269-270
- number functions, 270
 - Abs functions, 272
 - Ceiling functions, 271
 - Div functions, 272
 - Floor functions, 271
 - Int functions, 271
 - Mod functions, 272
 - Random functions, 272
 - Round functions, 271
 - Truncate functions, 271
- parameters, 264
 - naming, 555
- PatternCount, 266
- plug-in functions, 779
- Position, 266
- private, naming conventions, 466
- public, 466
- Random, 272
- Round, 271
- selecting in calculation formulas, 255
- Substitute, 268
- text formatting functions, 452
 - nontext calculations, troubleshooting in, 473
 - RGB functions, 453
 - TextColor functions, 453
 - TextColorRemove functions, 454
 - TextFont functions, 453
 - TextFontRemove functions, 454
 - TextFormatRemove functions, 454
 - TextSize functions, 453
 - TextSizeRemove functions, 454
 - TextStyleAdd functions, 453-454
 - TextStyleRemove functions, 453-454
- text functions, 265
 - case altering functions, 268
 - Exact functions, 267

Length functions, 266
 PatternCount functions, 266
 Position functions, 266
 Substitute functions, 268
 text parsing functions, 269
 Trim functions, 267-268
 WordCount functions, 267
 text parsing, 269
 Time functions, 272-274
 TimeStamp, 273-274
 Trim, 267-268
 Truncate, 271
 ValueListItems functions, 279
 WindowNames functions, 279, 518
 WordCount, 267
 XMpl-Add, 780
 XMpl-Append, 780
 XMpl-NumToWords, 780
 XMpl-StartScript, 780
 XMpl-UserFormatNumber, 780
Furigana, 115

G

general slowness (performance), troubleshooting, 561
generic report structures versus specific report structures, 318
Get (ActiveFieldContents) function, audit trail auto-entry techniques, 365
Get (ActiveFieldName) function, audit trail auto-entry techniques, 365
Get (ApplicationVersion) function, IWP execution tests, 705
Get (ContentHeight) functions, 521
Get (ContentWidth) functions, 521
Get (CurrentAccount) function, audit trail auto-entry techniques, 365
Get (CurrentTimeStamp) function, audit trail auto-entry techniques, 365
Get (Height) functions, 520-521

Get (LastError) functions, 299, 558
Get (LastMessageChoice) function, 309
Get (ScreenHeight) functions, 519
Get (ScreenWidth) functions, 519
Get (ScriptParameter) functions, retrieving script parameter values, 480
Get (ScriptResult) function, 486
Get (Width) functions, 520-521
Get (WindowDesktopHeight) functions, 519
Get (WindowDesktopWidth) functions, 519
Get functions, 277-278
GetAsBoolean function, 252
GetField functions, 439-440
 customizable list reports, building, 440-443
GetLayoutObjectAttribute function, identifying current Web Viewer page, 412-413
GetNthRecord functions, 472-473
GetParam functions, multi-valued script parameters, passing, 483
GetSummary function, sub-summary reports, 337
GetValue functions, 456
global fields, 62
Global Storage option (Storage Options dialog), 259
global variables
 globally stored fields versus, 491
 naming, 490
 scope, 490
 user session data, 491
 uses for, 491
globally replacing data, 82-83
globally stored fields
 global variables versus, 491
 uses for, 491
globals, 110, 353
 calculation fields, 259
 default values, troubleshooting, 367
 login accounts, 354
 troubleshooting, 570
Go to Field script steps, 300
Go to Layout script step, user navigation scripts, 301
Go to Next Object Using option (Field Behavior dialog), 155
Go to Record option (FileMaker Mobile), 839
Go to Related Record Options dialog
 Show in New Window option, 539-540
 Show Only Related Records option, 539-540
Go to Related Record scripts, 537-538
 disconnected table occurrences, jumping to, 543
 found sets, predicting, 541-542
 usage examples, 539
 versus searches, 563
Grammar section (URL), 724
grammar URL parameters, 743
Graphic menu command (Insert menu), 139
graphics
 IWP layout design restrictions, 705
 layouts, adding to, 139
grouped data, exporting, 657-658
grouping/ungrouping layout objects, 146
gSelectedRowID field
 selection portal rows, highlighting, 534
 selection portal rows, selecting, 537
GTRR scripts. See Go to Related Record scripts, 537
Guest accounts, user-level internal security, 379

H**handheld devices**

FileMaker Mobile
 Edit menu, 840

- FileMaker database synchronization, adding/removing files, 842
 FileMaker database synchronization, configure settings, 847
 FileMaker database synchronization, field configuration settings, 844-845
 FileMaker database synchronization, permission settings, 843-844
 FileMaker database synchronization, synchronization settings, 845-847
 FileMaker database synchronization, user settings, 847
 Find Records dialog, Go to Record option, 839
 Find Records dialog, Show All option, 839
 Form view, 835-836
 installing on, 833-834
 List view, 835
 Mobile Settings dialog, Specifying Fields button, 844
 Mobile Settings dialog, Synchronization button, 845-846
 Options menu, 840
 Options menu, Database Options, 841-842
 Options menu, Field Options, 841
 Options menu, Form View Options, 841
 Options menu, List View Options, 841
 Record Functions menu, Delete All Records option, 838
 Record Functions menu, Delete Record option, 838
 Record Functions menu, New Record option, 838
 Record Functions menu, Sort Records option, 839
 related data, publishing, 849
 Settings button, 843
 troubleshooting, 848-849
hard drives, FileMaker Server requirements, 790
hardware requirements, FileMaker Server, 828
headers, 133
 IWP layout design restrictions, 707
 sortable headers, 324-327
 ascending/descending logic, 328-329
 user interfaces, 431
hiding
 layout elements in user interfaces, 543-545, 548
 layouts, 130
 report elements prior to printing, 319
 scripts, 296
 status area (IWP), application flow, 709-710
 windows (multi-window interfaces), 530
highlighting
 portal rows, troubleshooting, 547
 selection portal rows, 533-534
 establishing relationships, 535
 navigation in, 535
HighlightRow field, selection portal rows
 highlighting, 534
 selecting, 537
home pages, building IWP home pages, 711
horizontal dividers (reports), 322-324
horizontal portals, 504
house icon (IWP status area), 696
HTML (HyperText Markup Language)
 DDR, 574
 search result stylesheets, building, 738
 URL format, 738-739
HTML Table format (exporting data), 655
HTTP (HyperText Transfer Protocol) Web services, 675
hyphens (-), layout names, 132
Hypotenuse functions, 467
-
- identifying**
 current page in Web Viewer, 412-413
 unsupported script steps, 703
identity functions (plug-ins), 824-825
If - Else If script step, 360
If script steps, 305-306
image files
 importing, 640-641
 references, importing, 641
 thumbnails, importing, 641-642
imperative programming, 604
Import option (container fields), 61
importing
 Amazon.com XML data to FileMaker
 FMPXMLRESULT grammar, 682-684
 source URL, 684-685
 data imports, troubleshooting, 645
 existing records, updating with imported data, 633-635
 field validation, troubleshooting, 646
 found record sets, 647
 found record sets, duplicating, 646
 from FileMaker Pro file, 635
 from flat-file sources, 628
 Import Field Mapping dialog, 629-633
 target, selecting, 628
 from Microsoft Excel file, 636
 new table, creating, 637-638
 image files, 640-641
 thumbnails, 641-642
 layouts, 124
 ODBC data into FileMaker, 617

- photos from digital cameras, 642-644
- scripted imports, 644-645
- scripts, 289, 295
- table records, table context, 567
- text files, 638-640
- XML data to FileMaker, 674-675, 678-679
 - FMPXMLRESULT grammar, 674, 677-680
 - troubleshooting, 685
 - XML stylesheets, 676-677
 - XSL stylesheets, 678-680
- Include in Global Find option (FileMaker Mobile), 841**
- incomplete scripts, troubleshooting, 312**
- indexing**
 - calculation fields, 259-260
 - fields, 111
 - unindexable fields, 114
 - value indexes, 113-114
 - word indexes, 113
 - in FileMaker 8, 117
 - portals, 497
- Indexing option (Storage Options dialog), 259-260**
 - Automatically Create Indexes as Needed check box, 259
 - Do Not Store Calculation Results check box, 259
- Indicate Web Compatibility check box (ScriptMaker), 703**
- InitializeGlobals scripts, 313**
- initiating scripts, 310**
- Insert menu (Layout mode), 83, 139**
 - Graphic menu command, 139
- Insert option (container fields), 61**
- Insert, From Index command (FileMaker Pro), 83**
- inserting data into fields, 83-84**
- installing**
 - FileMaker Mobile on handheld devices, 833-834
 - ODBC drivers, 607-608
 - plug-ins, 780
 - software, FileMaker Server maintenance tips, 828
- Instant Web Publishing, Access via Instant Web Publishing extended privilege, 391**
- Instant Web Publishing setup screen**
 - accessing, 693
 - database files, extended privileges, 699
- Int functions, 271**
- integrity (data), troubleshooting, 81**
- interfaces**
 - building, 417-418
 - custom menus
 - components of, 422
 - editing, 426
 - FileMaker control of, 423
 - managing, 423, 425
 - menu sets interface, 423, 425
 - menu sets, assigning, 428
 - menu sets, loading/activating, 427-428
 - scratch-building, 428
 - uses of, 422
 - creating for many-to-many relationships, 214-215
 - dedicated find layouts, 545
 - Find mode layouts, 546
 - script driven finds, 546
 - design guidelines, 432
 - headers/footers, 431
 - layout elements, showing/hiding, 543-545, 548
 - look/feel, designing, 419-420
 - dialog windows, 526-529, 548-549
 - expanding windows, 529
 - hiding windows, 530
 - marquee titles, 529
 - tool/function palettes, 526
 - uses of, 526
 - native user interface, 417
 - optimizing, 418-419
 - prototype layouts/menus, 416
 - security plans, 376
 - Table view, 431
 - UI files, 420
- internal security (user-level)**
 - extended privileges
 - custom privileges, 392-393
 - default privileges, 391-392
- privilege sets, 381-382
 - conditional privileges, 385-386
- data access, controlling, 383-384
- data validation warning
 - override privileges, 390
- export privileges, 389
- FileMaker Server disconnects, 390
- layout use/development, 386-387
- menu commands access, 390
- passwords, setting, 390
- printing privileges, 389
- run script privileges, 388-389
- value list access, 388
- user accounts, 378
 - Admin accounts, 379
 - automatic logins, 379
 - default accounts, 379
 - editing, 379-381
 - [Guest] accounts, 379
 - managing, 379-381
- interrogating text strings, 266**
- IP addresses, wildcards, 694**
- iPhone, specifying style sheets, 848**
- isolation (ACID tests), 356**
- Issue Tracker, 402-404**
- IsValidExpression functions, 445**
- iterative process, database design as, 170**
- IWP (Instant Web Publishing), 690, 716**
 - Allow User Abort setting, 704
 - application flow, 708
 - creating file links, 710-711
 - explicit record commits, 709
 - hiding status area, 709-710
 - portals, 710
 - session management, 708
 - Browse mode, 711
 - Commit Record/Request step, 704
 - configurations, converting, 599
 - constraints, 701-702
 - container field restrictions, 707

data, importing/exporting, 702
 data-entry, 702
 database development tools, 701
Database Homepage, 699
 defining, 690
 deploying
 host machine requirements, 691
 JavaScript, disabling of, 692
 remote user requirements, 692
 supported web browsers, 692
Edit mode, 713
 ending sessions, troubleshooting, 714
file security, 701
 authenticating
 accounts/privileges, 700
 extended privileges, 698
file sharing, 699
FileMaker Pro 8 configuration, 692
 access logs, 695
 application logs, 694-695
 ending sessions, 695
 port numbers, 693
 security, 694
FileMaker Pro keyboard shortcuts, 702
FileMaker Pro toolbars, 702
FileMaker Server 8 Advanced configuration, 696
 turning on/off, 696
Find mode, 713
goal of, 690
graphical layout elements, 702
home pages, building, 711
layout design restrictions, 705
 graphical elements, 705
 headers/footers, 707
 layout part size, 706
 View As options, 706
passwords, 702
Preview mode, 702
script support, 702
 committing records, 704
 IWP execution tests, 705
 startup/shutdown scripts, 704
 subscript calls, 705

Show/Hide Status Area script step, 709
Sort dialog, 713
spell-checking, 702
status area
 Commit button, 709
 house icon, 696
 Log Out button, 695
 turning on/off, 693
unsupported script steps
 error capturing, 704
 identifying, 703
value lists, 702
 versus CWP, 718
window manipulation tools/techniques, 702

IWP Database Homepage, Advanced Web Publishing Options dialog, 693

J-K

JavaScript, disabling, 692
join tables, 182
 naming, 553
joins
 entity attributes, 182
 equijoins, 26
 join tables, naming, 553
key fields, 18
 naming, 554
keyboard shortcuts
 FileMaker Pro, 82
 IWP, 702
keys (entities), 179
 foreign keys, 180
 process analysis, 191
match fields, 201
primary keys, 179-180
 configuring fields, 201
 process analysis, 190
Kiosk mode, 22
 enabling via Developer Utilities (FileMaker Developer), 776-777
 securing via Developer Utilities (FileMaker Developer), 776
kiosks, 768

L

Label layouts, 123
labels, subsummary reports, 334
LANs, opening databases on, 51
language support, Furigana, 115
large fields, exporting data, 659
launch files, 366
launching
 Admin Console, 802
 PHP Site Assistant, 754
 XSLT Site Assistant, 732
lay URL parameters, 743
layout objects
 layering, 148
 naming, 145
 resizing, 145-146
layout group, selecting, 756
Layout menu (Status Area), 42
Layout mode, 43
 accessing, 120
 Always Lock Layout tools option, 138
 Arrange menu
 Align command, 147
 Bring Forward command, 148
 Bring to Front command, 148
 Distribute command, 147
 Object Grids command, 143
 Resize To alignment tools, 142
 Resize To command, 147
 Send Backward command, 148
 Send to Back command, 148
 book icon, 138
 column boundaries, 128
 dependencies, table context, 569
 Edit menu
 Duplicate command, 140
 Select All command, 142
 Insert menu, 139
 Graphic menu command, 139

- navigating between layouts, 138
- Part Setup dialog, 331
 - Sub-Summary When
Sorted By option, 332
- Sliding/Printing dialog, 319
- Status Area, 137-139
- subsummary reports, labels, 334
- Layout mode (Status Area), Portal Setup dialog, 498**
 - Allow Deletion of Portal
Records option, 500
 - row setup options, 500
 - sorting criteria, specifying, 499
- layout objects**
 - aligning, 147
 - attributes, specifying, 139
 - centering, 147
 - default format attributes, setting, 139-140
 - duplicating, 140-141
 - Format Painter tool, 139
 - grouping/ungrouping, 146
 - layering, 148
 - layouts, adding to, 137-138
 - locking/unlocking, 147
 - moving, 142
 - object grids, 143
 - positioning, 141-142
 - resizing, 142
 - selecting, 141
 - Size palette, 143-145
 - sliding, 148
 - stacking orders, 148
- Layout Setup dialog**
 - accessing, 126
 - Printing tab, 128, 144
 - Views tab, 128
- layouts, 120**
 - Blank Layouts, 123
 - bodies, 133
 - alternating background fills, 137
 - buttons, building, 311
 - Columnar List/Report layouts, 122
 - context of, 125
 - dependencies, troubleshooting, 566
 - cross-platform layouts, building, 160
 - dedicated find layouts, 545
 - Find mode layouts, 546
 - script-driven finds, 546
 - duplicating, 124
 - Envelope layouts, 123
 - fields
 - adding, 152-153
 - configuring access, 154
 - configuring data entry guidelines, 155
 - defining behaviors, 154
 - formatting, 153-154
 - navigating, 155
 - tab order, 155-156
 - FileMaker Pro layouts, 41-42
 - Footers, 134
 - Format Painter tool, 139
 - headers/footers, 133
 - IWP restrictions, 707
 - hiding, 130
 - importing, 124
 - IWP restrictions, 705
 - graphical elements, 705
 - headers/footers, 707
 - layout part size, 706
 - View As options, 706
 - Label layouts, 123
 - layout objects
 - adding, 137-138
 - aligning, 147
 - centering, 147
 - duplicating, 140-141
 - grouping/ungrouping, 146
 - layering, 148
 - locking/unlocking, 147
 - moving, 142
 - object grids, 143
 - positioning, 141-142
 - resizing, 142
 - selecting, 141
 - setting default format attributes, 139-140
 - Size palette, 143-145
 - sliding, 148
 - specifying attributes, 139
 - stacking orders, 148
 - Leading Grand Summaries, 133
 - list view layouts, 318-320
 - printing, hiding elements before, 319
 - viewing, 318
 - merge fields, adding to, 157
 - multi-column layouts, 128-130
 - multiple layouts
 - find requests, 75
 - working with FileMaker Pro, 84
 - naming conventions, 132-133, 554
 - navigating between in Layout mode, 138
 - parts
 - adding, 134
 - defining, 136
 - deleting, 135
 - formatting, 135
 - setting background colors, 135
 - sizing, 135, 706
 - pictures, adding, 139
 - portals, adding to, 498-499
 - post-conversion fixes, 597
 - printing sliding layout objects, 148
 - records, displaying, 159
 - reordering, 131, 135
 - reviewing, 752
 - Standard Form layouts, 122
 - subsummaries, 133, 136
 - Tab Control objects, adding to, 150-152
 - table context, 567, 725
 - table occurrences, 125
 - Table View layouts, 123
 - Title Footers, 134
 - Title Headers, 133
 - tooltips, 157
 - Trailing Grand Summaries, 133
 - usage/development privileges, security, 386-387
 - user access, restricting, 131-132
 - user interfaces
 - prototype layouts, 416
 - showing/hiding layout elements, 543-545, 548
 - viewing
 - forms view, 127
 - lists view, 127
 - restricting user access, 128
 - tables view, 128
 - Layouts drop-down list (Edit Privileges dialog), 386**
 - All Modifiable setting, 387
 - All No Access setting, 386

- All View Only setting, 386
Custom Privileges setting, 387
- layoutnames command**, 742
- LDAP Servers, FileMaker Server**
configuring external authentication services, 820
registration, 813-814, 827
viewing registered servers, 818
- Leading Grand Summaries**, 133
- Left to Right alignment option (Align command)**, 147
- LeftValue functions**, 456
troubleshooting, 474
- Length function**, 265
- Length functions**, 266
- Let functions**, 434-436
calculation formulas, debugging, 436
multi-valued script parameters, passing, 481-482
variable names, troubleshooting, 474
variables, using multiple instances of, 437
- libraries, building script libraries**, 313-314
- linking Web pages to IWP files**, 710-711
- list reports**
customizable list reports, building, 440-448
designing
alternating row color, 321
detail records, displaying, 329
horizontal/vertical dividers, 322-324
repeating fields for column highlights, 327
sortable column headers, 324-329
trailing summaries, 320
- List view (FileMaker Mobile)**, 835
- List view (FileMaker Pro)**, 44
list view layouts, 318-320
- lists**, viewing layouts as, 127
- local variables**, 488
scope, 490
uses for, 491
- locating registered FileMaker Servers via LDAP Server**, 818
- locking**
layout objects, 147
multiple contexts (scripts), 361
multiple windows, 360
portal records, 516
records, 358
trapping in scripts, 359-360
- Log In Using option (File Options dialog), creating default accounts**, 379
- Log Out button (IWP status area)**, 695
- logical functions**
Choose functions, 437-439
Evaluate functions, 443
customizable list reports, 445-448
uses of, 444
GetField functions, 439-440
building customizable list reports, 440-443
- Let functions**, 434-436
debugging calculation formulas, 436
troubleshooting, 474
variables, using multiple instances of, 437
- Lookup functions**, 449
- LookupNext functions**, 449-452
Self function, 434
- logical operators**, 255
multiple find requests, 728
- login accounts, globals**, 354
- Login option (FileMaker Mobile)**, 841
- logins**
automatic logins, user-level security, 379
testing, 367
troubleshooting, 367
- Looked-Up Value option (field auto-entry options)**, 105-106
- Lookup functions**, 449
- LookupNext functions**, 449-452
- loops**, 307
calculated replaces, 563
conditional script steps, 308
exit conditions, 308
exiting, 308
testing, 313
- lop command**, 729
URL parameters, 743
- lost data, troubleshooting**, 80

M**Mac OS X, ODBC administration**, 609

data source names, 610
drivers, 611
DSN configuration, 611-612, 615

Mac plug-ins, Windows servers, 821**maintenance**

File Maintenance feature, 572
FileMaker Server
database directory structures, 829
file maintenance, 830
hardware requirements, 828
monitoring event logs, 830
monitoring usage statistics, 829
network infrastructures, 828
scheduling backups, 829
server configuration, 829
software installation, 828
software updates, 830

Manage Extended Privileges option (Edit Privileges dialog), 392-393**managing**

branching scripts, conditional script steps, 305-306
custom menus (user interfaces), 423-425
errors
error management scripts, 298-299
Get (LastError) function, 299
Relationship Graphs, 246-247
scripts, 287-289
sessions, IWP, 708
windows, 518

- positioning windows, 520-525
- screen size, 519
- window content, 521
- window desktop size, 519-520
- WindowNames functions, 518
- many-to-many relationships**, 173-174, 181-182, 192-194
 - examples of, 184
 - interface, designing, 214-215
 - optionality, 175-176
 - structure, building, 212
 - value lists, creating, 212-213
- many-to-one relationships**, 173
- marquee titles (multi-window interfaces)**, 529
- master records, adding to related records, 207
- match fields**, 201
- mathematical operators, 255
- matrixes (security)**, 374-376
- max URL parameters, 743
- Maximum function (summary fields)**, 101
- memory, FileMaker Server requirements, 790
- menu sets, interfaces, 423
- Menu Sets tab (Define Custom Menus dialog)**, 424
- menus**
 - commands access, security, 390
 - custom menu components, 422
 - square-bracketed menus, 425
 - user interfaces
 - custom menus, assigning menu sets, 428
 - custom menus, components of, 422
 - custom menus, editing, 426
 - custom menus, FileMaker control of, 423
 - custom menus, loading/activating menu sets, 427-428
 - custom menus, managing, 423, 425
 - custom menus, menu sets interface, 423, 425
 - custom menus, scratch-building, 428
 - custom menus, uses of, 422
 - prototype menus, 416
- Merge Field command (Insert menu)**, 157
- merge fields, adding to layouts, 157
- Merge format (exporting data)**, 655
- meta data, 362
 - timestamps, 362
- metadata**, 14
- Microsoft Excel file, importing data**, 636-638
- MiddleValues functions**, 456
 - troubleshooting, 474
- migrating pre-FileMaker 7 software**, 582
 - file conversion process, 583-584
 - multi-file conversions, 585-586
 - post-conversion tasks, 589-597
 - pre-conversion tasks, 586-589
 - single-file conversions, 584-585
- Minimum function (summary fields)**, 101
- Mobile Settings dialog (FileMaker Mobile)**
 - Configure button, 847
 - Specifying Fields button, 844
 - Synchronization button, 845
 - Actions option, 847
 - Conflict Resolution option, 846
 - Mode option, 845
 - Records option, 846
 - User button, 847
- Mod functions**, 272
- modal dialog windows**
 - designing, 526-529
 - troubleshooting, 548-549
 - pause states, 528-529
- mode dependencies, table context**, 568
- Mode menu (Status Area)**, 43
- Mode option (Synchronization button)**, 845
- modid URL parameters**, 743
- Modification Account Names fields**, 107
- Modification option (field auto-entry options)**, 103
- Modification Timestamp fields**, 107
- Modify Last Find feature (FileMaker Pro Find mode)**, 75
- modular code**, 556
- modularizing scripts**, 484-485
- modules (multi-file databases)**, 240
 - data/application logic separation, 242-243
 - file maintenance, 241
 - reusability, 244
- Move to Back option (Arrange menu), Tab Control objects**, 152
- Move/Resize Window script**, 518
- moving**
 - layout objects, 142
 - scripts, 287
- multi-column layouts**, 128
 - subsummaries, 130
 - trailing grand summaries, 130
 - viewing, 130
- multi-context locking**, 361
- multi-file conversion solutions**, 585-586
- multi-file databases structures**, 240
 - data/application logic separation, 242-243
 - file maintenance, 241
 - reusability, 244
 - shared development, 240
- multi-keys, multiple row selection in selection portals**, 536-537
- multi-user applications**. *See also multi-user databases*
 - concurrency, 355
 - ACID tests, 355-356
 - committed data versus created data, 357
 - multi-context locking, 361
 - multi-window locking, 360
 - record locking, 358-360
 - script logs, 357
 - serial IDs, 358

- sessions, 352-353
 database tracking, 354
 globals, 353-354, 367
 session-specific elements, 353
- multi-user databases**
 audit trails, 362
 auto-entry techniques, 363-368
 meta data, 362
 rollbacks, 366
 script-controlled editing, 362
 timestamps, 362
 launch files, 366
 meta data, 362
 rollbacks, 366
- multi-valued script parameters**
 passing, 480
 Evaluate functions, 482
 GetParam functions, 483
 Let functions, 481-482
 parsing text arrays, 481
 structured data elements, 483
- multi-window interfaces**
 dialog windows, 526-529
 pause states, 528-529
 troubleshooting, 548-549
 expanding windows, 529
 hiding windows, 530
 marquee titles, 529
 tool/function palettes, 526
 uses of, 526
- multi-window locking**, 360
- multifile table systems**, 233-234
 external data sources, 234
 file references, building, 234-235, 237
- multiple criteria, summarizing in subsummary reports**, 338
- multiple criteria searches (CWP URL searches)**, 728
- multiple file windows**,
 FileMaker Pro 9 changes, 27
- multiple files**
 crosstalk, 235
 databases, building, 239-240
- multiple find requests**, 73
 building, 728-729
- multiple layouts**
 file requests, 75
 FileMaker Pro, working with, 84
- multiple records, sorting**, 76
- multiple repetitions, calculation fields**, 257
- multiple row selections in selection portals**, 535-537
- multiple tables**
 match fields, 201
 portals
 adding related records to master records, 207
 viewing related child data, 202-205
 relationships, building, 199-201
- multitable systems**
 first tables, building, 197
 tables, adding to, 199
- multitiered pause states**, 528
- multitiered sorting**, 84
- multiuser databases, team development**, 368-369
- multiple-match relationships**
 building, 223-226
 OR conditions, troubleshooting, 246
- My Set Field script step, troubleshooting**, 312
- N**
- Name First elements**, 365
- Name Last elements**, 365
- name-value pairs**, 724
- naming**
 AutoUpdate directory folders, 822
 custom function parameters, 555
 custom functions, 465, 555
 database files, 553
 developer fields, 93, 554
 fields, 115, 554
 file references, 238
- files**
 Developer Utilities (FileMaker Developer), 769
 file reference errors, 783
 functions, 555
 join tables, 553
 key fields, 554
 layout objects, 145
 layouts, 132-133, 554
 parameters, 555
 private functions, 466
 scripts, 289
 Custom Web Publishing, 290
 tables, associating with, 290
 subscripts, 289
 table occurrences, 238
 user fields, 554
- native user interface**, 417
- navigating**
 array elements, 457
 databases, 84
 fields, 56, 155
 FileMaker Pro, 40
 layouts, 41-42
- navigation scripts**, 301
 internal navigation, 302
- nesting functions**, 265, 269-270
- networks**
 connectivity, FileMaker Server requirements, 791
 launch files, 366
 security, 394
 team development, 368-369
- new command**, 742
- New Record option (FileMaker Mobile)**, 838
- no records found error messages**, 726
- nonequijoins**, 220-221
- nonequijoins, troubleshooting**, 245
- nontext calculations, troubleshooting text formatting functions**, 473
- normalizing data**, 184-185
 first normal form, 184-185
 second normal form, 185
- NthRoot functions**, 467

Number Field elements, 365**number fields, 59, 96****number functions, 270**

- Abs functions, 272
- Ceiling functions, 271
- Div functions, 272
- Floor functions, 271
- Int functions, 271
- Mod functions, 272
- Random functions, 272
- Round functions, 271
- Truncate functions, 271

Number of Repetitions option (Specify Calculation dialog), 257**numerical comparison searches (CWP URL searches), 727****O****Object Grids command (Arrange menu), 143****objects**

- layout objects
 - adding to layouts, 137-138
 - aligning, 147
 - centering, 147
 - duplicating, 140-141
 - Format Painter tool, 139
 - grouping/ungrouping, 146
 - layering, 148
 - locking/unlocking, 147
 - moving, 142
 - object grids, 143
 - positioning, 141-142
 - resizing, 142
 - selecting, 141
 - setting default format attributes, 139-140
 - Size palette, 143-145
 - sliding, 148
 - specifying attributes, 139
 - stacking orders, 148
- Tab Control objects, adding to layouts, 150-152

ODBC (Open Database Connectivity), 604

- applications, 604-605
- database configuration, 605-607
- drivers, installing, 607-608
- DSN
 - configuring on Mac OS X, 611-612, 615

configuring on Windows OS, 616-617

- external data sources
 - adding to Relationships Graph, 620
 - specifying, 618-622
- importing data into FileMaker, 617
- Mac OS X administration, 609
 - data source names, 610
 - drivers, 611
- Windows administration, 609
 - data source names, 610
 - drivers, 611

ODBC/JDBC, Access via ODBC/JDBC extended privilege, 391**off-the-shelf software, 16****OLE support, container fields, 61****Omit check box, troubleshooting, 548****Omit Record command (FileMaker Pro), 75****one-to-many relationships (entities), 170, 173**

- building
 - adding tables to multitable systems, 199
 - building first tables in multitable systems, 197
 - foreign/primary keys, 180
 - optionality
 - loose binding, 177
 - tight binding, 177-178

one-to-one relationships (entities), 172

- optionality, 178

Only During Data Entry option (Validation dialog), 109**open files, backups, 788****Open Record/Request script step, 359****Open Remote File dialog (FileMaker Pro), 51****opening**

- databases on LANs, 51
- FileMaker Pro databases, 48
 - local files, 48
 - remote files, 50
- files, troubleshooting, 399

operators

- CWP operators, 727
- relationship operators, portals, 496
- selecting in calculation formulas, 254

Operators feature (Specify Calculation dialog), 98, 254**optimizing interfaces, 418-419****optionality (entity relationships), 174**

- many-to-many relationships, 175-176

- one-to-many relationships
 - loose binding, 177
 - tight binding, 177-178
- one-to-one relationships, 178

Options menu (FileMaker Mobile), 840

- Database Options, 841-842
 - Backup at HotSync option, 841
 - Include in Global Find option, 841
 - Login option, 841
 - Synchronize Database option, 841
 - Field Options, 841
 - Form View Options, 841
 - List View Options, 841

OR conditions, troubleshooting multiple-match relationships, 246**Or filters (filtered portals), 509-510****organizing databases, multi-file structures, 240**

- data/application logic separation, 242-243

file maintenance, 241

reusability, 244

shared development, 240

other values (value lists), 58**P****PadCharacters functions, 469****padding data (fixed-width formats), 658-659****Page Break Before Each Occurrence option (Part Definition dialog), 137**

- parameters**, 264, 742-744
 fieldname, 742
Fieldname.op, 743
 naming, 555
 nesting functions, 265
 script parameters
 modularizing scripts, 484-485
 passing, 480
 passing data between files, 485
 passing multi-valued parameters, 480-483
 retrieving, 480
 specifying, 479
 usage examples, 479, 484-485
- parent entities**, 173
 in child files, 210
- parse errors, troubleshooting**, 685
- Part Definition dialog**, 136
 Alternate Background Fill feature, 137
 Page Break Before Each Occurrence option, 137
- Part Setup dialog**, 134
- Part Setup dialog (Layout mode)**, 331
 Sub-Summary When Sorted Bu option, 332
- passwords**
 Allow User to Modify Their Own Password option (Edit Privileges dialog), 390
 Change Password script step, 400
 converted passwords, troubleshooting, 398
 forgotten passwords, troubleshooting, 398
 IWP, 702
 Reset Account Password script step, 400
 securing, 377-378
 security, 390
- Paste option (container fields)**, 61
- Paste script steps**, 301
- PatternCount functions**, 266
- pause states**, 528-529
- PDAs (personal data assistants), FileMaker Mobile**
 Edit menu, 840
 FileMaker database synchronization
 adding/removing files, 842
 configure settings, 847
 field configuration settings, 844-845
 permission settings, 843-844
 synchronization settings, 845-847
 user settings, 847
 Find Records dialog, 839
 Form view, 835-836
 installing on, 833-834
 List view, 835
 Mobile Settings dialog
 Specifying Fields button, 844
 Synchronization button, 845-846
 Options menu, 840
 Database Options, 841-842
 Field Options, 841
 Form View Options, 841
 List View Options, 841
 Record Functions menu, 838-839
 related data, publishing, 849
 Settings button, 843
 troubleshooting, 848-849
- PDF documents**
 reports, saving/sending as, 342-344
 saving, 79
- peer-to-peer database hosting versus FileMaker Server**, 787
- peer-to-peer hosting**, 21
- Perform button (ScriptMaker Interface)**, 289
- performance, troubleshooting**, 560
 calculation slowness, 562
 general slowness, 561
 script slowness, 562-563
 searching/sorting slowness, 561
- phone directory flat files, example of**, 18
- photos, importing from digital cameras**, 642, 644
- PHP**, 750
 extended privileges, configuring, 751
 layouts, reviewing, 752
 placing files on Web server, 752-753
 preparing FileMaker Server for, 752
- PHP Site Assistant**, 753
 FileMaker Server, connecting to, 755-756
 launching, 754
 layout group, selecting, 756
 PHP files, specifying location for, 759
 site profile
 options, specifying, 757-759
 visual style, specifying, 759
 site profile, selecting, 756-757
- pictures, adding to layouts**, 139
- plug-in functions**, 779
- plug-in management feature (FileMaker Server)**, 788
- plug-ins**, 778
 automatically updating via FileMaker Server, 820, 822, 824-827
 AutoUpdate plug-in
 enabling, 822
 FMSUAC_FindPlugin function, 823-824
 FMSUAC_UpdatePlugin function, 823, 825-826
 FMSUAC_Version function, 823
 configuring, 781
 deploying via FileMaker Server, 781
 downloading, 825-826
 enabling, 781
 identity functions, 824-825
 installing, 780
 Mac plug-ins for Windows servers, 821
 names, accessing, 824-825
 plug-in functions, 779
 sample FileMaker Developer plug-in, functions of, 780
 troubleshooting, 782

- uses of, 780
- version numbers, accessing, 824-825
- writing, 779
- plus sign (+) operators**, 254
- Pop-up menu formats (fields)**, 56
- Pop-Up Menu option (Field/Control Setup dialog)**, 154
- pop-up windows, troubleshooting**, 547
- port numbers, IWP configuration**, 693
- Port section (URL)**, 723
- portal rows, deleting**, 67
- Portal Setup dialog**, 204
 - Allow Creation of Records in This Table via This Relationship option, 503
 - Reset Scroll Bar When Exiting option, 503
 - setup options, 500
 - Show Related Records From list, 204
- Portal Setup dialog (Status Area, Layout mode)**, 498
 - Allow Deletion of Portal Records option, 500
 - row setup options, 500
 - sorting criteria, specifying, 499
- portals**, 496
 - calendars, creating, 505
 - configuring, 203
 - display-only portals, 503
 - dynamic portal sorting, 511
 - ascending/descending sorting, 513-514
 - establishing sort buttons, 512
 - managing screen refresh, 512
 - multiple field type sorting, 512-513
 - filtered portals, 505
 - And filtered portals, 508
 - Or filters, 509-510
 - horizontal portals, 504
 - indexing, 497
 - IWP application flow, 710
 - layouts, adding to, 498-499
 - List View versus, 497
 - mechanics of, 67
 - multi-user selected data, troubleshooting, 515
 - records
 - deleting, 500
 - locking, 358, 516
 - related records, cascading deletions, 502
 - related records, creating, 501, 503
 - related records, sorting, 503
 - related child data, viewing, 202-205
 - related records, adding to master records, 207
 - relationship operators, 496
 - relationships
 - related records, cascading deletions, 502
 - related records, creating, 501, 503
 - related records, sorting, 503
 - selection portals, 530-533
 - repeating portals, troubleshooting, 216
 - rows
 - creating related rows for nonequijoin relationships, 515
 - displaying, troubleshooting, 515
 - highlighting, troubleshooting, 547
 - setup options, 500
 - selection portals, 530, 533
 - buttons, defining, 533
 - data structures, defining, 531
 - highlighted row relationships, 535
 - highlighting rows, 533-534
 - multiple row selections, 535-537
 - navigating in highlighted rows, 535
 - value lists versus, 531
 - sorting, 68
 - criteria, specifying, 499
 - sticky portals, 503
 - Table View versus, 497
 - x (cross-product operators), 496
 - [GT] operators, 496
- Position functions**, 266
- positioning**
 - layout objects, 141-142
 - windows, 520-525
- pre-FileMaker 7 software, updating**, 582
 - file conversion process, 583-584
 - multi-file conversions, 585-586
 - post-conversion tasks, 589-597
 - pre-conversion tasks, 589
 - creating documentation, 586-587
 - file references, fixing, 587-588
 - single-file conversions, 584-585
- Preferences, differences between OS X and Windows platforms**, 427
- preparing FileMaker Server for PHP**, 752
- Preview mode**
 - Copy command, 568
 - IWP, 702
 - multi-column layouts, 130
 - Set Sliding/Printing dialog, viewing effects in, 148
 - subsummary reports, 319
- Preview mode (FileMaker Pro)**, 43
- primary keys (entities)**, 179-180
 - fields, configuring, 201
 - process analysis, 190
- Print button (ScriptMaker Interface)**, 289
- printing**
 - found sets, 77
 - layouts, sliding layout objects, 148
 - privileges, security, 389
 - records, 77
 - reports
 - formatting, setting, 319
 - troubleshooting, 345
 - scripts, 289
- Printing tab (Layout Setup dialog)**, 128, 144

PrintSetUp_landscape scripts, 314
PrintSetUp_portrait scripts, 314
private functions, naming conventions, 466
privilege sets, 27. *See also privileges*
 customizing, 383-384
 multiple files, 399-400
 reviewing, 380
 user-level internal security, 381-382
 conditional privileges, 385-386
 data access, controlling, 383-384
 data validation override privileges, 390
 export privileges, 389
 FileMaker Server disconnects, 390
 layout use/development, 386-387
 menu commands access, 390
 passwords, setting, 390
 printing privileges, 389
 run script privileges, 388-389
 value list access, 388
Privilege Sets tab (Accounts and Privileges menu), 698
privileges
 data, exporting, 652
 extended privileges
 Access via FileMaker
 Mobile privilege, 391
 Access via FileMaker
 Network privilege, 391
 Access via Instant Web Publishing privilege, 391
 Access via ODBC/JDBC privilege, 391
 Access via XML Web Publishing privilege, 391
 Access via XSLT Web Publishing privilege, 392
 user-level internal security, 391-393
 full access, 291
 troubleshooting, 399

Privilege Sets tab (Define Accounts & Privileges dialog), 382
 Custom Privileges dialog, 383
 Create setting, 384
 Delete setting, 384
 Edit setting, 384
 Field Access setting, 384
 View setting, 384
 Edit Privilege Set dialog, 383
 Edit Privileges dialog
 Allow Exporting dialog, 389
 Allow Printing dialog, 389
 Allow User to Modify Their Own Password option, 390
 Allow User to Override Data Validation Warnings option, 390
 Available Menu Commands option, 390
 Custom Value List
 Privileges dialog, 387-388
 Data Access and Design dialog, 388-389
 Disconnect User from FileMaker Server When Idle option, 390
 Layouts drop-down list, 386
 Manage Extended Privileges option, 392-393
 Records setting, 385-386
 [Full Access] privilege set option, 382
proactive troubleshooting
 calculations, debugging, 560
 code, writing
 comments, 555-556
 naming database files, 553
 naming fields, 554
 naming functions, 555
 naming layouts, 554
 naming parameters, 555
 failure, planning for, 557
 file maintenance, 572
 scripts
 debugging, 575-578
 error handling, 557-559

process analysis, 186
 attributes, adding, 190
 entities, determining, 187-189
process command, 742
processing instructions
 query parameters, embedding in stylesheets, 739-740
 query strings, 740
processors, FileMaker Server requirements, 790
programming, writing code
 comments, 555-556
 naming database files, 553
 naming fields, 554
 naming functions, 555
 naming layouts, 554
 naming parameters, 555
Protocol section (URL), 723
public functions, 466
Publishing Engine Configuration page (WPAC), 696

Q

Quarter functions, 467

queries
 relationships as multiple-match relationships, 223-226
 multiple-match relationships, troubleshooting, 246
 nonequi joins, troubleshooting, 245
 table occurrences, 222-223
strings
 name-value pairs, 724
 processing instructions, 740
 XML publishing, 724
 XSLT, 739

Query-string section (URL), 724

Quote function, audit trail auto-entry techniques, 364

R

Radio button set formats (fields), 56
RAM (random access memory), FileMaker Server requirements, 790

Random functions, 272
Re-login script step, 400
recid URL parameters, 743
Record Functions menu
 (FileMaker Mobile)
 Delete All Records option, 838
 Delete Record option, 838
 New Record option, 838
 Sort Records option, 839
record pointers, table context, 569
records
 child records, 67
 committed records, 54
 creating in FileMaker Pro, 54
 CWP URL searches, 725-726
 deleting from FileMaker Pro, 54
 exporting data from all records, 653
 found sets, 68-69
 layouts, displaying in, 159
 locking, 358
 trapping in scripts, 359-360
 multiple records, sorting, 76
 Omit Record command
 (FileMaker Pro), 75
 portals, 64
 creating/deleting rows, 67
 mechanics of, 67
 sorting, 68
 printing, 77
 security, calculation formulas, 253
 Show All Records command
 (FileMaker Pro), 75
 timestamps, 362
Records option
 (Synchronization button), 846
Records setting (Edit Privileges dialog), 385-386
Recover command (FileMaker Pro), troubleshooting, 81
recovering files, 571
Recovery command, 571
recursive functions, 464
recursive scripts, 493, 549-550
redundant file references, eliminating before migration, 588
refactoring, 463
references, importing, 641

related fields, exporting, 657
related records (portals)
 cascading deletions, 502
 creating, 501, 503
 master records, adding to, 207
 sorting, 503
 troubleshooting, 312
related rows, creating for non-equijoin relationships, 515
relational databases, 15-16, 19
 designing
 as iterative process, 170
 attributes, 165-169
 entities, 165-169
 entity keys, 179-180
 entity relationships, 170-180
 ERD, 164-166, 169, 186-192
 ERD notation, 170-171, 175-176, 178
 ERD, one-to-one relationships, 171
 process analysis, 186
 process analysis, adding attributes, 190
 process analysis, determining entities, 187-189
 equijoins, 26
 example of, 18
 key fields, 18
Relationship Graphs
 ERD, 218
 external tables, adding to, 238
 managing, 246-247
 multiple-match relationships, 225-226
relationship operators, portals, 496
relationships (entities), 170.
See also relationships (portals)
 as queries
 multiple-match relationships, 223-226
 multiple-match relationships, troubleshooting, 246
 nonequijoins, troubleshooting, 245
 table occurrences, 222-223
 bidirectional, 224-225
 cardinality, 174
 cross-product relationships, building, 232-233
 file references, building, 234-237
FileMaker Pro 9 changes, 26
many-to-many relationships, 173-174, 181-182, 192-194
 examples of, 184
 optionality, 175-176
many-to-one relationships, 173
multiple-match relationships
 building, 223-226
 OR conditions, troubleshooting, 246
multiple tables, building in, 199-201
nonequijoins, 220-221
notation, 170-171
 many-to-many optionality relationships, 175-176
 one-to-one optionality relationships, 178
one-to-many relationships, 170, 173
 building, 197-199
 foreign/primary keys, 180
 optionality, 177-178
one-to-one relationships, 172
 optionality, 178
optionality, 174
 many-to-many relationships, 175-176
 one-to-many relationships, loose binding, 177
 one-to-many relationships, tight binding, 177-178
 one-to-one relationships, 178
selection portal highlighted row relationships, establishing, 535
with global values, building, 229, 232
relationships (portals)
 related records, cascading deletions, 502
 related records, creating, 501-503
 related records, sorting, 503
 selection portals, 530, 533
 buttons, defining, 533

- data structures, defining, 531
value lists versus, 531
- Relationships Graph**
Add Table Occurrence icon, 237
cardinality, 201
Edit Relationship dialog, 206
Allow Creation of Records in This Table via This Relationship check box, 207
FileMaker Pro 9 changes, 25
shadow fields, 623-624
Specify Table dialog, 222
table occurrences, 199
- Relationships tab (Define Database dialog), 89**
- relative paths, 588**
- remote files, opening in FileMaker Pro, 50**
- remote stylesheets (XSL), 673**
- removing**
Admin access via Developer Utilities (FileMaker Developer), 775
records from FileMaker Pro, 54
- renaming files**
Developer Utilities (FileMaker Developer), 769
file reference errors, 783
- reordering**
layouts, 131, 135
script steps, 291
subsummary reports, 339
- repeating fields, 111**
character transformations (exporting data), 653
- repeating portals, troubleshooting, 216**
- RepeatText functions, 468**
- repetitions, calculation fields, 257**
- replacing**
data, globally replacing, 82-83
files in runtime applications, 773
- reports**
characteristics of, 316
creating
generic versus specific
report structures, 318
requirements, determining, 317
workflows, incorporating into, 346-347
- customizable list reports, building, 440-443, 445-446, 448
- designing
aesthetics, 322
alternating row color, 321
detail records, displaying, 329
horizontal/vertical dividers, 322-324
repeating fields for column highlights, 327
sortable column headers, 324-329
trailing summaries, 320
- email, sending as, 345
- Excel (MS) documents, saving/sending as, 344
- list view layouts, 318-320
printing, hiding elements before, 319
viewing, 318
- PDF, saving/sending as, 342-344
- printing, 319
- subsummary reports, 77, 329
break fields, 330, 333
charting, 341
creating, 331, 333
creating without body parts, 341
labels, 334
reordering, 339
summarizing multiple criteria, 338
summary fields, 335-336
summary fields, calculations, 336-337
troubleshooting, 334, 345-346
viewing, 318
- troubleshooting printed reports, 345
- reproducing errors (script error handling), 559
- Reset Account Password script step, 400**
- Reset Scroll Bar When Exiting Record option (Portal Setup dialog), 503**
- Resize To alignment tools (Arrange menu), 142**
- Resize To command (Arrange menu), 147**
- resizing**
layout objects, 142, 145-146
layout parts, 135
- restricted deletes, troubleshooting, 216**
- restricting**
custom function access, 466
user access to layouts, 131-132
- results (scripts), returning, 486**
- retrieving container field information, 61**
- Revert Record command**
records, deleting from FileMaker Pro, 54
troubleshooting, 81
- RGB functions, 453**
- RightValues functions, 456**
troubleshooting, 474
- rollbacks, 366**
dialog windows, designing, 527
- Round functions, 271**
- rows**
color, alternating in reports, 321
multiple row selections in selection portals, 535-537
portal rows
creating/deleting, 67
displaying, troubleshooting, 515
highlighting, troubleshooting, 547
setup options, 500
related rows, creating for non-equijoin relationships, 515
selection portal rows
highlighted row relationships, 535

highlighting, 533-534
navigating in highlighted rows, 535

runtime applications

bind keys, adding/replacing files, 773
creating via Developer Utilities (FileMaker Developer), 771, 774-775
database extensions, 773
Runtime Name option (Solution Options), 773
runtime solutions, solution deployment, 768

S

SAT (Server Admin Tool). See Admin Console

Save As Excel scripts, 344
Save As option (FileMaker Pro), 54
Save Records as PDF scripts, 344

saved scripts, 302

Find script steps, 303
Sort script steps, 304

saving

container field information, 61
Excel documents, 79
PDF documents, 79
records. *See* committed records reports
Excel (MS), 344
PDF, 342, 344

scheduling backups, 808

FileMaker Server maintenance, 829

scheduling feature (Admin Console), 806-808

schema imports (tables), 215-216

scope (variables), 490

scratch-building custom menus (user interfaces), 428

screen size, building windows, 519

script.prefind URL parameters, 743

script-presort URL parameters, 744

script completion, Allow User Abort scripts, 298

Script Debugger, 575-577

breakpoints, placing, 578
values, inspecting, 578

script libraries, building, 313

script logs, 357

script results, 478

script steps

Add Account, 399
calculation formulas, 252
Change Password, 400
Commit Record/Request, 360
Delete Account, 400
Enable Account, 400
If - Else If, 360
Open Record/Request, 359
Re-login, 400
Reset Account Password, 400

scripted imports, 644-645

ScriptMaker Interface, 289

Define Scripts dialog, 287
Indicate Web Compatibility check box, 703
Perform button, 289
Print button, 289

scriptnames command, 742

scripts, 284

abstraction, 294
Allow User Abort scripts, 298
branching, conditional script steps, 305-306
buttons
building, 311
objects, associating with, 297
calculated replaces, 563
comments, 292-293

proactive troubleshooting, 556

conditional scripts, troubleshooting, 312

creating, 285

custom dialogs, 309-310

data configuration scripts, 299

Copy script steps, 301

Cut script steps, 301

Go to Field script steps, 300

Paste script steps, 301

Set Field script steps, 300-301

data control scripts, 299

Copy script steps, 301

Cut script steps, 301

Go to Field script steps, 300

Paste script steps, 301

Set Field script steps, 300-301

data editing, 362

debugging, 575, 577

inspecting values, 578

looping scripts, 578

placing breakpoints, 578

Define Scripts dialog, 289

duties of, 284

editing, 290

error handling, 312, 557

GetLastError function, 558

reproducing errors, 559

Set Error Capture scripts, 558

error management scripts, 298

Allow User Abort scripts, 298

Set Error Capture scripts, 298-299

errors (IWP application logs), 695

executing, 289

exiting, 293

exporting data, 660

full access privileges, 291

Go to Related Record scripts, 537-538

disconnected table occurrences, jumping to, 543

predicting found sets, 541-542

usage examples, 539

Go To Related Records scripts versus searches, 563

hiding, 296

implementing, 287

importing, 289, 295

InitializeGlobals scripts, 313

IWP, 702

committing records, 704

IWP execution tests, 705

startup/shutdown scripts, 704

subscript calls, 705

- unsupported script steps, error capturing, 704
 - unsupported script steps, identifying, 703
 - libraries, building, 314
 - loops, 307
 - calculated replaces, 563
 - conditional script steps, 308
 - debugging, 578
 - exit conditions, 308
 - existing, 308
 - testing, 313
 - managing, 287-289
 - mode dependencies, table context, 568
 - modularizing, 484-485
 - Move/Resize Window, 518
 - moving, 287
 - multi-context locking, 361
 - multiple scripts, selecting, 289
 - naming, 289
 - Custom Web Publishing, 290
 - tables, associating with, 290
 - parameters
 - modularizing scripts, 484-485
 - passing, 480
 - passing data between files, 485
 - passing multi-valued parameters, 480-483
 - retrieving, 480
 - specifying, 479
 - usage examples, 479, 484-485
 - printing, 289
 - PrintSetUp_landscape scripts, 314
 - PrintSetUp_portrait scripts, 314
 - record creation slowness, troubleshooting, 563
 - record locking, trapping, 359-360
 - troubleshooting, 368
 - record pointers, table context, 569
 - recursive, 493, 549-550
 - reordering script steps, 291
 - results
 - Get(ActionResult) function, 486
 - returning, 486
 - usage examples, 486
 - run privileges, security, 388-389
 - Save As Excel, 344
 - Save Records as PDF, 344
 - saved scripts, 302
 - Find script steps, 303
 - Sort script steps, 304
 - script steps, 299
 - Commit Record/Request, 360
 - conditional script steps, 305-308
 - Copy script steps, 301
 - Cut script steps, 301
 - Else If script steps, 305-306
 - Else script steps, 305-306
 - End If script steps, 305-306
 - Find script steps, 303
 - Go to Field script steps, 300
 - Go to Layout script steps, 301
 - If - Else If, 360
 - If script steps, 305-306
 - My Set Field script steps, 312
 - Open Record/Request, 359
 - Paste script steps, 301
 - Set Field script steps, 300-301
 - Show Custom Dialog script steps, 309
 - Sort script steps, 304
 - ScriptMaker Interface
 - Define Scripts dialog, 287
 - Perform button, 289
 - Print button, 289
 - Script TEMPLATE scripts, 314
 - Send Mail, 345
 - Set Error Capture scripts, 298-299, 558
 - Set Variable script step, 489
 - ShutDown scripts, 313
 - shutdown scripts, IWP, 704
 - slowness (performance), 562-563
 - StartUp scripts, 313
 - startup scripts, IWP, 704
 - subscripts, 284, 294-295
 - IWP, 705
 - naming, 289
 - table context, 568
 - templates, 293
 - ToggleAllStatusAreas scripts, 313
 - ToggleMultiUser scripts, 313
 - triggering, 310
 - unfinished scripts, troubleshooting, 312
 - user access, security, 377
 - user navigation scripts, 301
 - internal navigation, 302
 - variables
 - dynamic file paths, 492
 - global variables, 490-491
 - local variables, 488-491
 - naming, 488
 - scope, 490
 - Set Variable script step, 489
 - viewing, 492
 - Web Viewer, controlling, 411
- Script TEMPLATE scripts, 314**
- searches**
- dedicated find layouts, 545
 - Find mode layouts, 546
 - script-driven finds, 546
 - HTML-formatted search result stylesheets, building, 738
 - URL format, 738-739
- searching**
- slowness in, 561
 - unindexed fields, 561
 - versus Go To Related Records scripts, 563
- securing Kiosk mode via Developer Utilities (FileMaker Developer), 776**
- security**
- access privileges, troubleshooting, 399
 - Custom Menus feature, 376
 - Edit Account dialog (Define Accounts & Privileges dialog), 381

- file-level access security, 393
 - external authentication, 396-397
- file list filtering, 398
- networks, 394
- server administration, 393
 - user authentication, 395
- FileMaker Pro 8, 27
- IWP, 694, 701
 - authenticating accounts/privileges, 700
 - extended privileges, 698
 - passwords, 702
- layouts, viewing, 128
- multiple files, privilege sets, 399-400
- opening/closing files, troubleshooting, 399
- passwords, 377-378
 - post-conversion fixes, 591
 - troubleshooting, 398
- planning
 - aesthetics, 376
 - implementation, 376
 - matrixes, 374, 376
 - script access, 377
 - user access, 377
 - user interfaces, 376
- post-conversion fixes, 590
- primary concerns, 372
- records, calculation formulas, 253
- relationships, post-conversion fixes, 591-592
- risks, identifying, 373
- scripts, post-conversion fixes, 592-595
- user-level internal security
 - extended privileges, 391-393
 - privilege sets, 381-389
 - user accounts, 378-379, 381
- Select All command (Edit menu), 142**
- Select Arrange toolbar, Select Objects by Type button, 142**
- Select Objects by Type button (Select Arrange toolbar), 142**
- selecting**
 - CWP technology, 750
 - fields in calculation formulas, 254
- functions in calculation formulas, 255
- layout objects, 141
- multiple rows in selection portals, 535-537
- multiple scripts, 289
- operators in calculation formulas, 254
- selection portals, 530, 533**
 - buttons, defining, 533
 - data structures, defining, 531
 - rows
 - highlighted row relationships, 535
 - highlighting, 533-534
 - multiple row selections, 535-537
 - navigating in highlighted rows, 535
 - value lists versus, 531
- Self function, 434**
- Send Backward command (Arrange menu), 148**
- Send Mail scripts, 345**
- Send to Back command (Arrange menu), 148**
- serial IDs, 358**
- serial key fields, creating, 104**
- Serial Number option (field auto-entry options), 104-105**
- server administration, security, 393**
- server hosting, 22**
- Server-IP section (URL), 723**
- server-side XSLT, CWP, 730**
 - building HTML-formatted search result stylesheets, 738-739
 - embedding query parameters in stylesheets, 739-740
 - stylesheet placement, 730
- servers**
 - Active Directory servers
 - FileMaker Server registration, 814-815, 817
 - troubleshooting registration, 827
 - connections, troubleshooting, 563-564
 - directory servers, FileMaker Server registration, 813
- FileMaker Server, 786**
 - access, troubleshooting, 746
 - Active Directory server registration, 814-815, 817
 - Auto Update feature, 820
 - automatically updating plug-ins, 820, 824-827
 - automatically updating plug-ins, FileMaker configuration, 822
 - automatically updating plug-ins, FileMaker Server configuration, 822
 - configuring external authentication services, 820
 - Consistency Checker, 788
 - database hosting, 801
 - directory server registration, 813
 - external authentication feature, 788
 - LDAP Server registration, 813-814
 - maintenance, database directory structures, 829
 - maintenance, file maintenance, 830
 - maintenance, hardware requirements, 828
 - maintenance, monitoring event logs, 830
 - maintenance, monitoring usage statistics, 829
 - maintenance, network infrastructures, 828
 - maintenance, scheduling backups, 829
 - maintenance, server configuration, 829
 - maintenance, software installation, 828
 - maintenance, software updates, 830
 - plug-in management feature, 788
 - RAM, 790
 - requirements of, 789-791
 - SAT, 788
 - SAT, troubleshooting server registration, 827
 - SSL data transfer feature, 789

- starting/stopping, 801
- troubleshooting performance, 561
- versus peer-to-peer database hosting, 787
- viewing registered servers via LDAP Server, 818
- LDAP Server**
 - FileMaker Server registration, 813–814, 827
 - viewing registered FileMaker Servers, 818
- Windows servers, Mac plugins, 821
- session management**, 745–746
 - IWP, 708
- sessions**, 352–353
 - database tracking, 354
 - globals, 353
 - login accounts, 354
 - troubleshooting, 367
 - logins
 - testing, 367
 - troubleshooting, 367
 - session-specific elements, 353
- Set Error Capture scripts**, 298–299, 558
- Set Field script**, 300–301
 - portal record creation, 503
- Set Layout Order dialog**, 130
- Set Sliding/Printing dialog**, 148
 - Also Reduce the Size of the Enclosing Part option, 149
 - layout objects, nonprinting option, 149
 - Preview mode, viewing effects in, 148
- Set Tab Order dialog**, 156–157
- Set Variable script step**, 489
- Settings button (FileMaker Mobile)**, 843
- shadow fields**, 623–624
- sharing IWP files**, 699
- sharing data between stylesheets**, 740–741
- Show All option (FileMaker Mobile)**, 839
- Show All Records command (FileMaker Pro)**, 75
- Show Custom Dialog script step**, 309
- Show in New Window option (Go to Related Record Options dialog)**, 539–540
- Show Only Related Records option (Go to Related Record Options dialog)**, 539–540
- Show Related Records From list (Portal Setup dialog)**, 204
- Show/Hide Status Area script step (IWP)**, 709
- shutdown scripts**, 313
 - IWP, 704
- simplifying complex formulas**, 462
- single-file conversion solutions**, 584–585
- single-user database deployment**, 21
- site profile**
 - options, specifying, 757–759
 - selecting with PHP Site Assistant, 756–757
 - visual style, specifying, 759
- Size palette**, 143–145
 - layout parts, sizing, 135
- sizing**
 - layout parts, 135
 - IWP layout design restrictions, 706
 - table occurrences, 247
- sizing handles, resizing layout objects**, 142
- skip URL parameters**, 744
- sliding layout objects**, 148
- Sliding/Printing dialog (Layout mode)**, 319
- slowness (performance)**
 - calculations, 562
 - general slowness, troubleshooting, 561
 - scripts, 562–563
 - calculated replaces, 563
 - Go To Related Records scripts, 563
 - record creation, 563
 - searching/sorting slowness, 561
- SOAP**, 681
- software**
 - custom development software, 16
 - database software
 - advantages of, 14
 - as custom development software, 16
 - as off-the-shelf software, 16
 - functions of, 14
 - functions of, employee table example, 17
 - functions of, phone directory flat file example, 18
 - functions of, relational database example, 18
 - installing, FileMaker Server maintenance tips, 828
 - off-the-shelf software, 16
 - updates, FileMaker Server maintenance, 830
- Solution Options (Developer Utilities)**, 771
 - Bindkey option, 773
 - Closing Splash Screen option, 774
 - Custom Image option, 774
 - Extension option, 773
 - Runtime Name option, 773
- solutions**
 - customizing via Developer Utilities (FileMaker Developer), 777
 - deploying runtime solutions, 768
 - kiosks, 768
 - runtime solutions, solution deployment, 768
- sortorder command**, 729
- sortorder URL parameters**, 744
- Sort Records option (Edit Relationship dialog)**, 502
- Sort Records option (FileMaker Mobile)**, 839
- Sort script step**, 304
- Sort Status (Status Area)**, 43
- sortfield command**, 729
 - URL parameters, 744

sorting

- column headers (reports), 324-327
- ascending/descending logic, 328-329
- CWP URL search results, 729
- dynamic portals, 511
 - ascending/descending sorting, 513-514
 - establishing sort buttons, 512
 - managing screen refresh, 512
 - multiple field type sorting, 512-513
- IWP records, 713
- multiple records, 76
- multitiered sorting, 84
- portal records, 503
- portals, 68
 - specifying sorting criteria, 499
 - slowness in (performance), 561
 - unindexed fields, 561
 - value lists (fields), 76

source tables, exporting data, 650**spacing in CWP URL, troubleshooting, 747****specific report structures versus generic report structures, 318****Specify Calculation dialog, 98, 250, 253**

- Calculation Context section, 260-261
- Calculation Result Is feature, 99-100
- Data Type option, 257
- Do Not Evaluate If All
 - Referenced Fields Are Empty check box, 257-258
- Field List, 254
- Field list feature, 98
- Formula box, 253
- Formula text box feature, 99
- Function List, 98, 255
- Number of Repetitions option, 257
- Operators feature, 98
- Operators section, 254

Specify Table dialog (Relationships Graph), 222**specifying external ODBC data sources, 618-622****Specifying Fields button (FileMaker Mobile), 844****spell-checking, IWP, 702****SQL, 604**

troubleshooting, 625

SSL data transfer feature (FileMaker Server), 789**stacking orders, layout objects, 148****Standard Deviation of function (summary fields), 101****Standard Form layouts, 122****star joins, 194****Starter Solutions, Issue Tracker, 402-404****starting/stopping FileMaker Server, 801****startup scripts, 313**

IWP, 704

Status Area (FileMaker Pro), 41

Book icon, 42

Browse mode, 41

Current Record Numbers, 42

Found Record Numbers, 43

Layout menu, 42

Layout mode, 137-139

Portal Setup dialog, 498-500

Mode menu, 43

modes, changing, 44

Sort Status, 43

Status Area toggle, 43

Tab Control Setup dialog, 150-152

Total Record Numbers, 43

Zoom icons, 43

status area (IWP)

Commit button, 709

hiding application flow, 709-710

house icon, 696

Log Out button, 695

Status Area toggle, 43**sticky portals, 503****Storage Options dialog**

Global Storage option, 259

Indexing option, 259-260

Automatically Create Indexes as Needed check box, 259

Do Not Store Calculation Results check box, 259

storing fields

globals, 110

repeating fields, 111

strings (text)

case altering functions, 268

concatenation, 266

defining, 265

Exact functions, 267

interrogating, 266

Length functions, 266

PatternCount functions, 266

Position functions, 266

Substitute functions, 268

text parsing functions, 269

Trim functions, 267-268

WordCount functions, 267

structured data elements, passing multi-valued script parameters, 483**stylehref URL parameters, 744****stylesheets (XSL), 668-669**

Amazon XML data, transforming to FMPXMLRESULT XML, 682-684

FileMaker data, exporting as XML, 673

HTML-formatted search result stylesheets, building, 738

URL format, 738-739

query parameters, embedding in, 739-740

remote stylesheets, 673

sharing data, 740-741

specifying for iPhone, 848

WPE directories, placement in, 730

XML data, importing to FileMaker, 678-679

XML declarations, 670

xsl:choose statements, 672

xsl:output statements, 671

xsl:stylesheet statements, 670

xsl:template statements, 671

styletype URL parameters, 744**styling text, 84**

Sub-Summary When Sorted By option (Part Setup dialog), 332

subscripts, 284, 294-295
IWP, 705
naming, 289

Substitute functions, 268

subsummaries, 133, 136
mulit-column layouts, 130
subsummary reports, 77, 329
break fields, 330, 333
charting, 341
creating, 331-333

without body parts, 341

labels, 334

multiple criteria, summarizing, 338

reordering, 339

summary fields, 335-336
calculations, 336-337

troubleshooting, 334

slow generation, 345-346

viewing, 318

summarizing multiple criteria in subsummary reports, 338

summary fields, 60, 100, 320

Average of function, 101

Count of function, 101

Fraction of Total of function, 101

Maximum function, 101

Minimum function, 101

Standard Deviation of function, 101

subsummary reports, 335-336

calculations, 336-337

reordering in, 339

Total of function, 101

summary reports, 320

SYLK (Symbolic Link) file format (exporting data), 654

Synchronization button (FileMaker Mobile), 845

Actions option, 847

Conflict Resolution option, 846

Mode option, 845

Records option, 846

Synchronize Database option (FileMaker Mobile), 841

synchronizing FileMaker Mobile and FileMaker databases, 842

adding/removing files, 842
configure settings, 847
field configuration settings, 844-845
permission settings, 843-844
synchronization settings, 845-847
user settings, 847

T

Tab character transformations (exporting data), 653

Tab Control object (FileMaker Pro), 47

Tab Control Setup dialog (Status Area), 150-152

accessing, 150

tab order, fields, 155-156

tab-separated text format (exporting data), 654

table context (layouts), 725

calculations, troubleshooting, 567

importing/exporting records, troubleshooting, 567

layouts, troubleshooting, 567

mode dependencies, troubleshooting, 568

record pointers, troubleshooting, 569

scripts, troubleshooting, 568

troubleshooting, 566

value lists, troubleshooting, 568

Table menu (Define Database dialog), Table Name box, 199

table occurrences, 25, 199, 222-223

Go to Related Record scripts, 543

layouts, 125

naming conventions, 238

sizing, 247

Table view, 45, 82

layouts, 123

user interfaces, 431

versus portals, 497

tables

CWP URL searches, 725

definitions

copying/pasting, 216
importing between files, 215

employee tables, example of, 17

external tables, adding to Relationship Graphs, 238

join tables, naming, 553

layouts, viewing as, 128

multifile table systems, 233-234

external data sources, 234

multiple tables, portals, 202-205, 207

multitable systems, building

first tables in, 197

multitable systems, adding to, 199

portals, 64

creating/deleting rows, 67

mechanics of, 67

sorting, 68

schema imports, 215-216

tabs, text, applying to, 85

tar archives, Mac plug-ins, 821

templates

scripts, 293

Web Viewer, 410

testing

Boolean tests, Choose functions, 438

conditional tests, Choose functions, 437

logins, 367

loops, 313

text

formatting functions, troubleshooting in nontext calculations, 473

misspellings, fields, 55

styling, 84

tabs, applying, 85

text arrays, passing multi-valued script parameters, 481

- text fields, 59, 96**
 - Creation Account Names fields, 107
 - Modification Account Names fields, 107
- text files, importing, 638-640**
- text formatting functions, 452**
 - RGB functions, 453
 - TextColor functions, 453
 - TextColorRemove functions, 454
 - TextFont functions, 453
 - TextFontRemove functions, 454
 - TextFormatRemove functions, 454
 - TextSize functions, 453
 - TextSizeRemove functions, 454
 - TextStyleAdd functions, 453-454
 - TextStyleRemove functions, 454
- text functions, 265**
 - case altering functions, 268
 - Exact functions, 267
 - Length functions, 266
 - PatternCount functions, 266
 - Position functions, 266
 - Substitute functions, 268
 - text parsing functions, 269
 - Trim functions, 267-268
 - WordCount functions, 267
- text parsing functions, 269**
- text strings**
 - case altering functions, 268
 - concatenation, 266
 - defining, 265
 - Exact functions, 267
 - interrogating, 266
 - Length functions, 266
 - PatternCount functions, 266
 - Position functions, 266
 - Substitute functions, 268
 - text parsing functions, 269
 - Trim functions, 267-268
 - WordCount functions, 267
- TextColor functions, 453**
- TextColorRemove functions, 454**
- TextFont functions, 453**
- TextFontRemove functions, 454**
- TextFormatRemove functions, 454**
- TextSize functions, 453**
- TextSizeRemove functions, 454**
- TextStyleAdd functions, 453-454**
- TextStyleRemove functions, 453-454**
- thumbnails, importing, 641-642**
- time fields, 59**
 - Creation Timestamp fields, 107
 - Modification Timestamp fields, 107
 - time fields, 97
 - timestamp fields, 97
- Time functions, 272-274**
- timestamp fields, 59**
- TimeStamp functions, 273-274**
- timestamps, 362**
- Title Footers, 134**
- Title Headers, 133**
- ToggleAllStatusAreas scripts, 313**
- ToggleMultiUser scripts, 313**
- token URL parameters, 744**
- tokens, sharing data between stylesheets, 740-741**
- tool palettes (multi-window interfaces), 526**
- Tools menu, Data Viewer**
 - Debug Scripts feature, 580
 - expressions, defining, 579
 - values, inspecting, 578
- tooltips, layouts, 157**
- Top to Bottom alignment option (Align command), 147**
- Total of function (summary fields), 101**
- Total Record Numbers (Status Area), 43**
- tracking database sessions, 354**
- Trailing Grand Summaries, 133**
- trailing grand summaries, multi-column layouts, 130**
- trailing summaries (reports), 320**
- transactions (databases), 355**
- transferring data, SSL data transfer, 789**
- transformations (XML), 667-668**
 - Amazon XML data, transforming to FMPXMLRESULT XML, 682-684
 - FileMaker data, exporting as XML, 673
 - XML data, importing to FileMaker, 678-679
- XSL stylesheets, 668-669**
 - XML declarations, 670
 - xsl:choose statements, 672
 - xsl:output statements, 671
 - xsl:stylesheet statements, 670
 - xsl:template statements, 671
- trapping**
 - errors, troubleshooting, 368
 - record locking in scripts, 359-360
- triggering scripts, 310**
- Trim functions, 267-268**
- TrimChar functions, 470**
- troubleshooting**
 - Active Directory server registration, 827
 - audit logs, blank rows, 365
 - audit trails, 368
 - conditional scripts, 312
 - connectivity
 - Crosstalk, 564-565
 - server connections, 563-564
 - context, 566
 - layout dependencies, 566
 - table context, 566-569
 - conversions, 598
 - corrupted files, 81
 - CWP
 - spacing in URL, 747
 - URL requests, 746
 - data imports, 645
 - field validation, 646
 - data integrity, 81
 - data loss, 80
 - data types in calculation fields, 280

dialog window design, 548-549
error trapping, 368
field names in calculation formulas, 279
fields
 copying/pasting, 159
 field validation, 116
 mismatched calculations, 115
 mismatched data types, 115
 naming conventions, 115
file recovery, 81
file reference errors, 783
FileMaker Mobile
 found sets/sessions, 848
 missing index values, 848-849
 missing records, 849
FileMaker Server access, 746
firewalls, CWP URL requests, 746
globals, 570
 default values, 367
IWP, ending sessions, 714
LDAP Server registration (FileMaker Server), 827
LeftValue functions, 474
Let functions, 474
logins, 367
MiddleValues functions, 474
modal dialog windows, 548-549
multiple-match relationships, 246
nonequiijoins, 245
Omit check box, 548
performance, 560
 calculation slowness, 562
 general slowness, 561
 script slowness, 562-563
 searching/sorting slowness, 561
plug-ins, 782
pop-up windows, 547
portal rows, highlighting, 547
portals
 displaying rows, 515
 multi-user selected data, 515
proactive troubleshooting
 debugging calculations, 560

debugging scripts, 575-578
file maintenance, 572
planning for failure, 557
scripts, error handling, 557, 559
writing code, comments, 555-556
writing code, naming database files, 553
writing code, naming fields, 554
writing code, naming functions, 555
writing code, naming layouts, 554
writing code, naming parameters, 555
records, displaying in layouts, 159
Recover command (FileMaker Pro), 81
related records, 312
repeating portals, 216
reports, printed reports, 345
restricted deletes, 216
Revert Record command (FileMaker Pro), 81
RightValues functions, 474
script error messages, 312
script steps, 312
security
 access privileges, 399
 converted passwords, 398
 forgotten Admin passwords, 398
 opening/closing files, 399
SQL, 625
subsummary reports, 334
 slow generation, 345-346
text formatting functions, non-text calculations, 473
unfinished scripts, 312
user interfaces, showing/hiding layout elements, 548
ValueCount functions, 474
window construction, lost found sets, 547
WPE access, 746
XML imports, 685
XML stylesheets, 685-686
Truncate functions, 271

Tufte, Dr. Edward, *Visual Display of Quantitative Information, The*, 322

U

UI files, 420
Undo command (FileMaker Pro), 54
Undo option (FileMaker Mobile), 840
unfinished scripts, troubleshooting, 312
unindexable fields, 114
unindexed fields, searches/sorts, 561
unsupported script steps, IWP
 error capturing, 704
 identifying, 703
updating
 custom functions, 463
 plug-ins via FileMaker Server, 820, 822, 824-827
 pre-FileMaker 7 software, 582
 file conversion process, 583-584
 multi-file conversions, 585-586
 post-conversion tasks, 589-597
 pre-conversion tasks, 586-589
 single-file conversions, 584-585
 records with imported data, 633-635
 software updates, FileMaker Server maintenance, 830
URL
 Amazon.com, importing data to FileMaker, 684-685
 CWP URL requests, 746
 exact match searches, 726-727
 multiple criteria searches, 728
 multiple find requests, 728-729
 numerical comparison searches, 727

- specific record searches, 725-726
- specifying search result sort order, 729
- table searches, 725
- parameters
- db, 742
 - encoding, 742
 - field, 742
 - grammar, 743
 - lay, 743
 - lay.response, 743
 - lop, 743
 - max, 743
 - modid, 743
 - recid, 743
 - script, 743
 - script-presort, 744
 - script.prefind, 743
 - skip, 744
 - sortfield, 744
 - sortorder, 744
 - stylehref, 744
 - styletype, 744
 - token, 744
 - fieldname, 742
 - Fieldname.op, 743
- Port section, 723
- Protocol section, 723
- query strings, 724
- Server-IP section, 723
- spacing in, troubleshooting, 747
- XSLT URL formats, 738-739
- user access, restricting in layouts, 131-132**
- user accounts**
- access privileges, troubleshooting, 399
 - privilege sets, reviewing, 380
 - user-level internal security, 378
 - Admin accounts, 379
 - automatic logins, 379
 - default accounts, 379
 - editing, 379, 381
 - [Guest] accounts, 379
 - managing, 379-381
- user authentication, security, 395**
- User button (FileMaker Mobile), 847**
- user features (FileMaker Pro 9), overview of new features, 24**
- user fields, naming, 554**
- user IDs, securing, 377-378**
- user interfaces**
- building, 417-418
 - look/feel, designing, 419-420
 - custom menus
 - components of, 422
 - editing, 426
 - FileMaker control of, 423
 - managing, 423, 425
 - menu sets interface, 423, 425
 - menu sets, assigning, 428
 - menu sets, loading/
 - activating, 427-428
 - scratch-building, 428
 - uses of, 422
 - dedicated find layouts, 545
 - Find mode layouts, 546
 - script-driven finds, 546
 - design guidelines, 432
 - headers/footers, 431
 - layout elements, showing/
 - hiding, 543-545, 548
 - multi-window interfaces
 - dialog windows, 526-529, 548-549
 - expanding windows, 529
 - hiding windows, 530
 - marquee titles, 529
 - tool/function palettes, 526
 - uses of, 526
 - native user interface, 417
 - prototype layouts/menus, 416
 - security plans, 376
 - Table view, 431
 - UI files, 420
- user navigation scripts, 301-302**
- user-level internal security**
- extended privileges
 - custom privileges, 392-393
 - default privileges, 391-392
 - privilege sets, 381-382
 - conditional privileges, 385-386
 - data access, controlling, 383-384
 - data validation warning
 - override privileges, 390
 - export privileges, 389
 - FileMaker Server disconnects, 390
- layout use/development, 386-387
- menu commands access, 390
- passwords, setting, 390
- printing privileges, 389
- run script privileges, 388-389
- value list access, 388
- user accounts, 378
 - Admin accounts, 379
 - automatic logins, 379
 - default accounts, 379
 - editing, 379, 381
 - [Guest] accounts, 379
 - managing, 379-381
- V**
- validating data**
- fields, 107-109
 - calculation formulas, 252
 - condition failures, 108-109
 - troubleshooting, 116
 - override privileges, security, 390
- Validation dialog, 107**
- Always During Data Entry option, 109
 - Only During Data Entry option, 109
- Value from Last Visited Record option (field auto-entry options), 105**
- value indexes, 113-114**
- value lists**
- access privileges, security, 388
 - creating for many-to-many relationships, 212-213
 - IWP, 702
 - selection portals versus, 531
 - table context, 568
- value lists (fields)**
- editing, 57-58
 - other values, 58
 - sorting, 76
- ValueCount functions, 456**
- troubleshooting, 474
- ValueListItems functions, 279**
- variables (scripts)**
- dynamic file paths, 492

global variables
 globally stored fields versus, 491
 naming, 490
 scope, 490
 user session data, 491
 uses for, 491
 local variables, 488
 scope, 490
 uses for, 491
 naming, 488
 scope
 global variables, 490
 local variables, 490
 Set Variable script step, 489
 viewing, 492
verifying processes, script logs, 357
vertical dividers (reports), 322-324
View As options, IWP layout design restrictions, 706
view command, 742
View setting (Custom Privileges dialog), 384
viewing
 layouts
 forms view, 127
 lists view, 127
 restricting user access, 128
 tables view, 128
 list view layouts, 318
 plug-in names/version numbers, 824-825
 related child data in multiple tables, 202-205
 subsummary reports, 318
Views tab, Layout Setup dialog, 128
Visual Display of Quantitative Information, The, 322
visual style for PHP site, selecting, 759

W

Web pages, linking IWP files to, 710-711

Web publishing
 Access via Instant Web Publishing extended privilege, 391-392
 errors (IWP application logs), 695

Web services, 675
 Amazon.com
 accessing, 681
 HTTP requests, 681
 importing data to FileMaker, 682-685
 SOAP, 681
 types of, 681
 URL, 663
 writing, 686-688

web site
 building with XSLT Site Assistant, 733-734
 xslt-template files, modifying, 737-738

Web Viewer, 402
 configuring, 404, 407, 409
 controls, adding, 411
 current page, identifying, 412-413
 files, viewing, 413
 templates, 410

web-enabled databases, converting, 599

WeekEndingFriday functions, 467

wildcards
 IP addresses, 694
 searches, 72

window desktops, 519-520

window management, 518. See also windows
 positioning windows, 520-525
 screen size, 521
 window content, 521
 window desktop size, 519-520
 WindowNames functions, 518

WindowNames functions, 279, 518

Windows OS
 ODBC administration, 609
 data source names, 610
 drivers, 611
 DSN, configuring, 616-617
 pop-up windows, troubleshooting, 547
 servers, Mac plug-ins, 821

windowshades, table occurrences, 247

WKS file format (exporting data), 654, 656

Word (MS), formatting DDR as, 573

word indexes, 113

word separators, 267

WordCount functions, 267

workflows, incorporating reports into, 346-347

WPAC (Web Publishing Administration Console)
 FileMaker Server Published Databases page, 696
 Publishing Engine Configuration page, 696

WPE (Web Publishing Engine)
 access, troubleshooting, 746
 URL, troubleshooting, 747
 XML publishing, 721-724, 730
 XSLT
 building HTML-formatted search result stylesheets, 738-739
 stylesheet placement, 730

WPE (Web Publishing Engines)
 CWP URL searches
 exact match searches, 726-727

multiple criteria searches, 728
numerical comparison searches, 727
specific record searches, 725-726
table searches, 725
multiple find requests, 728-729
search results, specifying sort order, 729

writing
calculation formulas, 250, 253-254
legibility, 255
selecting fields, 254
selecting functions, 255
selecting operators, 254
writing tips, 280-282

code
comments, 555-556
naming database files, 553
naming fields, 554
naming functions, 555
naming layouts, 554
naming parameters, 555

plug-ins, 779
Web services, 686-688

X-Y-Z

x (cross-product operators), portals, 496

XLST Site Assistant, modifying xslt-template-files, 737-738

XML (Extensible Markup Language)
Amazon XML data, transforming to FMPXMLRESULT XML, 682-684
CWP, 721-724, 730
query strings, 724
defining, 664
FileMaker data, exporting as, 673
comparison operators, 727
FMPDSORESULT grammar, 665
FMPXMLRESULT grammar, 665
importing Amazon.com XML data to FileMaker, 682-684

importing XML data to FileMaker, 677-680
troubleshooting XML imports, 685
XML data importing to FileMaker, 674-680
importing, troubleshooting, 685
processing instructions, 739
embedding query parameters in stylesheets, 739-740
query strings, 740
rules of, 664
stylesheets
remote stylesheets, 673
troubleshooting, 685-686
XML declarations, 670
transformations, 667-668
Amazon XML, transforming to FMPXMLRESULT XML, 682-684
FileMaker data, exporting as XML, 673
XML data, importing to FileMaker, 678-679
XSL stylesheets, 668-672
Web services, 675
XSL, 668-669
importing XML data to FileMaker, 678-680
parse errors, 685
xsl:choose statements, 672
xsl:output statements, 671
xsl:stylesheet statements, 670
xsl:template statements, 671

XML Web Publishing, Access via XML Web Publishing extended privilege, 391

XMpL_Add function, 780

XMpL_Append function, 780

XMpL_NumToWords function, 780

XMpL_StartScript function, 780

XMpL_UserFormatNumber function, 780

XSL (Extensible Stylesheet Language)
Amazon XML data, transforming to FMPXMLRESULT XML, 682-684
CWP extension, 745
FileMaker data, exporting as XML, 673
parse errors, troubleshooting, 685
stylesheets, 668
remote stylesheets, 673
XML data, importing to FileMaker, 678-680
XML declarations, 670
xsl:choose statements, 672
xsl:output statements, 671
xsl:stylesheet statements, 670
exclude-result-namespaces statements, 670
xsl:template statements, 671

XSLT (Extensible Stylesheet Language transformations), 668
CWP, 730, 744
building HTML-formatted search result stylesheets, 738
building HTML-formatted search result stylesheets, URL format, 738-739
embedding query parameters in stylesheets, 739-740
stylesheet placement, 730
XSL extensions, 745
XSLT processors, 744
query strings, 739
URL formats, 738-739

XSLT Site Assistant, 731
launching, 732
site features, selecting, 733-734

XSLT Web Publishing
Access via XSLT Web Publishing extended privilege, 392

xslt-template-files, modifying, 737-738

xsl:choose statements, 672

xsl:output statements, 671

xsl:stylesheet statements, 670
exclude-result-namespaces statements, 670

xsl:template statements, 671

Zoom icons (Status Area), 43