

Symbols

- /bin, 104
- /boot, 104
- /boot/efi partition, 48
- /boot/efi/redhat/elilo.conf, 134
- /dev, 104, 262
- /dev/fd0, 235, 260
- /dev/hda, 88, 260
- /dev/hda1, 231, 233, 260
- /dev/hdb, 88, 260
- /dev/hdb1, 260
- /dev/nst0, 230, 233
- /dev/sda, 260
- /dev/sda1, 260
 - in /etc/fstab, 96
- /dev/sda2, 97
- /dev/sdb, 260
- /dev/sdb1, 93, 260
- /dev/sdd, 84
- /dev/st0, 222, 260, 261
- /dev/ttyS0, 260
- /etc, 104
 - /etc/dumpdates, 220, 230, 231
 - /etc/exports, 208, 210
 - /etc/fstab, 86, 92, 95, 96, 97, 98, 211
 - adding entries, 97
 - example, 95
 - nfs, 212
 - /etc/group, 244
 - /etc/gshadow, 244
 - /etc/hosts, 205
 - /etc/hosts.equiv, 205, 206
 - /etc/init.d, 147, 148
 - /etc/init.d/smb, 147, 148
 - /etc/inittab, 145, 149, 152, 153, 154, 155
 - action, 155
 - id, 154
 - process, 155
 - run state, 154
 - /etc/lilo.conf, 133
 - /etc/passwd, 244
- /etc/rc.d, 146
- /etc/rc.d/init.d, 146
- /etc/rc.d/rc.local, 149
- /etc/samba/smbpasswd, 277, 278
- /etc/securetty, 205
- /etc/services, 175, 176, 201
 - nfs, 213
- /etc/shadow, 244
- /etc/shutdown.allow, 160
- /etc/smb.conf, 277
- /etc/sysconfig/network-scripts, 180
- /etc/syslog.conf, 99
- /etc/xinetd.d/swat, 289
- /home, 104
- /initrd, 105
- /lib, 105
- /lost+found, 105
- /misc, 105
- /mnt, 105
 - /mnt/cdrom, 56
 - /mnt/floppy, 87
 - /opt, 105
- /proc, 97, 105, 135, 137, 138
 - /proc entries, 142
 - /proc/cpuinfo, 135, 136
 - Itanium, 135
 - /proc/efi/vars, 128
 - /proc/swaps, 138
 - /proc/sys, 138
 - /proc/sys/fs/file-max, 137
 - /proc/sys/fs/file-nr, 137
 - /root, 105
 - /sbin, 106
 - /sbin/e2label, 96
 - /sbin/init, 154
 - /sbin/init.d, 146
 - /sbin/lilo, 133
 - /sbin/lilo -v, 133
 - /sbin/rc, 147, 154
 - /sbin/rc1.d, 154
 - /sbin/rc2.d, 154

-
- /sbin/rc3.d, 154
 - /sbin/service, 151, 156, 206, 279, 289
 - /sbin/shutdown, 160
 - /tmp, 106
 - /usr, 106
 - /usr/sbin/neat, 214
 - /usr/sbin/route, 194
 - /usr/sbin/setup, 283
 - /usr/src, 122
 - /var, 106
 - /var/log, 100, 102, 103
 - /var/log/maillog, 100
 - /var/spool/cron, 255
 - /var/spool/cron/crontabs, 255
 - [^]b (Management Processor), 23
 - [^]b to gain access to Management Processor, 18

A

 - Acpi(Device,X), 9
 - action (/etc/inittab), 155
 - adduser, 243, 244
 - Advanced Server, 37
 - GNOME, 65
 - neat (graphical network config tool), 214
 - networking, 180
 - Advanced Technology Attachment, 8
 - arp, 196, 198
 - a, 198
 - ARP cache, 196
 - at, 258
 - ATI, 46
 - Automatic Partitioning, 48
 - Autopartition, 48

B

 - backup, 220
 - /dev/nst0, 233
 - cpio, 227
 - dump, 230
 - gzip, 233
 - restore, 230
 - tar, 221
 - BCH, 11
 - big endian, xviii
 - blk in EFI, 7
 - blk0 device, 8
 - blkn, 9
 - block (blk) entries, 7
 - block device, 259
 - boot, 155
 - Boot Commands, 32
 - Boot file
 - Itanium, 134
 - boot floppy with dd, 235
 - boot floppy with rawrite, 235
 - Boot from a file, 39, 305
 - Boot Manager, 45, 48
 - Boot option maintenance menu, 38
 - booting with EFI, 4
 - bootwait, 155
 - EFI Shell, 12
 - byte ordering, xviii

C

 - CD-ROM, 56, 87
 - Cell Local Memory (CLM), 34
 - ch
 - as part of SAC, 317
 - ch -si
 - as part of SAC, 317
 - Character device, 259, 261
 - Check file system, 93
 - chkconfig, 201
 - CLM, 34
 - cmd
 - as part of SAC, 317
 - Command Line in Windows Server 2003, 317
 - Commands of vPars (table), 9
 - Console

-
- Uart, 17
 - console, 41
 - console-only Linux installation procedure, 46
 - Control Center (KDE), 75
 - cpio, 220, 227, 229
 - CPU, 103
 - showing Itanium, 103
 - cpuconfig command in EFI, 13, 14
 - cron, 254
 - cron jobs, 254
 - cron.allow, 258
 - crontab, 255, 256
 - l, 257
 - r, 256
- D**
- dd, 220, 230
 - to create a boot floppy, 235
 - device files, 259
 - /dev/st0, 261
 - Examples, 260
 - lsdev, 260
 - mknod, 261
 - device files
 - block device, 259
 - character device, 259
 - device mappings, 9
 - device mappings, 6
 - device name, 262
 - df, 86, 251, 252
 - h, 253
 - nfs, 211
 - dig, 204, 205
 - disk and related entries, 7
 - disk drives (identifying), 70
 - Disk Druid, 48
 - Disk partition size, 86
 - disk partitioning, 85
 - Disk Partitioning Setup, 47
 - disk usage, 253
- diskpart, 318
 - dmesg, 103
 - example, 103
 - du, 253
 - s, 254
 - dump, 220, 230, 233, 234
- E**
- e2fsck, 92, 93, 94, 95, 97
 - running, 93
 - e2label, 95, 97
 - EFI, 1, 2, 5, 11
 - Boot Admin Main Screen, 5
 - Boot From a File, 38, 39, 305
 - Boot Manager screen, 45
 - Boot option maintenance menu, 6, 39
 - commands, 9
 - configuration and cpuconfig, 12
 - dir example, 46
 - help, 12
 - info, 14
 - loading the Enablement Kit, 41
 - NVRAM, 17
 - Removable Media Boot, 40
 - Shell>, 46
 - structure, 3
 - table of device mappings, 9
 - EFI Shell, 16
 - EFI system partition, 4
 - ELILO
 - boot single user, 50
 - elilo, xiv, 37, 46
 - linux console="ttyS0", 46
 - elilo.conf, 134
 - Enablement Kit for Linux, 37
 - endian, xviii
 - Equivalent root Access, 205
 - Ethernet, 166
 - exportfs, 208
 - exportfs -a, 210
 - Extensible Firmware Interface, xviii

Extensible Firmware Interface. See EFI

F

fdisk, 48, 253
IDE example, 88, 91

Fedora
Core 2, xviii

Fedora Project, xviii

file, 94

file system
creating with mke2fs, 86

file system maintenance, 92

file systems in EFI, 7

find, 226, 227, 229

with cpio, 227

firewall (in Samba), 284

fs in EFI, 7

fsck, 92, 93, 95

fstab, 86

/sbin/e2label, 96

fstype, 98

ftp, 156, 157

G

GNOME, xvi, 63, 64
Full Screen Shot, 65
Hardware Browser, 70
Network Configuration, 68
RPM, 69, 70

GNOME desktop environment, xix

GNOME menu, 65

Gnome RPM, 68

GNOME System Monitor, 66, 67

gnorpm, 58, 60

Itanium, 59, 60

GNU Network Object Model Environment, 64

Graphical User Interfaces (GUIs), 63

graphics, 17

ATI card, 46

enabling as console, 17

graphics console, 18
groups, 243
grpck, 250
GRUB, 133
Guardian Service Processor (GSP), 18
GUIs, 63
gunzip, 226
gzip, 233, 234

H

hard drives (identifying), 70
Hardware Browser, 69
HD(Part,Sig), 9
hosts.equiv, 206
HP 9000 family, xiii
HP Enablement Kit for Linux, xiii, xiv, 41
HP Integrity Servers, xiii
HP-UX, xiv, 304
boot from CD-ROM, 306
HP-UX 11i kernel creation, 119, 121, 124, 125, 126, 127, 129
hpzx1 chipset, 103
http, 268

//route.2038bug.com/index.html, xx
//www.docs.hp.com, xviii
//www.gelato.org, xix
//www.gnome.org/, xix
//www.hp.com/go/icod, xix
//www.hp.com/go/itanium, xviii
//www.icann.org/registrarss/accredited-list.html, xix
//www.intel.com/technology/efi, xviii, 2
//www.interex.org, xix
//www.itrc.com, xviii
//www.kernel.org, xix
//www.linuxdoc.org, xx
//www.linuxguruz.org/iptables/howto, xix
//www.openoffice.org/, xx
//www.opensource.org, xx

-
- //www.perl.com, xix
 //www.redhat.com/docs/manuals/, xix
 //www.rpm.org, xix
 //www.software.hp.com, xix
 //www.tldp.org, xix
 //www(tpj.com, xix
 //www.webmin.com, xx
- HWP0002, 7
- I**
- I/O card slot (and ROPE), 8
 IA-32, 88
 IA-64, xiv, 135, 136
 iCOD, xix
 id (/etc/inittab), 154
 IDE, 9, 259
 IEEE802.3, 163
 ifcfg-eth0, 180
 ifconfig, 180, 192
 info command in EFI, 14
 init, 154
 initdefault, 155
 Inode, 92, 95
 Input/Output, 260
 insmod, 131
 installing HP-UX on an Integrity server, 304
 installing Red Hat Advanced Server, 37
 installing software, 35
 Instant Capacity on Demand (iCOD), xix
 Integrated Drive Electronics, 9
 Integrity Servers, xiii
 International Association of HP Computing Professionals, xix
 Internet Protocol (IP) Addressing, 167
 IP Addressing, 167
 IP classes, 168
 ipchains, 198
 iptables, 198, 199, 202
 and nmap, 202
 iptables --list, 201
- iptables-restore, 199, 204
 iptables-save, 204
 iptables "how to" document, xix
 ISO/OSI, 164
 ISO/OSI Network Layer Functions, 164
 IT Resource Center, xviii
 Itanium, xviii, xix
 boot program, 134
 GNOME, 64
 HP Enablement Kit for Linux, 37
 neat (graphical network config tool), 214
 Network Configuration, 217
 networking files, 180
 vmlinuz, 134
 wu-ftp, 156
 Itanium 2, xiv
 Itanium CPU, 103
 Itanium®-based systems (HP Integrity servers), xiii
- K**
- K Desktop Environment (KDE), 72
 KDE, xvi, 63, 72
 Control Center, 75
 Login Manager, 76
 KDE Control Center, 74
 kernel, 118
 /proc, 135, 142
 /proc/sys, 138
 compiling the new kernel, 130
 device files, 260
 directories, 122
 echo, 136, 142
 make bzImage, 130
 make modules, 131
 make modules_install, 131
 make mrproper, 123
 make xconfig, 124, 129
 make xconfig on Itanium, 125
 obtaining from www.kernel.org, 121

patching, 143
 source code, 120
 steps to create, 119
 sysctl, 142
 kill, 240, 241
 killing a process, 240
 ksysv, 145, 149, 150, 210

L

LABEL (of device), 96
 language selection, 47
 last, 101
 LBA, 4
 LEK (Linux Enablement Kit), 37
 LILO, 133
 link layer, 165
 Linux Distribution diagram, xvii
 Linux Documentation Project, xix
 Linux documentation site, xx
 Linux File System Layout, 104, 106
 Linux kernel archive, xix
 Linux on Itanium, xix
 linux single, 50
 Linux System Structure diagram, xv
 Linux-related Web sites, xviii
 little endian, xviii
 locked user and group, 244
 Log Files, 99
 log files
 /var/log, 100
 syslogd, 99
 wtmp, 103
 logd, 99
 Logical Block Addresses (LBAs), 4
 Login Manager (KDE), 75
 lost+found, 94
 Low Priority Machine Check, 26
 LPMC, 26
 lsdev, 260, 261
 lsmod, 131
 Itanium, 132

M

major number, 262
 make bzImage, 130
 make clean, 130
 make compressed, 120, 130
 make dep, 130
 make install, 130
 make modules, 134
 make mrproper, 123
 make oldconfig, 120, 124
 make xconfig, 120, 124, 126, 129, 135
 General setup on IA-32, 125
 General Setup on Itanium, 127
 IA-32, 124
 Itanium, 125
 man page
 section number, xx, 242
 Management Processor, 18
 security options, 24
 table of commands, 26
 manual page
 section number, xx, 242
 map, 9
 map command, 6
 MBR, 4
 MC/ServiceGuard for Linux, 295
 Menu Pick, 66
 KDE, 74
 minor number, 262
 mkdir
 nfs, 211
 mke2fs, 86
 IDE example, 91
 mknod, 260, 261
 mkpart, 85
 mkswap, 86, 91
 Monarch Processor, 26
 mount, 87, 95, 98
 nfs, 211
 options, 98
 mouse

-
- USB in example, 46
- MP**
- Cell Local Memory (CLM), 34
 - CM> Commands for Single PD User, 29
 - CM> Commands Unique to Admin, 31
 - CM> Commands Unique to Oper, 30
 - Configuration Commands, 33
 - Filesystem Commands, 32
 - HPUX> Bootloader Commands, 34
 - Management Processor list of commands, 29
 - Memory Commands, 32
 - Shell Commands, 32
- mt, 233, 234
- N**
- net, 320
 - net command in Windows Server 2003, 319
 - net view, 281
 - NetBIOS, 279
 - NetRAID-2M
 - configuration utility, 108
 - netstat, 177, 188
 - a, 176, 189
 - antu, 176
 - t, 176
 - u, 176
 - Network Configuration (in GNOME), 67
 - Network Configuration tool in GNOME, 68
 - network layer, 167
 - Networking
 - arp, 196
 - devices displayed in GNOME, 70
 - Ethernet Encapsulation, 166
 - ISO/OSI layers, 164
 - Itanium hardware devices, 217
 - link layer, 165
 - neat, 214
 - network layer, 167
- physical layer, 165
- ports, 175
- portmapper, 177
- subnet mask, 171
- trasport level, 167
- Webmin, 217
- NFS, 208
 - start, 209
- nmap, 203, 212
 - sT, 203
- nmbd, 279, 292
- Node Partitions (nPartitions), 35
- nPartitions, 35
- nslookup, 204, 205, 207
 - dig as alternative, 205
- NVIDIA, 46
- O**
- off (/etc/inittab), 155
 - Office suite software, xx
 - once (/etc/inittab), 155
 - ondemand, 155
 - online manual pages, xx, 242
 - section number, xx, 242
 - open source, xvii
 - web site, xx
 - openlog, 99
 - OpenOffice.org, 63, 78
 - download, 79
 - OpenVMS, xiv
 - operating environment, 63
- P**
- Package Installation, 51
 - packages
 - during Itanium installation, 51
 - parted, 83, 84, 86, 252
 - adding partition, 84
 - partition table, 85
 - partitioning a disk on Itanium, 84
 - passwd, 244

-
- patch, 143
 - PCI host number, 7
 - PCI interface (and ROPE), 7
 - Pci(D|F), 9
 - Perl download, xix
 - Perl Journal, xix
 - physical drive in EFI, 7
 - physical layer, 165
 - PID, 240
 - ping, 187, 198
 - portmapper, 177
 - ports, 175
 - portmapper, 177
 - TCP, 175
 - UDP, 176
 - POSSE, 1, 2
 - power modules status with Management Processor, 25
 - power supply, listing status with Management Processor, 25
 - powerfail, 155
 - poweroff, 161
 - powerwait, 155
 - process (/etc/inittab), 155
 - Process ID, 240
 - Processor type
 - Itanium, 127
 - Processors
 - viewing with Management Processor, 26
 - ps, 238
 - ef, 238
 - efl, 240
 - headings, 239
 - pts/0, 205
 - pts/1, 205
 - pwck, 247
- R**
- rawrite (to create boot floppy), 234
 - Red Hat Advanced Server, 37
- Red Hat Enterprise Linux (RHEL), xiii, xvi
 - Red Hat Linux manuals, xix
 - Red Hat Package Manager (RPM), 35
 - Red Hat Package Manager. See RPM
 - Red Hat's Advanced Server, 36
 - Register name servers, xix
 - remsh, 229
 - respawn, 155
 - respawn (/etc/inittab), 155
 - restore, 230, 231, 233, 234
 - retail release of Red Hat (Fedora), xviii
 - rex, 205
 - rexec, 205
 - RHEL, xiii, xvi
 - RHEL 2.1, xiv
 - RHEL 3, xiv, 36
 - rlogin, 205
 - rm, 85
 - rmod, 131
 - root directory, 104
 - ROPE, 7, 8
 - route, 194
 - rpcinfo, 195, 209
 - RPM, 35, 54
 - a for all, 56
 - command line, 54
 - gnorpm, 58, 59, 60
 - q for query, 56
 - RPM home page, xix
 - rsh, 205, 206
 - Run Levels, 152, 154
 - run state (/etc/inittab), 154
 - runlevel, 149
 - Rute's Linux tutorial, xx
 - rx2600, 17, 24

S

- SAC, 312
 - channels, 314
 - examples, 313

-
- SAC> Commands, 34
 - Samba, 275, 290
 - /var/log/samba, 102
 - mapping a Windows drive to a Linux Directory, 279
 - mbd, 279
 - mounting a Windows drive on a Linux System, 285
 - Samba Web Configuration Tool, 289
 - setup, 284
 - SMB, 275
 - smb, 279
 - smb startup, 151
 - smb.conf, 276
 - smbclient, 282
 - smbmount, 286
 - SWAT, 289
 - TCP/IP, 275
 - utilities and programs, 292
 - SCSI, 259
 - SCSI tape drive, 261
 - Scsi(Pun.Lun), 9
 - sdc, 42, 49
 - Security Options (SO) in Management Processor, 23
 - security options in MP, 23
 - Sequencer Script, 146
 - Serial console, 18
 - Service Processor (SP), 18
 - ServiceGuard, 295
 - detailed configuration document, 295
 - Shadow passwords, 244
 - Shell>, 7
 - showmount, 212
 - nfs, 212
 - Shutdown, 145, 147
 - shutdown, 145, 160
 - h, 161
 - h -y, 161
 - r, 161
 - Updates all superblocks, 161
 - Shutdown scripts, 145
 - SIGKILL, 241
 - Signals, 241
 - SIGTERM, 241
 - single user mode, 50
 - SMB, 275
 - smb start, 148
 - smb status, 148, 151
 - smb stop, 148
 - smb.conf, 276, 288
 - SMB/CIFS, 279
 - smbclient, 282, 283, 292
 - smbd, 279, 292
 - smbmount, 285, 292
 - smbpasswd, 278, 292
 - smbrun, 292
 - smbstatus, 292
 - smbtar, 292
 - smbumount, 292
 - Software depot home page, xix
 - Special Administration Console, 312
 - Startup, 145, 147
 - Startup script, 145
 - Startup scripts
 - Execution Scripts, 146
 - run levels, 154
 - start, 148, 149
 - start_msg, 148, 149, 157
 - stop, 148
 - stop_msg, 148, 149, 157
 - strings, 94
 - Subnet Mask, 171
 - Superblock, 92, 95
 - swap, 97
 - creating with mkswap, 86
 - SWAT, 289, 290, 291
 - sync, 94, 161
 - sysctl, 138, 142
 - sysinit, 155
 - syslogd, 99
 - System Monitor (GNOME), 67

system partition, 4
system shutdown, 243

T

tape drive, 261
tar, 220, 221, 224, 225, 226
tar -xf, 226
TCP/IP, 163
testparm, 277, 278, 292
transport layer, 167

U

UDP, 175
udp, 175
umount, 99
uname, 122
unzip files, 226
URLs, xviii
users and groups, 243

V

vfat partition, 48
VGA, 17
vipw, 244
vmlinuz, 134
 Itanium, 46
vmlinuz-2.4.18-e.12smp, 134

W

wait, 155
Web Browsing (setup in KDE), 75
Web sites, xviii
Web-based management software, xx
Webmin, 214, 268
 hardware, 272
 loading, 268
 partitions, 272
 servers, 270
 starting, 268
 users and groups, 269, 270

what, 94

Windows Server 2003, xiv
 diskpart, 318
 net, 321
 SAC, 312
Windows Server 2003 on Integrity, 312
wttmp, 101, 102
www.kernel.org, 120, 144
www.openoffice.org, 78
www.rpm.org, 54
www.samba.org, 293

X

X Window System, 63
xinetd, 145, 156, 204

Z

zx1 chipset, 103