



# Index

## A:

abbr HTML tag, 228  
 Abbreviations, HTML phrase elements for, 227–228, 229  
 Absolute hyperlink paths, 363–364, 454, 494  
 Absolute length units, CSS, 271  
 Accessibility, Web design and, 41–46  
     color and, 45–46  
     data tables and, 335–340  
     form labels and, 436  
     HTML coding of abbreviations and acronyms, 229  
     image maps and, 203–205  
     images descriptions and, 42–43, 197–198  
     layout tables and, 103  
     multimedia and, 44  
     ScreenTips and, 379–380  
     text equivalents and, 42  
 acronym HTML tag, 228  
 Acronyms, HTML phrase elements for, 227, 228  
 Active links, 351, 352. See also Hyperlinks  
 address HTML tag, 222, 225–226

Adobe Acrobat documents, 443, 444.  
*See also* Media  
 Adobe Photoshop elements, 172  
 Affordances, 18–19  
     buttons as, 19–20  
     icons and symbols as, 20–23  
 align HTML attribute, 182–183, 309  
 alink HTML attribute, 351, 352  
 Alphanumeric characters, validating form input for, 421–422  
 alt HTML attribute  
     image accessibility and, 42–43, 197–198  
     image map accessibility and, 203–205  
 Anchors  
     email links and, 387–388  
     named, 383–385  
     text to include between hyperlink, 373–378  
 Animations. *See* Media  
 Antialiasing, 174  
 Apple Audio Interchange Format, 444  
 Apple QuickTime files, 444  
 Arial font, 266, 267, 268  
 Attachments, file fields and, 395–396

**516**

Audio (sound) files, 44, 443, 444. *See also* Media  
 Automatic browser redirection, 453–455  
 Automatic page refreshment, 449–452  
 Axis categories, data table accessibility  
     and, 337–340

**B**

b (bold) HTML formatting tag, 243, 244, 247  
 Back buttons, 79–81  
 Back end, jump menu, 54, 56, 57  
 Back to Top links, 385  
 background-attachment CSS attribute,  
     216–217, 218  
 Background color  
     of table cells, 149–153  
     of text widgets, 414–415  
     of Web page, 33–37  
 background-color CSS attribute, 304, 305  
 background-image CSS attribute, 212  
 Background images  
     in CSS divs, 211–214  
     in table cells, 207–209  
     for Web pages, 215–218  
 background-position CSS attribute,  
     212, 213, 214, 216, 217, 218  
 background-repeat CSS attribute,  
     213, 214, 215, 218  
 Balanced layouts, 25–31. *See also*  
     Layouts  
     balancing columns, 26, 27  
     classical approach to, 29  
     visual weight of elements and, 29–31  
 Bandwidth, 498  
 Banner ads, 458  
 Below the fold, 26  
 Black-and-white color schemes, 34  
 blockquote HTML tag, 222, 224, 285–286  
 body HTML tag, 479–480  
 Boldface, 34, 243, 244, 247  
 Borders  
     button widget, 414–415  
     data table, 331–335

div, 157, 158, 159  
 fieldset, 432, 434–435  
 hyperlinked image, 17–18  
 Boxes, end sign, 310  
 br (break) HTML tag, 225  
 Breadcrumb trails, 47–51  
 Browse buttons, 396  
 Browser alerts, 467–472  
 Browsers. *See also specific*  
     browsers  
     automatic redirection of, 453–455  
     automatic reloading by, 449–452  
     browser alerts and, 467–472  
     determining make and model of  
         visitor's, 468–469  
     drop cap treatment by, 345  
     hiding CSS code from older, 238  
     hyperlink paths and, 363–367  
     list default style in, 299  
     opening new window of, 381  
     support of CSS by, 232  
     support of @import style rule by, 240  
     testing sites on multiple, 493–494  
 Bullets  
     changing position of, 295, 296, 297  
     replacing with images, 295, 296, 297  
 Button states, 189–191  
     onClick state, 189, 191  
     onMouseOver state, 189, 191  
 Button widgets  
     changing text style in, 411–414  
     colors and borders of, 414–415  
     generic, 391, 392–393, 397  
     radio buttons, 392, 403–405  
     reset buttons, 392, 398, 405–406  
     submit buttons,  
         392, 397–398, 406–407  
 Buttons. *See also* Clickable images  
     as affordances, 19–20  
     grouping of similar, 10–13  
     replacing with image fields, 397–399  
     states for graphical, 189–191

**C**

capitalize text-transform CSS  
 attribute, 249, 250  
 Capitalizing text, 247, 249–250  
 caption HTML tag, 319, 321  
 Carbon-copy email addresses, 327  
 Cascading Style Sheets (CSS), 232–240  
 adding to Web pages with HTML style  
 attribute, 240–241  
 adding to Web pages with style  
 sheets, 232–240  
 attaching external, 86–87, 89  
 browser support of, 232  
 changing appearance of text elements  
 with, 251–258  
 changing default color for link states  
 with, 369–371  
 changing text style in text widgets  
 with, 411–414  
 coloring and formatting divs in, 155–162  
 correct HTML markup and, 221, 224, 227  
 defining class styles for, 259–263  
 div elements and. See Divs (divisions), CSS  
 embedding, 85–86, 89, 237–238  
 example of, 233  
 fixed-width layouts using. See Fixed-width  
 CSS layouts  
 floating inline images with, 185–188  
 hiding code of from older browsers, 238  
 hyperlink styles in, 352–355  
 importing, 238–240  
 inheritance (cascading) in, 235–237  
 liquid (expando) layouts and, 121–125  
 list formatting attributes supplied by, 295–301  
 margin control with, 165–166, 275–276  
 multicolumn layouts using, 137–139  
 popup menus and, 68  
 pseudo-elements, 341–345  
 replacing HTML formatting with style  
 definitions, 243–245  
 rollover hyperlinks with, 359–361  
 setting fieldset borders and legends  
 with, 434–435  
 spacing control with, 275–280  
 as structural and graphical  
 language, 231–232  
 style definitions and, 232  
 style rules and, 232  
 style selectors and. See Style selectors, CSS  
 table border styles and attributes supplied  
 by, 333–335  
 text formatting attributes supplied  
 by, 247–250  
 type justification and, 281–283  
 type size and, 269–272, 273  
 typefaces and, 265–268  
 Web page background images and, 215–218  
 writing, 232–237  
 Categories, site hierarchies and, 3–8  
 cellpadding HTML attribute, 134, 328–330  
 Cells, table  
 background colors for, 149–153  
 background images in, 207–209  
 spacing of, 134, 328–330  
 cellspacing HTML attribute, 134, 328–330  
 Checkboxes, 391, 393–395, 423  
 Child elements, 235–237  
 Child selectors, 254–255  
 Citations, HTML tag for, 228  
 cite HTML tag, 228  
 Classes  
 defining CSS, 259–263  
 IDs for, 347–348  
 clear:both CSS style definition, 188  
 Click Here links, 377–378, 455  
 Clickable images, 19–20. *See also Buttons*  
 accessibility and, 42–43  
 affordances and, 18–23  
 creating, 17  
 grouping, 10–13, 18  
 icons and symbols, 20–23  
 removing borders from, 17–18  
 Client-side scripting, 407, 498–499

**518**

Close links, popup window, 65  
 code HTML tag, 228  
 col HTML tag, 319, 321, 323  
 colgroup HTML tag, 319, 321, 323, 324  
 Color, 33–39  
     accessibility and, 45–46  
     branding through, 38  
     color families, 33  
     cultural interpretations of, 35  
     of fieldset borders, 434–435  
     hexadecimal color codes and, 151–153  
     highlighting text with, 303–305  
     of hyperlinks, 37, 351, 369–371  
     of interfaces, 38–39  
     psychological color associations and, 38–39  
     of table cells, 149–153  
     of text and background, 33–37  
     of widgets, 414–415  
 color CSS attribute, 303  
 Colorblind users, 45–46  
 colspan HTML attribute, 97–98, 127, 324–328  
 Columns  
     balancing, 26  
     of data tables, 97, 324–328  
     of layout tables, 97–102  
 Compression, 174–175  
 Computer code, HTML tag for, 228  
 Content  
     generating random. See Random content generation  
     hierarchical site structure and, 3–8  
     meta tag keywords and page descriptions of, 487–488  
     validation of input. See Validation, form  
 Contextual selectors, 251–253  
 Contrast, text and background, 33–34  
 coords HTML attribute, 201, 202  
 Corporate logos, clickable, 22  
 Corporations, branding through color by, 38  
 Courier font, 267  
 Courier New font, 266, 267  
 CSS. See Cascading Style Sheets (CSS)

Cultural differences, color associations and, 39  
 CuteFTP program, 501



Dashed table borders, 333  
 Data tables, 98, 319–340  
     accessibility issues and, 335–340  
     borders around, 331–335  
     cellpadding in, 328–330  
     cellspacing in, 328–330  
     colspan and rowspan HTML attributes and, 324–328  
     common HTML tags for, 319–320  
     example HTML markup of, 320–322  
     importance of HTML grouping tags in, 323–324  
     rules in, 331–332  
 Datelines, 311–315  
 Definitions, HTML tag for, 228  
 Descenders, 344  
 Design space  
     controlling with CSS, 165–166  
     controlling with HTML, 163–164  
 Destinations, hyperlink, 383  
 dfn HTML tag, 228  
 DHTML. See Dynamic HTML (DHTML)  
 Directories, FTP, 502  
 Disabilities, designing Web sites for people with. See Accessibility, Web design and  
 Divs (divisions), CSS, 68–69, 105, 111–114  
 background images in, 211–214  
 coloring and formatting, 155–162  
 fixed-width layouts and, 105–108  
 liquid (expando) layouts and, 121–125  
 multicolumn layouts and, 137–139  
 nested, 111–114  
 Document-relative link paths, 363, 364–366, 454, 494  
 doLucky() JavaScript function, 444–452  
 Dotted table borders, 333  
 Double-spacing text, 278  
 Download time, images and, 171

Drop caps, 343–345  
 Dropdown menus, 401–402  
 Dynamic HTML (DHTML), popup menus  
 and, 68

## E

Elements, 231. *See also* Pseudo-elements  
 addresses, 222, 225–226  
 controlling space inside, 277  
 controlling spacing around, 275–276  
 data tables. *See* Data tables  
 headings, 221, 222–224  
 horizontal rules, 307–310  
 paragraphs, 222, 224, 478  
 parent-child, 235–237  
 quotes, 222, 224–225  
 same ID for multiple, 348  
`em` HTML tag, 228  
 Email accounts, Web host support of, 498  
 Email addresses, validating form  
 input, 418–419  
 Email links, 387–388  
 embed tag, 444–447  
 attributes for, 445–447  
 object tag vs., 444–445  
 Embedded media, 444–447  
 Embedded scripts, 83–85, 89  
 Embedded style sheets, 85–86  
 Emphasized text, HTML tag for, 228  
 End signs, 310  
 Expando (liquid) layouts. *See* Liquid layouts  
 External links, 364  
 absolute link paths for, 363–364  
 displaying “You Are Now Leaving” popup  
 when clicked, 473–474  
 opening new browser window for, 381

## F

FAQ pages, named anchors on, 384  
 Fields  
 file, 391, 395–396  
 hidden, 391, 396–397

image, 392, 397–399  
 password, 402–403, 422–423  
 text. *See* Text fields  
 validating input from. *See* Validation, form  
 Fieldsets, 429–435  
 borders around, 432, 434–435  
 legends for, 432–434  
 Fifth-level (`h5`) HTML headings, 222, 223  
 File fields, 391, 395–396  
 File Transfer Protocol (FTP), 501–502  
 Files, attaching in file fields, 391, 395–396  
 First-letter pseudo-elements,  
 341, 342, 343–345  
 First-level (`h1`) HTML headings,  
 222, 223, 478  
 First-line pseudo-elements, 341  
 Fixed-width CSS layouts, 105–109  
 centering, 111–114  
 HTML table layouts vs., 103–104  
 sample code for, 108–109  
 Fixed-width HTML table layouts, 97–102  
 accessibility issues and, 103  
 creating liquid layouts from, 115–120  
 CSS layouts vs., 103–104  
 screen width and pixel measurements  
 and, 98–101  
 Flash animations, 44, 443, 444, 445–446  
 Flash MX, 44  
 Floating images, 182  
 with CSS, 185–188  
 with HTML, 182, 183  
`float:left` CSS style definition, 185  
 Focus, 352  
 Folders system, Web site, 482–485  
 font-family CSS attribute, 265–268  
 font HTML tag, 265, 266  
 setting text color with, 303, 304  
 setting type size with, 269–270  
 setting typeface with, 265, 266  
 font-size CSS attribute, 270–272  
 font-style CSS attribute, 247  
 font-variant CSS attribute, 247

## 520

### Fonts

best for Web viewing, 268  
 CSS formatting styles for, 244–245, 247–250  
 HTML font tag for, 265, 266  
 HTML formatting tags for, 243–244, 247  
 standard on most computers, 266, 267  
 type size of, 269–272  
 typeface for, 265–268

### Form data, processing

Form fields. See Form widgets

### Form input

processing, 407  
 validating. See Validation, form

### Form labels

Form objects. See Form widgets

### Form widgets

checkboxes, 391, 393–395  
 colors and borders of, 414–415  
 fieldsets of, 429–435  
 file fields, 391, 395–396  
 generic buttons, 391, 392–393  
 hidden fields, 391, 396–397  
 image fields, 392, 397–398  
 labels for, 437–440  
 list menus, 392, 399–401  
 menus, 392, 401–402  
 password fields, 392, 402–403  
 radio buttons, 392, 403–405  
 reset buttons, 392, 398, 405–406  
 submit buttons, 392, 397–398, 406–407  
 tab order for, 425–428  
 text areas, 392, 407–408  
 text fields, 392, 408–409  
 text style of, 411–414  
 validating input from, 417–423

### Formatting tags

defined, 243  
 replacing with CSS style definitions, 243–245

### Forms

labels on, 437–440  
 processing data from, 407  
 submission methods (GET and POST), 406

tab order on, 425–428  
 validating data input, 417–423  
 widgets used on. See Form widgets  
 Fourth-level (h4) HTML headings, 222, 223  
 Front ends, jump menu, 54–55, 56–57  
 FrontPage extensions, 498  
 FTP programs, 501–502  
 Functions, grouping of similar, 9–16

## G

Generic button widgets, 391, 392–393, 397–398  
 Geneva font, 267  
 Georgia font, 267, 268  
 GET form submission method, 406  
 getElementById JavaScript method, 68, 194  
 GIF files, 169–170, 174  
 Go Back links, 79–81  
 Go buttons, jump menu, 54–55, 56–57  
 Graphical button states, 189–191  
 Graphical Go buttons, jump menu, 56–57  
 Graphics. See also Images  
 rollover, 193–196  
 slicing for layout tables, 127–131  
 Graphics software  
 optimizing images with, 171–182  
 slicing images for layout tables with, 127–131  
 Grouping, 9–16  
 of buttons, 10–13  
 of clickable vs. nonclickable images, 18  
 of hyperlinks, 9–10, 11  
 shopping cart interface example, 13–16

## H

h1 HTML tag, 222, 223, 478  
 h2 HTML tag, 222, 223  
 h3 HTML tag, 222  
 h4 HTML tag, 222, 223  
 h5 HTML tag, 222, 223  
 h6 HTML tag, 222  
 Handicapped users, Web pages for. See  
 Accessibility, Web design and  
 Hanging indents, 289–290

- Hansel and Gretal, breadcrumb analogy, 47–48
- head HTML tag, 479–480
- Header HTML tags, 221, 222–224
- Helvetica font, 267
- Hexadecimal color codes, 151–153
- Hidden fields, 391, 396–397
- Hierarchical Web site structure, 3–8, 482–485
- Hierarchy, CSS, 235–237
- Highlighted elements, 36
- Highlighted text, 303–305
- Highlighter pen effect, 304–305
- History methods, 79–81
- History.back JavaScript method, 81
- Home page, 483, 502
- Horizontal rules, 307–310  
centering, 309–310  
color of, 309  
creating end signs with, 310
- HTML attributes for, 309  
reducing height of, 307–308  
reducing length of, 308–309  
removing default shading from, 307
- Host address, 501
- Hotspots, image map, 199–202  
coords attribute values and, 201, 202  
ordering of, 201  
shape of, 201, 202
- Hover state, 359–361
- hr HTML tag, 307
- href anchors, 383, 384
- .htm file extension, 479
- HTML documents, 477–485  
body section of, 479  
file extension for (.htm), 479  
head section of, 479  
organization of Web site, 482–485  
standard template for, 485  
structure of, 477–481  
writing in text editors, 477, 478
- HTML (Hypertext Markup Language), 231, 477
- HTML link attributes, 351
- HTML lists  
attributes for, 293  
nesting, 293–295  
ordered, 291–292  
unordered, 291–292
- HTML tags, 477–481. *See also specific tags*
- for abbreviations, 227–228
- for acronyms, 228, 229
- adding background images with, 215
- adding CSS to Web pages  
using, 240–241
- for addresses, 222, 225–226
- changing appearance of with CSS style  
selectors, 251–258
- defining CSS class styles for, 259–263
- head and body tags, 479–480
- for headings, 222–224
- meta tags, 487–488
- opening and closing, 478
- for paragraphs, 222, 224, 478
- for phrase elements, 227–229
- positioning inline images  
using, 181–183
- for quotes, 222, 224–225
- replacing with CSS style  
definitions, 243–245
- structure of, 477
- for text elements, 221–226
- transforming images by  
manipulating, 177–179
- HTML widgets. *See Form widgets*
- http-equiv CSS attribute, 451–452
- Hyperlink paths, 363–367  
absolute, 363–364, 494  
document-relative, 363, 364–366, 494  
root-relative, 363, 366–367, 494  
site testing and, 494
- Hyperlinked images  
accessibility issues and, 42–43  
creating, 17  
identifying as clickable elements, 18–23  
turning off border around, 17–18

## 522

- Hyperlinks
  - active, 351, 352
  - changing default color for all link states, 369–370
  - changing default color for individual link states, 370–371
  - color of, 37, 38
  - CSS styles for, 352–355
  - default underline of, 354–355, 357–358
  - destination of, 383
  - Go Back links, 79–81
  - grouping of, 9–10, 11
  - highlighting, 352
  - HTML attributes for, 351–352
  - JavaScript, 92, 93
  - launching scripts with, 91–92
  - OnClick, 92, 93
  - paths for, 363–367
  - rollover, 359–361
  - ScreenTips for, 379–380
  - source of, 383
  - text in anchor tags of, 373–378
  - turning images into, 17–18
  - unvisited, 351
  - visited, 351
- i**
  - "I Agree" checkboxes, verifying, 423
  - i (italic) HTML formatting tag, 243, 244, 247
- Icons, clickable
  - as affordances, 20–23
  - avoiding ambiguous, 22–23
  - labeling, 22, 23
- ID styles, 347–348
- Image fields, 392, 397–399
  - replacing reset buttons with, 398
  - replacing submit buttons with, 397–398
- Image file types, 169–170
- Image maps, 199
  - accessibility issues and, 203–205
  - creating, 199–202
- naming, 201
- server-side, 201
- Images. See also Buttons; Image maps
  - accessibility issues and, 42–43, 197–198
  - antialiasing, 174
  - background colors instead of, 150
  - as background in CSS divs, 211–214
  - as background in table cells, 207–209
  - as background of Web page, 215–218
  - borders of, 18
  - changing HTML attributes of, 177–179
  - clickable. See Hyperlinked images
  - compressed, 174–175
  - download time and, 171
  - file types, 169–170
  - floating with CSS, 185–188
  - floating with HTML, 182, 183
  - hyperlinked. See Hyperlinked images
  - inline, floating with CSS, 185–188
  - inline, positioning with HTML, 181–183
  - optimizing, 171–175
  - random image generators, 458–460
  - resolution of, 172–173
  - rollover, 193–196
  - size (dimensions) of, 173–174
  - slicing for layout tables, 127–131
  - storage of in image folder, 484
  - tiling of, 208
  - weight of, 170, 171
- @import CSS rule, 238–239
- !important CSS declaration, 239–240
- Indents, 285–290
  - blockquote HTML tag and, 222, 224, 285–286
  - hanging, 289–290
  - margin-left CSS attribute and, 286–287
  - text-indent CSS attribute and, 287–289
- Inheritance, CSS and, 235–237
- Inline images
  - floating with CSS, 185–188
  - positioning with HTML, 181–183
- Inline links, 375
- Inline quotes, HTML tag for, 222, 224–225

Interfaces, choosing colors for, 38–39  
 Internal links, 364  
   document-relative link paths for, 364–366  
   root-relative link paths for, 366–367  
 Internet Explorer  
   child selectors and, 254  
   default hyperlink colors, 38  
   drop caps in, 345  
   highlighted hyperlinks and, 352  
   image files supported, 169  
   margin control in with HTML, 163–164  
   support of type sizing by, 273  
   testing Web sites on, 494  
 Internet service providers (ISPs), Web hosting by, 495–496

**J**

Jasc Paint Shop Pro, 172  
 JavaScript  
   attaching scripts, 86–87, 89  
   embedding scripts, 83–85, 89  
   JavaScript links, 92, 93  
   launching scripts with links, 91–92  
 JPEG files, 169–170, 174–175  
 Jump menus, 53–57  
   clickable, 54, 56  
   with graphical Go buttons, 56–57  
   with HTML Go buttons, 54–55  
   self-activating, 54, 55, 56  
 Justified type, 281–282

**K**

`kbd` HTML tag, 228  
 Keys, HTML tag for, 228  
 Keywords, including in meta tags, 487–488

**L**

`label` HTML tag, 437–440  
 Labels, form, 437–440  
 Language, specifying quote, 222  
 Larger relative length constant, 272  
 Layers, CSS. See Divs (divisions), CSS

Layout tables  
   background colors in cells of, 149–153  
   background images in cells of, 207–209  
   creating fixed layouts with, 98–102, 103  
   creating liquid layouts with, 115–120  
   creating multicolumn layouts with, 133–136  
   margin control in, 165–166  
   nested, 98  
   slicing images for, 127–131  
 Layouts  
   balanced, 25–31  
   fixed-width using CSS, 103–104, 105–109, 111–114  
   fixed-width using HTML tables, 97–102, 103–104  
   HTML vs. CSS, 103–104  
   liquid (expando), 97, 115–120, 121–125  
   margin control in with CSS, 165–166  
   margin control in with HTML, 163–164  
   multicolumn using CSS, 137–139  
   multicolumn using HTML tables, 133–136  
   preventing Nav bar from breaking in, 141–147  
   slicing images for, 127–131

Leading space, controlling, 278–279

Legends, fieldset, 432–434

Length constants, CSS, 272, 273

Length units, CSS, 270–272

letter-spacing CSS attribute, 279–280

Letters, spacing between, 279–280

Levels, 4, 483

line-height CSS attribute, 277–278

link HTML attribute, 351, 352

Links

  email. See Email links

  hyperlinks. See Hyperlinks

Liquid layouts, 97

  benefits of, 115

  creating with CSS, 121–125

  creating with HTML tables, 115–120

  removing extra whitespace from,

  163–164, 165–166

**524**

- List menus, 392, 398–401
  - changing text style in, 411–414
  - modifying colors in, 414–415
  - preselecting options on, 400–401
  - selecting multiple options on, 400, 401
  - validating input from, 420–421
- list-style-image CSS attribute, 296, 298
- list-style-position CSS attribute, 296, 297
- list-style-type CSS attribute, 296, 299
- Lists, 291–301
  - browser default style for, 299
  - HTML attributes for, 293
  - leading character position, 295, 296
  - nesting, 293–295
  - ordered, 291–292
  - outline style, 295, 299–301
  - replacing bullets with images in, 295, 296
  - unordered, 291–292
  - without bullets or leading characters, 299
- Local files, 493
- Local folders, 482
- Local root folders, 482
- Logical (hierarchical) site structure, 3–8, 482–485
- Lowercase text, 247
- lowercase text-transform CSS attribute, 249
  
- M**
- Macintosh browsers, 494
- Macromedia Flash files, 443, 444
- Macromedia Shockwave files, 444
- mailto href attribute, 387–388
- margin CSS attribute
  - controlling spacing around elements with, 275–276
  - controlling whitespace with, 165–166
  - indenting with, 286–289
- Margins
  - controlling with CSS, 165–166, 275–276
  - controlling with HTML, 163–164
- Media
  - accessibility recommendations for, 44
  - common types of, 444
- embedding in Web pages, 444–447
- plug-ins for, 443
- Web host support of, 498
- medium CSS length constant, 272
- Menu widgets, 392, 401–402
  - changing text style in, 411–414
  - validating input from, 420–421
- Menus
  - form. See Menu widget
  - jump. See Jump menus
  - popup. See Popup menus
- Meta tags
  - keywords and page descriptions in, 487–488
  - redirecting browsers with, 453–455
  - refreshing Web pages with, 451–452
- Microsoft FrontPage extensions, 498
- Microsoft Wave files, 444
- Microsoft Windows Media files, 444
- Microsoft Word, 478
- MIDI files, 444
- Mini site maps, breadcrumb trails as, 48–51
- Monospace typefaces, 266, 267, 268
- Movie files, 443, 444. *See also Media*
- Mozilla, 494
- Multicolumn layouts
  - creating with CSS, 137–139
  - creating with HTML tables, 133–136
- Multimedia
  - accessibility recommendations for, 44
  - common types of, 444
  - embedding in Web pages, 444–447
  - plug-ins for, 443
  - Web host support of, 498
  
- N**
- Named anchors, 383–385
  - linking to, 385
  - setting, 383–384
- Navigation aids
  - balanced layout of elements, 25–31
  - breadcrumb trails, 47–51

grouping of like elements, 9–16  
 hierarchical site structures, 3–8  
 identifying clickable elements, 17–23  
 jump menus, 53–57  
 Navigation bar  
   grouping of buttons on, 10–13  
   preventing breaking of in layouts, 141–147  
   rollover graphics on, 193  
 Nested layers (divs), 111–114  
 Nested lists, 293–295  
 Nested tables, 98, 133–136  
 Netscape  
   drop caps in, 345  
   highlighting hyperlinks in, 352  
   HTML grouping tags and, 323  
   margin control in with HTML, 163–164  
   testing Web sites on, 494  
   noshade HTML attribute, 309  
 Notepad, 477

**O**

Object tag, 444–445  
 Offline site testing, 493–494  
 Offset quotes, HTML tag for, 222  
 ol HTML tag, 291, 292  
 onClick button state, 189, 191  
 onClick event, 392–393  
 OnClick links, 92, 93  
 onFocus event, 409  
 onMouseOver button state, 189, 191  
 OnMouseOver image, 193, 194, 196  
 OnMouseOver/OnMouseOut events, 194, 195  
 Opera, 494  
 Optimizing graphics, 171–175  
   antialiasing, 174  
   compression, 174–175  
   image size, 173–174  
   resolution, 172–173  
 Ordered lists, 291–292  
   HTML attributes for, 293  
   outline style for, 295, 299–301  
 Out-of-sync Web sites, 502

Outlines, 295, 299–301  
 Overline formatting, 248

**P**

Padding, controlling  
   with CSS, 165–166, 277  
   with HTML, 163–164  
 padding CSS attributes, 277  
 Page descriptions, including in meta tags, 487–488  
 Page properties, random generation of, 463–465  
 Palettes, 169–170  
   optimizing GIF image, 174  
   optimizing PNG image, 174  
 Paragraphs, HTML tag for, 222, 224, 478  
 Parent elements, CSS, 235–237  
 Password fields, 392, 402–403, 422–423  
 Paths, hyperlink, 363–367  
   absolute, 363–364, 494  
   document-relative, 363, 364–366, 494  
   root-relative, 363, 366–367, 494  
   site testing and, 494  
 Paths, meta tag, 454  
 Phrase elements, 227–229  
 Physical text wrapping, 408  
 Pixels, 98–99  
   for fixed-width layouts, 98–101  
 Plug-ins, 443  
 PNG files, 169–170, 174  
 POP3 email, 498  
 Popup menus, 67–77  
   browser support of, 68  
   creating, 72–77  
   CSS layers and, 68–69  
   designing, 69–71  
 Popup windows, 59–65  
   bringing to front, 64  
 Close links on, 65  
   creating, 61–62  
   design tips for, 59–61  
   properties of, 63, 64  
   “You Are Now Leaving”, 473–474

**526**

POST form submission method, 406  
Presentation, 231  
Properties, generating random page, 463–465  
Pseudo-classes, 352  
  hyperlink styles and, 352–355  
  pseudo-elements vs., 352  
Pseudo-elements, 341–345  
  first-letter, 341, 342, 343–345  
  first-line, 341  
  pseudo-classes vs., 352  
Psychological color associations, 38–39  
Punctuation marks, excluding from linked text, 377

**Q**

q HTML tag, 222, 224  
QuickTime clips, 44  
Quotation marks, 222  
Quote elements, 222, 224–225  
quote HTML tag, 222, 224  
Quotes  
  HTML tags for, 222, 224–225  
  random quote generators, 460–463  
  specifying language of, 222

**R**

Radio buttons, 392, 403–405  
Ragged center type, 282–283  
Ragged left type, 282–283  
Ragged right type, 282–283  
Ragged type, 282–283  
Random content generation, 457–465  
  random image generators, 458–460  
  random page property generators, 463–465  
  random quote generators, 460–463  
Real-time information, automating refresh cycle for, 449–452  
RealMedia, 444  
Redirection, browser, 453–455  
References, HTML tag for, 228  
Refresh cycle, automating, 449–452  
Relative length constants, 272  
Relative length units, 271–272, 273

Remote files, 493  
Remote structure, creating, 502  
Reporting tools, Web host, 499  
Reset buttons, 392, 405–406  
  placement of, 405  
  replacing with image fields, 398  
Resolution, image, 172–173  
Robots, 488, 489–491  
Robots Exclusion Standard, 489–490  
Robots.txt file, 489, 490–491  
Rollover graphics, 193–196  
Rollover hyperlinks, 359–361  
Root-relative link paths, 363, 366–367, 454, 494  
Roots, 366  
Rows  
  span of data table, 324–328  
  span of layout table, 97–98  
Rowspan attribute, 97–98, 127, 324–328  
rules HTML attribute, 331–332  
Rules, table, 331–332

**S**

samp HTML tag, 228  
Sample code. See Tool kit  
Sample output, HTML tag for, 228  
Sans serif typefaces, 266, 267, 268  
Screen readers, 41–46  
  data tables and, 335–340  
  form labels and, 436  
  HTML coding of abbreviations and acronyms, 229  
  image maps and, 203–205  
  images descriptions and, 42–43, 197–198  
  layout tables and, 103  
  multimedia and, 44  
  ScreenTips and, 379–380  
  text equivalents and, 42  
ScreenTips, 379–380  
Script tags, 84, 86  
Scripts  
  attaching, 86, 89  
  embedding, 83–85, 89  
  launching with links, 91–92, 93

Search engines  
 blocking parts of Web sites from, 489–491  
 meta tag keywords and page descriptions  
 for, 487–488  
 Second-level HTML headings, 222, 223  
 Selectors, CSS. See *Style selectors, CSS*  
 Self-activating jump menus, 54, 55, 56  
 Serif typefaces, 266, 267, 268  
 Server-side scripting, 407, 498–499  
 Server space  
 selecting Web host for, 495–499  
 uploading Web site to, 501–502  
 Sharpening filters, 174  
 Shopping cart interface  
 grouping of functions on, 13–16  
 with Web hosting plans, 499  
 Sibling CSS selectors, 255–257  
 Simple CSS selectors, 252  
 SimpleText, 477  
 Site maps, breadcrumb trails as  
 mini, 48–51  
 Site testing, 493–494  
 on multiple types of browsers, 493–494  
 offline, 493  
 Sixth-level HTML headings, 222  
 size HTML attribute, 269–270, 309  
 Size units, CSS, 270–272  
 Slicing, 127–131  
 Small caps, 248  
 small CSS length constant, 272  
 smaller relative length constant, 272  
 Sniffers, 488, 490  
 Solid table borders, 333  
 Sound files, 44, 443, 444. *See also Media*  
 Source code, validation tools for, 503–504  
 Sources (citations), HTML tag for, 228  
 Sources, hyperlink, 383  
 Spacing, 275–280  
 around elements, 275–276  
 of data table cells, 328–330  
 of fixed-width layout tables, 97–102, 105–108  
 inside elements, 277  
 between letters, 279–280  
 between lines of type, 277–278  
 of liquid layout tables, 116–119, 121–124  
 of multicolumn layouts, 133–136  
 between words, 278–279  
 span CSS attribute, 304  
 span HTML tag, 261  
 Special hyperlink color, 370–371  
 Spiders, 488, 490  
 strike HTML formatting tag, 243, 244, 247  
 strong HTML tag, 228  
 Structure  
 document, 231  
 HTML tag, 477  
 Web site, 482–485, 502  
 Style definitions, CSS, 232, 234–235  
 applying same to multiple  
 selectors, 257–258  
 replacing formatting tags with, 243–245  
 style HTML attribute, adding CSS to Web  
 pages with, 240–241  
 Style rules, CSS, 232  
 Style selectors, CSS, 232, 233, 251–258  
 applying same definitions to  
 multiple, 257–258  
 child, 252, 254–255  
 contextual, 251–253  
 defining class styles for, 259–263  
 ID, 347–348  
 sibling, 252, 255–257  
 simple, 251, 252  
 Style tags, 85, 86  
 Subcategories, site hierarchies and,  
 3–8, 483–484  
 Subject lines, email, 327  
 Submit buttons, 392, 397–398, 406–407  
 Sun Audio format, 444  
 SVG (Scalable Vector Graphics)  
 files, 443, 444  
 Symbols, clickable. *See also Clickable*  
 images  
 as affordances, 20–23  
 avoiding ambiguous, 22–23  
 Synchronized Web sites, 502

**T**

- Tab order, form, 425–428
- `tabindex` HTML attribute, 425–428
- Table cells
  - background colors for, 149–153
  - background images in, 207–209
  - spacing of, 134, 328–330
- `table` HTML tag, 319
- Tables
  - data. See Data tables
  - layout. See Layout tables
- `tbody` HTML tag, 320, 322, 323
- `td` HTML tag, 320, 322
- Text. See also Text elements; Text widgets
  - colors for, 33–37
  - CSS style definitions for, 243–245
  - custom CSS formatting styles for, 247–250
  - formatting tags for, 243–245
  - highlighting, 303–305
  - in hyperlink anchor tags, 373–378
  - proper use of HTML tags on, 221–226
  - spacing between lines of, 277–278
  - style of in text widgets, 411–414
  - type size and, 269–272, 273
  - typefaces and, 265–268
  - wrapping of in text widgets, 408
- `text-align` CSS attribute, 282
- Text area widgets, 392, 407–408, 411–414
- `text-decoration` CSS attribute, 247, 248
- Text editors, 477, 478
- Text elements
  - changing appearance of, 251–258
  - HTML for addresses, 225–226
  - HTML for quote elements, 224–225
  - HTML header tags for, 222–224
  - HTML paragraph tags for, 224
  - indenting, 285–290
  - spacing around, 275–276
- Text equivalents, 42–43
- Text fields, 392, 408–409
  - alphanumeric character input check, 421–422
  - changing text style in, 411–414
  - validating input from, 419–420, 421–422
- `text-indent` CSS attribute, 287–289
- `text-transform` CSS attribute, 247, 249–250
- Text widgets. See also Form widgets
  - borders of, 414–415
  - buttons, 391, 392–393, 403–407
  - color of, 414–415
  - fieldsets of, 429–435
  - labels for, 437–440
  - lists, 392, 399–401
  - menus, 392, 401–402
  - text areas, 392, 407–408
  - text fields, 392, 408–409
  - text style of, 411–414
  - validating input from, 419–423
- `TextEdit`, 477
- `tfoot` HTML tag, 320, 321, 323
- `th` HTML tag, 320, 321
- Third-level HTML headings, 222, 223
- `thread` HTML tag, 319, 321
- Tiling, 208, 212, 215
- Times font, 267
- Times New Roman font, 266, 267, 268
- Timestamps, 311, 315–317
- `title` HTML tag, 480–481
- Tool kit
  - alphanumeric character input check, 421–422
  - breadcrumb trails, 51
  - browser alerts, 469–471
  - datelines, 311–315
  - drop caps, 343–345
  - email address validation, 418–419
  - fixed-width CSS layouts, 108–109
  - HTML document template, 485
  - jump menus, 54–57
  - liquid layout with CSS, 124–125
  - list menu input validation, 420–421
  - matching password fields, 422–423
  - menu input validation, 420–421
  - multicolumn layout with tables, 136
  - outlines, 299–3010

popup menus, 72–77  
 random image generators, 458–460  
 random quote generators, 460–463  
 replacing formatting tags with CSS, 244–245  
 rollover graphics, 194–195  
 text field validation, 419–420, 421–422  
 timestamps, 315–317  
 validation script skeleton, 418  
 verifying “I Agree” checkboxes, 423  
 yellow highlighter effect, 305  
 “You Are Now Leaving” popup, 474  
**tr** HTML tag, 320, 321  
**Type** justification, 281–283  
 justified, 281–282  
 ragged, 282–283  
**Type size**  
 controlling with font HTML tag, 269  
 controlling with font-size CSS attribute, 270–272  
 usability issues and, 273  
 word spacing and, 279  
**Type spacing**  
 between letters, 279–280  
 between lines of type, 277–278  
 between words, 278–279  
**Typefaces**  
 best for Web viewing, 268  
 font-family CSS attribute and, 265–266  
 HTML font tag and, 265  
 monospace, 266  
 sans serif, 266  
 serif, 266  
 standard on most computers, 266, 267  
 on text widgets, 412

**U**

**u** (underline) HTML tag, 243, 244, 247  
**ul** (unordered list) HTML tag, 291, 292  
**Underline**, default hyperlink, 354–355, 357–358  
**Underlined text**, 243, 244, 247

**Unordered lists**, 291–292  
 HTML attributes for, 293  
 nesting of, 294–295  
**Unvisited links**, 351  
**Uppercase text**, 247  
 uppercase text-transform CSS attribute, 249  
**URLs**  
 absolute hyperlink paths and, 363–364  
 in meta tags, 454  
**usemap** HTML attribute, 199

**V**

**Validation**, form, 417–423  
 alphanumeric character check, 421–422  
 email address input, 418–419  
 lists and menu input, 420–421  
 password field match, 422–423  
 skeleton of a script for, 418  
 text field input, 419–420  
 verifying “I Agree” checkboxes, 423  
**Valign** attribute, 98–101  
**var** HTML tag, 228  
**Variables**, HTML tag for, 228  
**Verdana** font, 267, 268, 279  
**Virtual text wrapping**, 408  
**Visited links**, 351  
**Visual weights of elements**, 29–31  
**Visually impaired users**, Web pages for. See Accessibility, Web design and  
**vlink** HTML attribute, 351, 352

**W**

**Web design**, 3  
 accessibility issues and. See Accessibility, Web design and  
 balanced layouts, 25–31  
 breadcrumb trails, 47–51  
 grouping of like elements, 9–16  
 history methods, 79–81  
 identifying clickable elements, 18–23  
 interface colors, 38–39  
 layouts. See Layouts

**530**Web design (*Continued*)

- link colors, 37
- page hierarchy (logical structure) and, 3–8
- popups and, 59–61
- psychological color associations and, 38–39
- text and background colors, 33–37
- whitespace and, 163–164, 165–166

## Web hosts, 495–499

- features to evaluate, 497–499
- free, 496
- ISPs as, 495–496
- qualities of good, 497
- researching, 496

## Web pages

- automatic refreshment of, 449–452
- balanced layout of elements on, 25–31
- browser alerts on, 467–472
- grouping of like elements on, 9–16
- identification of clickable page elements on, 18–23
- image background for, 215–218
- interface colors on, 38–39
- layouts for. *See* Layouts
- link colors on, 37
- meta tag keywords and page descriptions for, 487–488
- organization of in Web site, 3–8, 482–485
- random content generation for, 457–465
- redirecting browser from current, 453–455
- text and background colors for, 33–37
- validating source code on, 503–504

## Web sites, 482

- backing up files of, 502
- hierarchy of pages in, 3–8, 482–485
- meta tag keywords and page descriptions of, 487–488
- organization of pages in folders, 482–485

## out-of-sync, 502

- restricting search engines from parts of, 489–491
- selecting Web host for, 495–499
- structure of, 482–485, 502
- synchronized, 502
- testing, 493–494
- uploading, 501–502
- validating source code on, 503–504

## WebTV, 100

## Whatever (\*), 116

## Whitespace, 165–166

- controlling margins with CSS, 165–166
  - controlling margins with HTML, 163–164
  - in data tables, 328–330
- Widgets.** *See* Form widgets
- width HTML attribute, 309

## Windows bitmap files (BMP), 169

Windows, popup. *See* Popup windows

## word-spacing CSS attribute, 278–279

- Words, controlling spacing  
between, 278–279

## World Wide Web Consortium (W3C)

- table vs. CSS Web layout and, 103
- Web site validation tools, 503–504

## Wrapping, text, 408

## WS\_FTP program, 501

**X**

- x-large CSS length constant, 272
- x-small CSS length constant, 272
- xx-large CSS length constant, 272
- xx-small CSS length constant, 272

**Y**

## Yellow highlighter effect, 305

## "You Are Now Leaving" popup, 473–474