Index



A

Abstract Cache pattern, 43, 320–342
  ASP.NET caching, 338–342
  Cache, 325
  cache container:
    adding items to, 339–341
    retrieving cached items from, 341
  CacheAdapter, 325
  class diagram, 327
  Client, 325
  ConcreteCacheable, 322, 325
  consequences, 322–324
  forces, 322
  ICache, 326
  ICacheable, 326
  IEnumerable, 326
  implementation, 326–342
  implementation sample of preparing a cache using, 333–335
  intent, 320
  lazy cache service implementation, 332–333
  participants, 325–326
  problem, 320–322
  related patterns, 342
  setting SOAP headers using .NET, 331
  SOAP headers, 327–342
  SOAP message header example, 330
  SOAP Toolkit Visual Basic header serialization example, 328–329
  structure, 322
  wrapping a cache container (implementation sample), 336–338
Abstract Packet pattern, 42, 142, 178–192, 214, 257, 260
  benefits/liabilities, 181–183
  boxing/unboxing, 185–184
  consequences, 181–183
  DataSet, 183
  forces, 180
  generic class diagram, 181
  implementation, 183–192
  implementation class diagram, 180
  intent, 178
  Packet, 183
  Packet Translator, 183
  participants, 183
  problem, 179–180
  ProductDataSet, 183
  related patterns, 192
  structure, 181
Abstract Schema, 42, 203
ADO DataSets, 24
ADO.NET, 202–204, 209, 220, 232, 236, 363

Advanced design patterns, 43, 319–401
Abstract Cache pattern, 320–342
ASP.NET caching, 338–342
Cache, 325
cache container:
adding items to, 339–341
retrieving cached items from, 341
CacheAdapter, 325
class diagram, 327
Client, 325
ConcreteCacheable, 325
consequences, 322–324
forces, 322
ICache, 326
ICacheable, 326
IEnumerable, 326
implementation, 326–342
implementation sample of preparing a cache using, 333–335
intent, 320
lazy cache service implementation, 332–333
participants, 325–326
problem, 320–322
related patterns, 342
setting SOAP headers using .NET, 331
SOAP headers, 327–342
SOAP message header example, 330
SOAP Toolkit Visual Basic header serialization example, 328–329
structure, 322
wrapping a cache container (implementation sample), 336–338
Loosely Coupled Transactor Client (LCT Client), 380–400
benefits/liabilities, 383–384
CLCTClientSoapSocket, 385
CLCTClientThreadPool, 384
consequences, 383–384
CSoapSocketClientT, 385
forces, 380–381
implementation, 385–400
intent, 380
LCT Client C++ console implementation, 385–388
LCT Client "plumbing" implementation, 388–391
LCT Client "plumbing" implementation (template code), 392–399
participants, 384–385
problem, 380
structure, 381
Loosely Coupled Transactor Server (LCT Server), 350–379
asynchronous system design challenges, 350–354
benefits/liabilities, 359–362
class diagram, 364
Client, 362
consequences, 359–362
ExternalService, 363
ExternalServiceProxy, 363
forces, 357
generic class diagram, 358
implementation, 364–379
intent, 350
ITransactor, 363
LCT Server "plumbing" implementation, 366–369
participants, 362–363
problem, 354–357
related patterns, 379
sample functional implementation drive by, 370–379
structure, 358–359
TransactorFacade, 363
TransactorService, 362–363
Visual Basic SOAP Toolkit client used for calling, 363
Password Storage pattern, 400–401
benefits/liabilities, 401
consequences, 401
forces, 400
hashing helper method implementation, 341
intent, 400
participants, 401
problem, 400
structure, 401
Web Service Interface pattern, 342–350
benefits/liabilities, 344–346
client-side WSI implementation example, 350
concrete WSI implementation example, 347–348
consequences, 344–346
forces, 343
implementation, 347–350
intent, 342
IWebServiceInterface, 346
participants, 346–347
problem, 342–343
sample interface, 347
ServiceClient, 346
ServiceProxy, 346
structure, 344
Web service piece of WSI implementation, 349

WebServiceConcrete, 346
WebServiceInterface, 346
WSDL-generated proxy code, 349–350
Alexander, Christopher, 38–39
American Clearing House Association, 274
Application level, 76
Applying UML and Patterns: *An Introduction to Object-Oriented Analysis and Design*, 39
.asmx, 20–21
ASP.NET, 63, 278, 338–339
Assembly, System.Reflection namespace, 160
Asynchronous Web services, 286
Authorize method, 170

B

Base Class Library (BCL), 9, 35
Base exception class, 47
BaseException base class, 49, 51
adding SOAP exception support to, 71–77
COM exception handling, 75–76
determining when to log, 76–77
sample BaseException actor for allowing SOAP Faults, 72–73
sample SOAP Fault builder for, 71–72
sample SOAP Fault detail node builder, 74–75
using XML, 76
applying the child class, 57
beginning of, 54–57
building, 53–63
features handled by, 51–52
automated call stack formatting and display, 51
automated error stack formatting and display, 51
automated exception chaining, 51
custom remote exception handling using SOAP, 52
error logging and message tracing, 52
logging, 52–53
environmental information, 60–61
error stack, building, 61–62
sample logging routine, 58–59
what to log, determining, 59–62
where to log, determining, 58–59
sample child class, 50
sample stack builder, 62
system exceptions, throwing, 62–63
BaseException class, 71, 288
BooleanSwitch, 80–82
Boundaries, 179
Box, Don, 38
Boxing/unboxing, 185–187
BuildDetailNode method, 74–75
BuildErrorStack method, 61
Burgett, David, 298

C

C#, 3, 8, 35, 385
delegate keyword in, 111
CacheAdapter, 325–326, 331, 335–336
Call stack, 61
Caller communication, 352–353
Categorizing patterns, 39–41
CExternalServiceT, 384
Chained Service Factory pattern, 42, 142, 143–152, 284
benefits/liabilities, 146–148
ConcreteFacade, 148
consequences, 146–148
Execute method, 144
Facade, 148
forces, 145–146
generic class diagram, 146
implementation, 149–152
intent, 143
participants, 148
problem, 143–145
related patterns, 152
Service, 148
Service Factory metadata helper method, 150–151
Service Factory method sample implementation, 149–150
ServiceClient, 148
structure, 146
CLCTClientSoapSocket, 384, 385
CLCTClientThreadPool, 384
Client faultcode, 66
COM, 12, 35
COM+, 29, 163, 166
Commercial Framework, 267–270, 278, 304–306
architectural features, 284–289
Abstract Data packet, 288
exception handling and tracing framework, 288
FTP client/FTP Web services, 286
instrumentation, 288
loosely coupled Web services, 284
managed client framework, 284
messaging and Message Listening Windows 2000 Service, 286
network services, 286
Poly model, 285
Product Manager, 288

Commercial Framework (cont.)
remote tracing, 287
scheduling service, 287
service facades, 284
unmanaged client framework, 285
roles in, 291
vision statement, 282
Common language infrastructure (CLI), 5
Common language runtime (CLR), 5, 9, 29–31, 35, 75
Common language specification (CLS), 5
Common type system (CTS), 5, 36
ComplexReport object, 331–332
ComplexType element tag, 205
Contract interface, 144
CORBA, 12–13, 24
CreateInstance method, 161
CreditCardDS child class, DataSet, 196
Crivat, Bogdan, 380
CSoapSocketClientT template, 381
Custom SOAP Exception Handler, 41
Custom SOAP trace extension, 288
Custom trace listener, 80, 287

D

Data Access Interface, 285
DataSet, 65, 94, 182–186, 222, 230, 313, 379
DataSet Visual Studio, 207–208
DBGetTransactionBySQL method, 259
DCOM, 12–13, 24
Decision schema, 290
DefaultTraceListener, 78
#define TRACE, 77
DeleteKeys method, 247
Design Patterns: *Elements of Reusable Object-Oriented Software*, 39
DIME protocol (Microsoft), 24
Disconnected coordination/administration, 352–354
Distributed applications, 6
Distributed garbage collection, 24
Distributed technologies, 11–13
DLL-hell, 7
Document type definition (DTD), 26
DOM, 23
Dump method, 58–59
Dynamic Assembly Loader pattern, 42, 132–134
benefits/liabilities, 133
consequences, 133
constructing an object using Reflection, 134
forces, 133
implementation, 134
intent, 132
participants, 134
problem, 132–133
structure, 133

E

EBInvoke method, 306–308
eBusiness software, and communications management, 7
Edit Relation Dialog Box, constraints available in, 216
Eiffel, 8
Electronic Payments Network, 274
Enterprise Java Beans, 12
Error Cross-Reference Generator pattern, 42, 125–128
benefits/liabilities, 127
calling, 128
consequences, 127
forces, 126
implementation, 127–128
intent, 125
participants, 127
problem, 125–126
related patterns, 128
structure, 126
ErrorCode set, 75
Essential COM (Box), 38
Etier3.LazyCacheService class, 330
Event log listener, sample for adding to a global collection, 79–80
EventInfo, System.Reflection namespace, 160
EventLogTraceListener, 78
Exception boundaries, 60, 76
managing, 63–65
Exception chaining, 61
Exception wrapping, 63
Exceptions, throwing from Web services, 63–65
ExceptionThrower.asmx, 68–71
Extensible Markup Language (XML) web services, 5–6
ExternalCallback method, 359
ExtractOriginalData method, 379

F

Faultcode, 70
Faultfactory property, 70
Federal Reserve, 274
automated check mechanism, 272
FieldInfo, System.Reflection namespace, 160
Filter Builder, 285
FinancialServiceFactory.Execute, 144
Framework patterns, 41, 45–105
application-specific exceptions, 47–53
BaseException base class, building, 53–63
custom trace listener, building, 82–104

exception boundaries, managing, 63–65
exception handling, 47–53
overview, 45–47
remote tracing, 82–104
remote trace receiver, building, 86–87
remote trace viewer, building, 94–104
sample business object to be placed on queue, 88–92
sample Remote Trace Listener viewer (GUI), 94–103
sample RemoteTraceListener Web service, 86–87
sample routine for constructing/adding custom listener, 86
sample socket routine for sending a message, 92–94
sending races to message queue, 87–92
sending traces via sockets, 92–94
Trace Listener template, 84–85
SOAP Faults, 65–77
adding SOAP exception support to BaseException class, 71–77
detail element, 67, 71
faultactor, 66
faultcode, 66
faultstring, 66
sample SOAP Fault detail block, 67–68
throwing custom SOAP exceptions, 68–71
trace listeners, 77–80
FTP, 25, 316
FtpException class, 49–51, 54, 57, 61
FTPMessages string table, 50
FTPWebRequest, 286
FTPWebResponse, 286
Function-specific exception classes, 49

G

Gang of four (GoF), 8, 38
General network libraries, 286
General Responsibility Assignment Software Patterns (GRASP), 39
GetDBType method, 310
GetPlaceList, 16–17
GetSchemaTemplate method, 26–27, 306, 313
GetTransaction method, 262, 362–363, 379, 384, 391

H

Headers, SOAP, 28
HTTP, 25
HTTP GET request, 24
HydrateDataObject method, 194, 195, 198

I

ICacheable interface, 335–336
ICached interface, 332
IErrorInfo interface, 75
COM, 75
IHeaderHandler interface, 328, 330
Information, and problem solving, 46
InitTraceListeners method, 79–80
Inner exception, 61
Intellisense, 208, 357
Internet protocols, 12
InvokeTimeConsumingMethod method, 369–370
IOException, 63
IService interface, 347
IWebServiceInterface, 346

J

J#, 8, 35
JBuilder, 13

K

Kumar, Pranish, 380

L

Larman, Craig, 39
LBInvoke method, 306–308
LCT Client, 43
LCT Client C++ console implementation, 385–388
LCT Client "plumbing" implementation, 388–391
LCT Client "plumbing" implementation (template code), 392–399
LCT Server, 43
Logging, 76
Loosely Coupled Transactor Client (LCT Client), 380–400
benefits/liabilities, 383–384
CLCTClientSoapSocket, 385
CLCTClientThreadPool, 384
consequences, 383–384
CSoapSocketClientT, 385
forces, 380–381
implementation, 385–400
intent, 380
LCT Client C++ console implementation, 385–388
LCT Client "plumbing" implementation, 388–391
LCT Client "plumbing" implementation (template code), 392–399
participants, 384–385
problem, 380
structure, 381
Loosely Coupled Transactor (LTCT), 43

Loosely Coupled Transactor Server (LCT Server) pattern, 350–379
asynchronous system design challenges, 350–354
benefits/liabilities, 359–362
class diagram, 364
Client, 362
consequences, 359–362
ExternalService, 363
ExternalServiceProxy, 363
forces, 357
generic class diagram, 358
implementation, 364–379
intent, 350
ITransactor, 363
LCT Server "plumbing" implementation, 366–369
participants, 362–363
problem, 354–357
related patterns, 379
sample functional implementation drive by, 370–379
structure, 358–359
TransactorFacade, 363
TransactorService, 362–363
Visual Basic SOAP Toolkit client used for calling, 363

M

Macropattern, 202
Managed C++, 8, 35
Message batching, and SOAP, 24
Message routing service, 286
MessageInfo property, 92
Messaging Manager, 286
MethodInfo, System.Reflection namespace, 160
Microsoft Bizatalk, 300
Microsoft CRM, 276–277
Microsoft Message Queue Server, 350–351, 359, 361
Microsoft Message Queuing, 88
Middle-tier patterns, 42, 142–200
Abstract Packet pattern, 42, 142, 178–192
benefits/liabilities, 181–183
boxing/unboxing, 185–184
consequences, 181–183
DataSet, 183
forces, 180
generic class diagram, 181
implementation, 183–192
implementation class diagram, 180
intent, 178
Packet, 183
Packet Translator, 183
participants, 183
problem, 179–180
ProductDataSet, 183
related patterns, 192
structure, 181
Chained Service Factory pattern, 42, 142, 143–152
benefits/liabilities, 146–148
ConcreteFacade, 148
consequences, 146–148
Execute method, 144
Facade, 148
forces, 145–146
generic class diagram, 146
implementation, 149–152
intent, 143
participants, 148
problem, 143–145
related patterns, 152
Service, 148
Service Factory metadata helper method, 150–151
Service Factory method sample implementation, 149–150
ServiceClient, 148
structure, 146
overview, 141–142
Packet Translator pattern, 42, 142, 192–200
benefits/liabilities, 194
ConcreteFacade, 194
consequences, 194
DataSet, 196
forces, 193
generic class diagram, 193
implementation, 196–200
implementation class diagram, 197
intent, 192
packet, 196
PacketTranslator (participant), 195
participants, 194–196
problem, 192–193
ProductDataSet, 196
related patterns, 200
sample implementation preparing packets, 197–198
sample implementation translating packets, 199–200
structure, 193
Product Manager pattern, 42, 142, 163–171
benefits/liabilities, 166–167
ConcreteDelegate, 168
ConcreteProduct, 168
consequences, 166–167

delegation implementation, 169–170
Facade, 167
forces, 165
generic class diagram, 166
implementation, 168–171
intent, 163
ManagedProduct, 168
method implementation, 169
participants, 167–168
problem, 163–165
ProductManager, 167–168
related patterns, 171
structure, 166
UnmanagedProduct, 168
worker implementation, 170
Service Facade pattern, 42, 142, 171–178
benefits/liabilities, 174
ConcreteFacade, 175
consequences, 174
Facade, 175
forces, 173
generic class diagram, 173
implementation, 175–178
intent, 171
participants, 174–175
problem, 171–173
related patterns, 178
sample implementation, 176–177
Service, 174–175
structure, 173
Unchained Service Factory pattern, 42, 142, 152–162
Activator, 157
Assembly, 157
benefits/liabilities, 146–148
ConcreteFacade, 157
consequences, 155–156
Facade, 157
forces, 154–155
generic class diagram, 155
implementation, 157–162
implementation using Reflection, 158–158
intent, 152
MethodInfo, 157
.NET Reflection services, 159–162
participants, 157
problem, 152–154
related patterns, 162
Service, 157
ServiceClient, 157
structure, 155
Type, 157
Module, System.Reflection namespace, 160
Multisync Thread Manager pattern, 42, 122–125
benefits/liabilities, 124
consequences, 124
DoExecution method, 125–126
forces, 123
implementation, 124–125
intent, 122
participants, 124
problem, 122–123
related patterns, 125
structure, 123

N

NACHA (National Automated Clearing House Association), 270–272, 277, 280
Nested relationships, 212–213
.NET:
components of, 34–37
controllable areas in, 30–31
highlights of, 33–34
interoperability support, 35
base class library (BCL), 35
common language runtime (CLR), 9, 29–31, 35, 75
common type system (CTS), 36
full Web service and SOAP support, 36
object-oriented ASP.NET, 36
simplified deployment, 36
XML at core, 36
libraries, 4
and Microsoft, 43
overview of, 34–36
securing Web services in, 29–30
and XML Web services, 13–18
.NET CLR, 9, 29–31, 343
.NET framework, 268, 281
and a distributed new world, 5–13
major components of, 33–34
and object-oriented languages, 6, 8–11
and objects, 18
and OO, 8–11
and Web services, 18
.NET Framework Configuration snap-in, 30
.NET Reflection services, 61, 159–162
.NET System.Messaging library, 88
Notifying Thread Manager pattern, 42, 108–116
benefits/liabilities, 110
calling Notifying Thread Manager, 113
Client, 109–110
consequences, 110
delegate definitions, 111
DoExecution method notification, 114–115
ExecuteAsync method, 112
forces, 109

Notifying Thread Manager pattern (cont.)
implementation, 111–115
intent, 108
Notifying Thread Manager, 109–111
participants, 110–111
problem, 108–109
related patterns, 116
structure, 109–110

O

Object references, 24
Object-oriented ASP.NET, 36
Object-oriented languages, 33
learning, 10
and .NET framework, 8–11
Originating Depository Financial Institution (ODFI), 275
Originator, automated check transaction, 275
OutputDebugString API, 78

P

Packet Translator pattern, 42, 142, 192–200
benefits/liabilities, 194
ConcreteFacade, 194
consequences, 194
DataSet, 196
forces, 193
generic class diagram, 193
implementation, 196–200
implementation class diagram, 197
intent, 192
packet, 196
PacketTranslator (participant), 195
participants, 194–196
problem, 192–193
ProductDataSet, 196
related patterns, 200
sample implementation preparing packets, 197–198
sample implementation translating packets, 199–200
structure, 193
Packet.Action property 298:
ParameterInfo, System.Reflection namespace, 160
Password Storage pattern, 400–401
benefits/liabilities, 401
consequences, 401
forces, 400
hashing helper method implementation, 341
intent, 400
participants, 401
problem, 400
structure, 401
Patterns:
categorizing, 39–41
classifying, 342
defined, 10, 37, 37–38
gang of four (GoF), 8, 38
pattern library, 41–43
advanced patterns, 43, 319–401
general framework patterns, 41, 45–105
how to use, 43
middle-tier patterns, 42
persistence-tier patterns, 42, 201–264
presentation-tier patterns, 42, 107–139
repeatable, 37
software design patterns, 38
usefulness of, 34
Persistence-tier patterns, 42, 201–264
Abstract Schema, 42, 203
columns, 215
keys, 215–217
keyrefs, 216–217
primary keys, 215
unique keys, 215–216
Poly Model Factory, 203
Poly Model pattern, 42, 203, 217–231
benefits/liabilities, 223–226
consequences, 223–226
forces, 218–219
implementation, 226–231
intent, 217
participants, 226
problem, 217–218
related patterns, 231
stored procedure used for saving to DATALOG table, 229–230
stored procedure used for saving XML instance data to main DATA table, 230
StoreTransaction method, 226–228
storing instance data passed using DataSet/passed-in stored procedure, 228–229
structure, 219–223
Schema Field pattern, 42, 203, 231–245
benefits/liabilities, 235–236
Client, 226
consequences, 235
Data Access Object, 226
forces, 233
implementation, 235–245
intent, 231
problem, 232–233
related patterns, 245
structure, 234–235
Schema Indexer pattern, 42, 203, 245–264
benefits/liabilities, 250–251

cleaning up lookup keys from INDEX table, 253–254
consequences, 250–251
database-specific helper method for GetTransaction, 263
forces, 247
helper method used to GetTransaction in Poly Model, 260–261
helper method to store lookup key, 254–256
implementation, 251–264
intent, 245
method called to save lookup column, 252–253
method using transaction ID directly, 262
problem, 246–247
related patterns, 264
sample ad hoc query method used for testing queries, 258–259
sample schema generator and sample LOOKUP instance data for convenience, 257–258
sample transaction retrieval method using WhereCollection SQL Builder, 259–260
simple GetTransaction method using transaction ID directly, 261–262
stored procedure source for storing lookup values to INDEX table, 256–257
structure, 247–250
schemas:
and DataSets, 206–208
nested relationships, 212–213
one-to-many relationships, 213
types of, 212–213
XML schema, 204–206
table, 213–214
typed DataSets, creating, 208–212
Pollable Thread Manager pattern, 42, 117–122
AsyncReturn, 118, 119–120
BeginExecution method, 119
benefits/liabilities, 117–118
Client, 118
consequences, 117–118
forces, 116
implementation, 118–122
intent, 116
participants, 118
PollableThreadManager, 118–119
problem, 116
related patterns, 122
structure, 117
WaitForCompletion method, 121–122
Poly Model pattern, 42, 202, 258, 263, 281, 283
Poly schemas, 224
PolyData class, 310
PrepareCache factory method, 326, 333, 335
PrepareConfigData method, 335–336
PreparePacket method, 196, 302, 313
PrepareWorkers method, 335
Presentation-tier patterns, 42, 107–139
Dynamic Assembly Loader pattern, 42, 132–134
benefits/liabilities, 133
consequences, 133
constructing an object using Reflection, 134
forces, 133
implementation, 134
intent, 132
participants, 134
problem, 132–133
structure, 133
Error Cross-Reference Generator pattern, 42, 125–128
benefits/liabilities, 127
calling, 128
consequences, 127
forces, 126
implementation, 127–128
intent, 125
participants, 127
problem, 125–126
related patterns, 128
structure, 126
Multisync Thread Manager pattern, 42, 122–125
benefits/liabilities, 124
consequences, 124
DoExecution method, 125–126
forces, 123
implementation, 124–125
intent, 122
participants, 124
problem, 122–123
related patterns, 125
structure, 123
Notifying Thread Manager pattern, 42, 108–116
benefits/liabilities, 110
calling Notifying Thread Manager, 113
Client, 109–110
consequences, 110
delegate definitions, 111
DoExecution method notification, 114–115
ExecuteAsync method, 112
forces, 109
implementation, 111–115
intent, 108
NotifyingThread Manager, 109–111
participants, 110–111
problem, 108–109

Presentation-tier patterns (cont.)
related patterns, 116
structure, 109–110
overview, 107–108
Pollable Thread Manager pattern, 42, 117–122
AsyncReturn, 118, 119–120
BeginExecution method, 119
benefits/liabilities, 117–118
Client, 118
consequences, 117–118
forces, 116
implementation, 118–122
intent, 116
participants, 118
PollableThreadManager, 118, 119
problem, 116
related patterns, 122
structure, 117
WaitForCompletion method, 121–122
Stunt Driver pattern, 42, 135–139
adding items to test parameters, 139
benefits/liabilities, 136
building test set the easy way with, 138
consequences, 136
forces, 135
getting test parameters from, 136
implementation, 136–139
intent, 135
ITestable component, 136
participants, 136
problem, 135
related patterns, 139
structure, 135
Test Client, 136
testing Stunt Driver, 138
WebForm Template pattern, 42, 128–132
benefits/liabilities, 129–130
consequences, 129–130
default sample page, 132
forces, 128
implementation, 130–132
intent, 128
participants, 130
problem, 128
related patterns, 131–132
rendering (complete), 131
rendering (simple form), 130–131
structure, 129
Process patterns, 265–318
applying.NET patterns, 291–313
Product Manager pattern, 296–303
Service Facade pattern, 292–296
Unchained Service Factory pattern, 303–313
Commercial Framework, 267–270
architectural features, 284–289
vision statement, 282
.NET technology, as competitive advantage, 279–291
ProductX, 270–271
Product Manager pattern, 42, 142, 163–171, 296–303
benefits/liabilities, 166–167
ConcreteDelegate, 168
ConcreteProduct, 168
consequences, 166–167
delegation implementation, 169–170
Facade, 167
forces, 165
generic class diagram, 166
implementation, 168–171
intent, 163
ManagedProduct, 168
method implementation, 169
participants, 167–168
problem, 163–165
ProductManager, 167–168
related patterns, 171
structure, 166
UnmanagedProduct, 168
worker implementation, 170
ProductX, 94, 270–271
automated check payments, 273–275
checks vs. credit cards, 273
and consumers/businesses, 271–272
electronic check Web servicing, 275–279
Electronic Funds Transfer (EFT)
invoking framework from ProductX Web client, 313–317
summarizing, 317–318
Proof-of-concept (POC) delivery vehicles, 267
PropertyInfo, System.Reflection namespace, 160
Protocols, 12
Public Web services, 14–16

R

Random tracing, 76–77
Real-time logging, 53
Receiver, 275
Receiving Depository Financial Institution (RDFI), 275
Reference types, 185–186
Referential integrity, 216
Reflection, 134, 156, 281
Activator class, 158, 161
Reflection services, 61
Reliability protocols, 24
Remote method invocation (RMI) protocol, 12

Remote procedure calls (RPCs), 12, 144
Remote trace errors, 94
Remote Tracer, 41
Remote tracing, 82–104
  remote trace receiver, building, 86–87
  remote trace viewer, building, 94–104
  sample business object to be placed on queue, 88–92
  sample Remote Trace Listener viewer (GUI), 94–103
  sample RemoteTraceListener Web service, 86–87
  sample routine for constructing/adding custom listener, 86
  sample socket routine for sending a message, 92–94
  sending races to message queue, 87–92
  sending traces via sockets, 92–94
  Trace Listener template, 84–85
RemoteService.RemoteTrace, 85
RemoteTrace class, 80
RemoteTraceService.RemoteTrace, 86
RemoteTraceViewer, 94
RemoveAllKeys method, 253
ReportingWebService report, 326
Rootcause child node, 75

S

SaveTransaction method, 301
Schedule Action Router, 287
Schedule Viewer, 287
Schema Field, 42
Schema Indexer, 42
Schema Indexer pattern, 258, 263
Schemas:
  and DataSets, 206–208
  nested relationships, 212–213
  one-to-many relationships, 213
  types of, 212–213
  XML schemas, 204–206
Server faultcode, 66
Service Facade, 42
Service Facade pattern, 42, 142, 171–178, 292–296
  benefits/liabilities, 174
  ConcreteFacade, 175
  consequences, 174
  Facade, 175
  forces, 173
  generic class diagram, 173
  implementation, 175–178
  intent, 171
  participants, 174–175
  PaymentFacade, 293–294
  problem, 171–173
  related patterns, 178
  sample implementation, 176–177
  Service, 174–175
  structure, 173
Service interface, 292
Service-oriented architecture, 143
SimpleType element tag, 205
Simplified deployment, 36
SMTP, 25
SOAP, 9, 174
  Body tag, 27
  defined, 20
  Envelope tag, 27
  headers, 28
  security in, 28–31
  success of, 26
  Web services, 23–28
  and XML, 24
  and XML Web services, 24
SOAP Exception Fault Builder, 67
SOAP exception handling, 288
Soap Fault Builder, 41
SOAP Fault elements, 65, 74
SOAP faultcodes, 66
SOAP Faults, 65, 65–67
SOAP message, 26–27
  sample captured using SOAP Trace Utility, 27
SOAP Toolkit, 65
SOAP Toolkit (Microsoft), 21–22, 65
SoapException class, 64, 68, 71, 73–74
SoapException.DetailElementName type, 75
SOAP-formatted messages, XML tags essential for understanding, 25–26
SoapSerializer object, 328
SoapServer object (SOAP Toolkit 2.0), 67–68
Sound designs, 40
SpDNPatternsUpdateschema, 240
Sproxy.exe, 21
SPROXY.EXE, 381, 384
SSessionId variable, 330
Stack builder, 61
State management, 352
StoreKeys method, 246–247, 253–254
StoreTransaction method, 311
StoreTransactionRecord method, 311–312
Structured exception handling (SEH), 47
Stunt Driver pattern, 42, 135–139
  adding items to test parameters, 139
  benefits/liabilities, 136
  building test set the easy way with, 138
  consequences, 136
  forces, 135
  getting test parameters from, 136

Stunt Driver pattern (cont.)
implementation, 136–139
intent, 135
participants, 136
problem, 135
related patterns, 139
structure, 135
testing Stunt Driver, 138
System exception classes, 62–63
System Exception Wrapper, 41
System exceptions, 47–48
throwing, 62–63
System.ApplicationException class, 51
System.Data.OracleClient, 312
System.Diagnostics.Switch, 80–81
System.Diagnostics.TraceListener class, 77–78
System.Exception class, 47, 61
System.Reflection namespace, members of, 160
System.Resources.ResourceManager, 50–51
System.Web.Caching.Cache object, 326, 338
System.Windows.Forms.DataGrid controls, 94
System.Xml.XmlDocument class, 75

T

T+3 settlement period, 273
tblimp.exe, 168, 170
TerraService (Microsoft), 14–15
main page, 14
Web methods list form, 15
TextWriterListener, 78
TIBCO, 350–351, 361
TModels (Type Models), 32
Trace listeners, 77–80
customer, building, 82–104
Trace option, enabling, 77
Trace originator, 92
Trace receiver, 86
Trace switches, 80–82
Trace switching, 287
Trace Viewer, 287
TraceSwitch, 58, 80–82
Trace.WriteLineIf method, 58
Trace.Write/Trace.WriteLine, 78, 80
Tracing, 53–54
TransactorService, 379
TransactorService.Execute, 362
TransactorService.GetStatus, 362
Translate method, 183

U

UDDI, tModels (Type Models), 32
Unboxing, 186, 186–187
Unchained Service Factory pattern, 42, 142, 152–162, 284, 303–313
Activator, 157
Assembly, 157
benefits/liabilities, 146–148
ConcreteFacade, 157
consequences, 155–156
Facade, 157
forces, 154–155
generic class diagram, 155
implementation, 157–162
implementation using Reflection, 158–158
intent, 152
MethodInfo, 157
.NET Reflection services, 159–162
participants, 157
problem, 152–154
related patterns, 162
Service, 157
ServiceClient, 157
structure, 155
Type, 157
Uniform Resource Identifier (URI), 66
Universal Discovery Description and Integration (UDDI), 20, 32–33
Universal Resource Identifiers (URIs), 25
Universal Resource Names (URNs), 25
Unrecoverable exception, 47
"Using Data Caching Techniques to Boost Performance and Ensure Synchronization" (Burgett), 298
Utilities.SendSocketStream method, 92

V

ValidatePacket method, 301
Value types, 185
VB.NET, 4, 8, 35, 385
VersionMismatch faultcode, 66
Visa, 274
Visual Basic/Visual Basic C++, 12
Visual Studio .NET, 13, 33–34, 168, 171, 219, 268, 304, 354, 357, 359, 370
sample Web service WSDL via, 21

W

Web Service, 287
code, 63
consumers, issues faced by, 17–18
Web Service Interface pattern, 42, 342–350
benefits/liabilities, 344–346
client-side WSI implementation example, 350
concrete WSI implementation example, 347–348

consequences, 344–346
forces, 343
implementation, 347–350
intent, 342
IWebServiceInterface, 346
participants, 346–347
problem, 342–343
sample interface, 347
ServiceClient, 346
ServiceProxy, 346
structure, 344
Web service piece of WSI implementation, 349
WebServiceConcrete, 346
WebServiceInterface, 346
WSDL-generated proxy code, 349–350
Web service provider, issues faced buying, 18
Web Service Proxy, 285
Web services, 281
Web Services Description Language (WSDL), 7
Web.config, adding a listener using:
WebForm Template pattern, 42, 128–132
benefits/liabilities, 129–130
consequences, 129–130
default sample page, 132
forces, 128
implementation, 130–132
intent, 128
participants, 130
problem, 128
related patterns, 131–132
rendering (complete), 131
rendering (simple form), 130–131
structure, 129
WebServiceInterface abstract class, 346
Windows event log, 58
Windows Event Viewer, 76
WSDL, 7, 9, 31–32
defined, 20
specification, 23
WS-Inspection Language, 33

X

XML, 236
XML namespaces, 25
XML schemas, 26, 204–206, 281, 283, 290
schema element, 204–205
XML Web services, 9, 354
defined, 19–23
and .NET, 13–18
primer, 19–32
XML-formatted system configuration files, 29
XmlNode class, 75
.XSD, 208–209