Object-Oriented Programming in C++

Copyright © 2002 by Sams Publishing

Warning and Disclaimer

Fifth Printing Corrections

Pg	Error	Correction
13	First paragraph, first sentence: For example, in ... changed from 5 digits to ~~12~~ digits.	For example, in ... changed from 5 digits to **10** digits.
31	Second to last paragraph, last sentence: If there is no function called `main()` in your program, ~~an~~ error will be ~~reported when you run the program~~.	If there is no function called `main()` in your program, **a linker** error will be **generated**.
33	Middle of page, first sentence after code: We don't recommend this ~~syntax~~—it's nonstandard and hard to read—but it does compile correctly.	We don't recommend this **format**—it's nonstandard and hard to read—but it does compile correctly.
89	Third to last line on page: `const unsigned long limit = 4294967295;`	`const unsigned long limit = 4294967295u;`

103	Top of page, third and sixth lines of code:
	
	`y——;`
	
	`y++;`
		`y++;`
		
		`y--;`

115	Bottom of page, third to last line of code block: `}   //end ` ~~switch~~	`}   //end ` **while**

205	Table 5.2, four entry (Storage), third and fourth columns:	
	~~heap~~	**statically allocated memory**
	~~heap~~	**statically allocated memory**
280	12th code line from top of page:	
	`{ top = ~~0~~; }`	`{ top = -1; }`
296	First paragraph, fourth sentence:	
	The one we use...(that is, how many characters...	The one we use...(that is, how many **non-null** characters...
511	First full paragraph, last sentence:	
	Notice that... base class show()~~, although you can if you need to~~.	Notice that... base class show().
647	Single line of code toward bottom of page:	
	`Henry~~'~~s_Simplified_Statistics_Library_add();`	`Henrys_Simplified_Statistics_Library_add();`

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.