## **PostNuke Content Management**

## **Copyright © 2005 by Sams Publishing**

International Standard Book Number: 0-672-32686-8

## **Warning and Disclaimer**

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an "as is" basis. The author and the publisher shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book.

When reviewing corrections, always check the print number of your book. Corrections are made to printed books with each subsequent printing. To determine the printing of your book, view the copyright page.

The print number is right-most number on the line below the "First Printing" line. For example, the following indicates the 4<sup>th</sup> printing of a title.


First Printing: December 2004

Second Printing with Corrections: February 2005

07 06 05 4 3 2

| Misprint   | Correction  |
|--|---|
| Introduction, page 3, 7th paragraph, 2nd sentence:                                   |   |
| PHP-Nuke itself was a fork of Thatware (www.thatware.org), and subsequent forks of   | PHP-Nuke itself was a fork of Thatware (www.thatware.org), and <b>there are</b> subsequent forks of |
| Chapter 1, page 10, last paragraph, 3rd sentence:                                    |   |
| The most popular distributions are Red Hat   | Popular distributions include Red Hat   |
| Chapter 2, page 29, first paragraph, 1st sentence:                                   |   |
| The most recent (stable) release of PostNuke is version <del>0.726-1 Phoenix</del> . | The most recent (stable) release of PostNuke is version <b>0.75 Gold</b> .                          |

| Chapter 2, page 35, figure 2.8 is incorrect.  | Your Site Nam<br>Your slogan here   | 16   | Mar 20, 2004 - 02:35 PM |  |  |
|---|---|--|-------------------------|--|--|
|   |   | Homepage :: Downloads :: WebLinks :: FAQ   |                         |  |  |
|   |   | Search   |                         |  |  |
|   | Reminder  |  | Poll 🗎                  |  |  |
|   | Please remember to remove the following files from your PostNuke directory 'install.php file 'install directory  If you do not remove these files then users can obtain the password to your database!  Note: This block can be edited in Administration-Blocks  Main Menu   'Home  'My Account | Welcome to PostNuke, the =-Phoenix-= release (0.750)      PostNuke is a weblog/Content Management System (CMS). It is far more secure and stable than competing products, and able to work in high-volume environments with ease.  Some of the highlights of PostNuke are      Customisation of all aspects of the website's appearance through themes, including CSS support     The ability to specify items as being suitable for either a single or all languages     The best guarantee of displaying your webpages on all browsers due to HTML 4.01 transitional compliance     A standard API and extensive documentation to allow for easy creation of extended functionality through modules and blocks | C What is PostNuke ?    |  |  |
|   | Administration     Loqout      Modules     AvantGo     Downloads     FAQ     Members List     News     Recommend Hs   | PostNuke has a very active developer and support community at <a href="https://www.postnuke.com">www.postnuke.com</a> .  We hope you will enjoy using PostNuke.  Your PostNuke development team  |                         |  |  |
| Chapter 2, page 36, first line of code: # mysql [database name] <phoenix- 0.7.2.6.sql<="" td=""><td># mysql [data</td><td>ıbase name]<phoenix-0.7.<mark>5.</phoenix-0.7.<mark></td><td><b>0</b>.sql</td></phoenix-> | # mysql [data   | ıbase name] <phoenix-0.7.<mark>5.</phoenix-0.7.<mark>  | <b>0</b> .sql           |  |  |



| Chapter 3, page 60, figure 3.7 is incorrect                                  |                              |                           |               |         |                         |              |
|--|------------------------------|---------------------------|---------------|---------|-------------------------|--------------|
|  |                              | HTML tags allo            | wed in posts: | HTML Op | tions                   |              |
|  |                              | Tag                       |               | Allowed | Allowed with attributes |              |
|  |                              |                           | С             | С       | 6                       |              |
|  |                              | <a>&gt;</a>               | С             | С       | 6                       |              |
|  |                              | <abbr></abbr>             | 6             | 0       | С                       |              |
|  |                              | <acronym></acronym>       | •             | 0       | С                       |              |
|  |                              | <address></address>       | (-            | С       | С                       |              |
|  |                              | <applet></applet>         | •             | С       | С                       |              |
|  |                              | <area/>                   | c             | С       | С                       |              |
|  |                              | <b></b>                   | 0             | (-      | С                       |              |
|  |                              | <base/>                   | (*            | С       | С                       |              |
|  |                              | <basefont/>               | (°            | С       | С                       |              |
|  |                              | <bdo></bdo>               | •             | С       | С                       |              |
|  |                              | <big></big>               | ·             | С       | С                       |              |
|  |                              | <blockquote></blockquote> |               | 0       | С                       |              |
|  |                              |                           | 0             | •       | С                       |              |
|  |                              | <button></button>         | •             | С       | 0                       |              |
|  |                              | <caption></caption>       | •             | С       | 0                       |              |
|  |                              | <center></center>         | •             | С       | C                       |              |
|  |                              | <cite></cite>             | •             | С       | С                       |              |
|  |                              | <code></code>             | (*            | C       | C                       |              |
| Chapter 3, page 60, 3rd bullet:  |                              |                           |               |         |                         |              |
| Allowed with <del>Parameters</del>   | Allowed w                    | ith <mark>Attı</mark>     | ributes       | 5       |                         |              |
| Chapter 3, page 60, 1st paragraph, 3rd sentence:                             |                              |                           |               |         |                         |              |
| Allowed with <del>Parameters</del> enables tags to                           | Allowed w                    | ith <mark>Attı</mark>     | ributes       | ena     | bles tags to            |              |
| Chapter 3, page 60, 2nd paragraph, 3rd sentence:                             |                              |                           |               |         |                         |              |
| The hyperlink anchor, on the other hand, is allowed with full parameters, so | The hyper full <b>attrib</b> |                           |               | n the   | other hand, is a        | allowed with |

| Chapter 7, page 120, 2nd paragraph, 1st sentence:  |  |
|--|--|
| Version 4.0.± is included  | Version 4.0.2 is included  |
| Chapter 7, page 120, 2nd paragraph, 2nd sentence:  |  |
| Current versions of PostCalendar are available on the PostNuke Network Operations Center (NOC) project site at <a href="http://noc.postnuke.com/projects/postcalendar/">http://noc.postnuke.com/projects/postcalendar/</a> . | Current versions of PostCalendar are available on the PostNuke Network Operations Center (NOC) project site at <a href="https://www.Krapohl.info">www.Krapohl.info</a> . |
| Chapter 7, page 120, last paragraph, first sentence:   | delete the entire sentence   |
| PostCalendar has an extensive manual available at http://postcalendar.tv/wiki/.  |  |
| Chapter 7, page 124, 2nd note, 1st sentence:   |  |
| For PNphpBB2 1.2g to work with PostNuke .750, you need   | For PNphpBB2 1.2g to work with PostNuke .75, you need  |
| Chapter 8, page 149, 1st paragraph, 2nd sentence:  |  |
| pnClansite specifically does not yet have a new version designed for the PostNuke .75 release.   | pnClansite specifically does not yet have a new version designed for the PostNuke <b>0</b> .75 release.  |
| Chapter 8, page 149, 1st paragraph, 3rd sentence:  |  |
| The module works quite well with version .75, but  | The module works quite well with version <b>0</b> .75, but   |

| Chapter 8, page 149, 4th paragraph, last sentence:  |  |
|---|--|
| The problem only occurs with PostNuke version .75;  | The problem only occurs with PostNuke version 0.75;  |
| Chapter 8, page 149, 6th paragraph, 1st sentence:   |  |
| Using the capital "C" in the module's folder name no longer works with PostNuke .75 because | Using the capital "C" in the module's folder name no longer works with PostNuke <b>0</b> .75 because |
| Chapter 10, page 178, Figure 10.9, figure caption:  |  |
| Xanthia <del>palette</del> editing tool.  | Xanthia <b>style</b> editing tool.   |
| Chapter 11, page 190, 2nd paragraph, 1st sentence:  |  |
| First, you install a clean copy of PostNuke version .750.                                   | First, you install a clean copy of PostNuke version <b>0</b> .75.                                    |
| Chapter 11, page 190, 6th paragraph, last sentence:   |  |
| non-pnAPI-compliant modules running on PostNuke .75.  | non-pnAPI-compliant modules running on PostNuke <b>0</b> .75.  |
| Chapter 13, page 229, Table 13.2, 4th line, 2nd column:                                     |  |
| 468¥60  | 468 <mark>x</mark> 60  |
| Chapter 13, page 229, Table 13.2, 5th line, 2nd column:                                     |  |
| 234¥60  | 234 <mark>x</mark> 60  |

| Chapter 13, page 229, Table 13.2, 6th line, 2nd column:  |                        |
|--|------------------------|
| 728¥90   | 728 <mark>x</mark> 90  |
| Chapter 13, page 229, Table 13.2, 7th line, 2nd column:  |                        |
| 88¥31  | 88 <mark>x</mark> 31   |
| Chapter 13, page 229, Table 13.2, 8th line, 2nd column:  |                        |
| 120¥240  | 120 <mark>x</mark> 240 |
| Chapter 13, page 229, Table 13.2, 10th line, 2nd column: |                        |
| 25¥125   | 25 <mark>x</mark> 125  |
| Chapter 13, page 229, Table 13.2, 11th line, 2nd column: |                        |
| 20 <del>¥</del> 90                                       | 20 <mark>x</mark> 90   |
| Chapter 13, page 229, Table 13.2, 12th line, 2nd column: |                        |
| 20 <del>¥</del> 60                                       | 20 <mark>x</mark> 60   |
| Chapter 13, page 229, Table 13.2, 14th line, 2nd column: |                        |
| 120¥600  | 120 <mark>x</mark> 600 |
| Chapter 13, page 229, Table 13.2, 15th line, 2nd column: |                        |
| 160¥600  | 160 <mark>x</mark> 600 |

| Chapter 13, page 229, Table 13.2, 16th line, 2nd column:                                     |  |
|--|--|
| 300¥600  | 300 <mark>x</mark> 600   |
| Chapter 13, page 237, 3rd paragraph, 4th line:   |  |
| appropriate dynamic link library (DLL), for Windows, or Apache Module: for Linux and OSX,    | appropriate dynamic link library (DLL), for Windows, or Apache Module; for Linux and OSX,    |
| Chapter 14, page 246, Figure 14.2, figure caption:   |  |
| Creating categories for your FAQ information.  | Creating FAQ categories.   |
| Chapter 14, page 252, Figure 14.8, figure caption:   |  |
| Managing statistic data.   | Filtering your statistics.   |
| Chapter 15, page 260, Figure 15.1, figure caption:   |  |
| Common PostNuke site layout.   | Selecting effective site colors.   |
| Chapter 15, page 262, 3rd paragraph, 1st sentence:   |  |
| More than half of the computer users in the world have monitors set to 1,024¥768 resolution. | More than half of the computer users in the world have monitors set to 1,024x768 resolution. |
| Chapter 15, page 262, 3rd paragraph, 2nd sentence:   |  |
| A shrinking 35% use 800¥600.   | A shrinking 35% use 800x600.   |

| Chapter 15, page 262, 3rd paragraph, 3rd sentence:   |  |
|--|--|
| Nearly all of the remaining screens are larger than 1,024¥768, with very small percentages lower than 800¥600. | Nearly all of the remaining screens are larger than 1,024x768, with very small percentages lower than 800x600. |
| Chapter 15, page 262, 3rd paragraph, 4th sentence:   |  |
| but you can expect 800¥600 to remain a standard minimum target well into 2006.                                 | but you can expect 800x600 to remain a standard minimum target well into 2006.                                 |
| Chapter 17, page 298, 4th paragraph, 1st sentence:   |  |
| First install a clean copy of PostNuke version .750.   | First install a clean copy of PostNuke version <b>0</b> .75.   |
| Chapter 21, page 362, 3rd paragraph, 1st sentence:   |  |
| PostNuke .75 introduces Xanthia  | PostNuke <b>0</b> .75 introduces Xanthia   |
| Chapter 23, page 409, 2nd paragraph, 2nd sentence:   |  |
| but neither are available for PostNuke .75.  | but neither are available for PostNuke <b>0</b> .75.   |
| Chapter 23, page 409, 2nd paragraph, 3rd sentence:   |  |
| but there is no support for the changes under .75.   | but there is no support for the changes under <b>0</b> .75.  |

| Chapter 23, page 409, 3rd paragraph, 1st sentence:         |   |
|--|---|
| but it is both available and functions under PostNuke .75. | but it is both available and functions under PostNuke <b>0</b> .75. |
| Chapter 24, page 440, last paragraph, 1st sentence:        |   |
| In PostNuke versions prior to .75,                         | In PostNuke versions prior to <b>0</b> .75,                         |
| Chapter 26, page 475, last paragraph, 2nd sentence:        |   |
| PostNuke version .750 is also just a transitional release. | PostNuke version <b>0</b> .75 is also just a transitional release.  |
| Appendix B, page 489, Table B.1, 26th line, 2nd column:    |   |
| noc.postnuke.com/projects/postcalendar                     | www.Krapohl.info  |
| Appendix B, page 491, Table B.2, 32nd line, 2nd column:    |   |
| noc.postnuke.com/projects/postcalendar                     | www.Krapohl.info  |

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.