

CCNA Exam Cram 2 (Exam 640-821, Exam 640-811, Exam 640-801)

Copyright© 2004 by Que Publishing

International Standard Book Number: 0789730197

Warning and Disclaimer

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an "as is" basis. The author and the publisher shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the CD or programs accompanying it.

When reviewing corrections, always check the print number of your book. Corrections are made to printed books with each subsequent printing. To determine the print number of your book, view the copyright page. The print number is the right-most number on the line below the "First Printing" line. For example, the following indicates that this is the 1st printing of this title and it was printed in May 2003.

First Printing: May 2003

06 05 04 03 4 3 2 1

The following apply to the first two printings of the book

Pg	Error	Correction
205	First line of code: <u>Interface type .subinterface point-to-point</u>	<u>Interface type.subinterface point-to-point</u>
257	Answer to number 45: 45. A and D	45. A and C

295	Answer to number 14: 14. B, D	14. A ,B
321	Last two choices for Question 24: C. copy tftp start-config D. copy start-config tftp	C. copy tftp startup-config D. copy startup-config tftp
337	Answer to number 45: 45. C and D	45. C
349	First and fourth line of number 45: Answers C and D are correct because... Answers A and B are incorrect because...	Answer C is correct because... Answers A, B, and D are incorrect because...

The following apply to the first three printings of the book

Pg	Error	Correction
25	Question 6 answer, last two sentences: Answers C and A are incorrect because they do not have three octets or 48 bits. Answer A is a valid TCP/IP address but again, does not have three octets or 48 hexadecimal bits required by a MAC address.	Answers C and D are incorrect because they do not have six octets or 48 bits. Answer A is a valid TCP/IP address but again, does not have six octets or 48 bits required by a MAC address.
39	Second full paragraph, first sentence: You are already familiar with at least one routing protocol named IP, ...	You are already familiar with at least one routable protocol named IP, ...

215	First paragraph, last sentence through sentence preceding syntax line:	<p>Should read:</p> <p>Therefore, the value must be exactly the same as specified in the IP address.</p> <p>Once you have identified the correct access list you are going to apply to your routers interface, you then need to apply it with the following syntax:</p>
224	<p>Question 2, answer:</p> <p>The correct answer is A. Flash memory contains the IOS images used by the router. If no image resides in Flash memory, the image in ROM will be used. NVRAM and RAM contain the backup configuration and active configuration files, respectively. Therefore, answers B and C are incorrect. Interfaces provide the network connections for the router. Therefore, answer D is incorrect.</p>	<p>The correct answers are A and C. Flash memory and RAM contain the IOS images used by the router. If no image resides in Flash memory, the image in ROM will be used. NVRAM contains the backup configuration and active configuration files, respectively. Therefore, answer B is incorrect. Interfaces provide the network connections for the router. Therefore, answer D is incorrect.</p>

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.