



Official Cert Guide

Learn, prepare, and practice for exam success



INCLUDES
CCENT Simulator Lite Software
90 Minutes of Video Training
More than **300 Practice Exam Questions**
Online Practice Exercises

CCENT/ CCNA ICND1 100-105

ciscopress.com

WENDELL ODOM, CCIE® NO. 1624

FREE SAMPLE CHAPTER

SHARE WITH OTHERS



CCENT/ CCNA ICND1 100-105 Official Cert Guide

WENDELL ODOM, CCIE No. 1624

Cisco Press

800 East 96th Street
Indianapolis, IN 46240 USA

CCENT/CCNA ICND1 100-105 Official Cert Guide

Wendell Odom

Copyright© 2016 Cisco Systems, Inc.

Published by:

Cisco Press

800 East 96th Street

Indianapolis, IN 46240 USA

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from the publisher, except for the inclusion of brief quotations in a review.

Printed in the United States of America

First Printing May 2016

Library of Congress Control Number: 2016933699

ISBN-13: 978-1-58720-580-4

ISBN-10: 1-58720-580-7

Warning and Disclaimer

This book is designed to provide information about the Cisco ICND1 100-105 exam for CCENT certification. Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied.

The information is provided on an “as is” basis. The authors, Cisco Press, and Cisco Systems, Inc. shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the discs or programs that may accompany it.

The opinions expressed in this book belong to the author and are not necessarily those of Cisco Systems, Inc.

Trademark Acknowledgments

All terms mentioned in this book that are known to be trademarks or service marks have been appropriately capitalized. Cisco Press or Cisco Systems, Inc., cannot attest to the accuracy of this information. Use of a term in this book should not be regarded as affecting the validity of any trademark or service mark.

Special Sales

For information about buying this title in bulk quantities, or for special sales opportunities (which may include electronic versions; custom cover designs; and content particular to your business, training goals, marketing focus, or branding interests), please contact our corporate sales department at corpsales@pearsoned.com or (800) 382-3419.

For government sales inquiries, please contact governmentsales@pearsoned.com.

For questions about sales outside the U.S., please contact intlcs@pearson.com.

Feedback Information

At Cisco Press, our goal is to create in-depth technical books of the highest quality and value. Each book is crafted with care and precision, undergoing rigorous development that involves the unique expertise of members from the professional technical community.

Readers' feedback is a natural continuation of this process. If you have any comments regarding how we could improve the quality of this book, or otherwise alter it to better suit your needs, you can contact us through email at feedback@ciscopress.com. Please make sure to include the book title and ISBN in your message.

We greatly appreciate your assistance.

Publisher	Paul Boger
Associate Publisher	Dave Dusthimer
Business Operation Manager, Cisco Press	Jan Cornelssen
Executive Editor	Brett Bartow
Managing Editor	Sandra Schroeder
Senior Development Editor	Christopher Cleveland
Senior Project Editor	Tonya Simpson
Copy Editors	Keith Cline, Chuck Hutchinson
Technical Editors	Aubrey Adams, Elan Beer
Editorial Assistant	Vanessa Evans
Cover Designer	Mark Shirar
Composition	Studio Galou
Senior Indexer	Erika Millen
Proofreaders	Kathy Ruiz, Paula Lowell



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks. Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0812R)

About the Author

Wendell Odom, CCIE No. 1624 (Emeritus), has been in the networking industry since 1981. He has worked as a network engineer, consultant, systems engineer, instructor, and course developer; he currently works writing and creating certification study tools. This book is his 27th edition of some product for Pearson, and he is the author of all editions of the CCNA R&S and CCENT Cert Guides from Cisco Press. He has written books about topics from networking basics, certification guides throughout the years for CCENT, CCNA R&S, CCNA DC, CCNP ROUTE, CCNP QoS, and CCIE R&S. He helped develop the popular Pearson Network Simulator. He maintains study tools, links to his blogs, and other resources at www.certskills.com.

About the Technical Reviewers

Aubrey Adams is a Cisco Networking Academy instructor in Perth, Western Australia. With a background in telecommunications design, Aubrey has qualifications in electronic engineering and management; graduate diplomas in computing and education; and associated industry certifications. He has taught across a broad range of both related vocational and education training areas and university courses. Since 2007, Aubrey has technically reviewed several Pearson Education and Cisco Press publications, including video, simulation, and online products.

Elan Beer, CCIE No. 1837, is a senior consultant and Cisco instructor specializing in data center architecture and multiprotocol network design. For the past 27 years, Elan has designed networks and trained thousands of industry experts in data center architecture, routing, and switching. Elan has been instrumental in large-scale professional service efforts designing and troubleshooting internetworks, performing data center and network audits, and assisting clients with their short- and long-term design objectives. Elan has a global perspective of network architectures via his international clientele. Elan has used his expertise to design and troubleshoot data centers and internetworks in Malaysia, North America, Europe, Australia, Africa, China, and the Middle East. Most recently, Elan has been focused on data center design, configuration, and troubleshooting as well as service provider technologies. In 1993, Elan was among the first to obtain the Cisco Certified System Instructor (CCSI) certification, and in 1996, he was among the first to attain the Cisco System highest technical certification, the Cisco Certified Internetworking Expert. Since then, Elan has been involved in numerous large-scale data center and telecommunications networking projects worldwide.

Dedications

For Hannah Grace Odom, my wonderful daughter:

Tomato softball, equiangular equilateral quadrilaterals, being Jesus's hands and feet, wasabi, smart brain and a bigger heart, movies while other kids are at school, Underdog stories, math homework—hooray!, singing scat. Love you, precious girl.

Acknowledgments

Brett Bartow again served as executive editor on the book. We've worked together on probably 20+ titles now. Besides the usual wisdom and good decision making to guide the project, he was the driving force behind adding all the new apps to the DVD/web. As always, a pleasure to work with, and an important part of deciding what the entire Official Cert Guide series direction should be.

As part of writing these books, we work in concert with Cisco. A special thanks goes out to various people on the Cisco team who work with Pearson to create Cisco Press books. In particular, Greg Cote, Joe Stralo, and Phil Vancil were a great help while we worked on these titles.

Chris Cleveland did the development editing for the very first Cisco Press exam certification guide way back in 1998, and he's been involved with the series ever since. It's always great to work with Chris, even though I'm jealous of his office setup. This book has more moving parts than most, and Chris's part of the work happened on a challenging timeline. Thanks, Chris, for the many late-night hours working through the different elements, and especially for keeping us on track with the new features.

As for technical editors, ho hum, Elan Beer did his usual amazing job. It is truly abnormal to find one person who can do all aspects of technical editing in the same pass, with excellence. From finding small technical errors, to noticing phrasing that might mislead, to suggesting where an extra thought or two rounds out a topic, Elan does it all. Fantastic job as usual; thanks, Elan.

Aubrey Adams tech edited the book, his first time tech editing one of my books, and he also provided some excellent feedback. Aubrey's experience teaching the material was a big help in particular, because he knows of the common mistakes that students make when learning these same topics. Diligent, objective, useful comments all around; thanks, Aubrey!

Welcome and thanks to a new team member, Lisa Matthews, new at least in terms of someone I interact with during the writing process. Lisa handled all the practice app development: taking various appendixes, learning some subnetting (fun, huh Lisa?), and building apps to make the practice experience more interactive. Thanks for guiding us through the process, Lisa!

I love the magic wand that is production. Presto, word docs with gobs of queries and comments feed into the machine, and out pops these beautiful books. Thanks to Sandra Schroeder, Tonya Simpson, Mandie Frank, for jumping into the fray to keep the schedule moving, and all the production team for making the magic happen. From fixing all my grammar, crummy word choices, passive-voice sentences, and then pulling the design and layout together, they do it all; thanks for putting it all together and making it look easy. And Tonya, once again getting the "opportunity" to manage two books with many elements at the same timeline, once again, the juggling act continues, and done well. Thanks for managing the whole production process again.

Mike Tanamachi, illustrator and mind reader, did a great job on the figures again. I use a different process with the figures than most authors, with Mike drawing new figures as soon as I outline a new section or chapter. It means more edits when I change my mind,

and lots of mind reading of what Wendell really wanted versus what I drew poorly on my Wacom tablet. Mike came through again with some beautiful finished products. And a thanks goes out to Laura Robbins for working on helping make sure all the figures follow our color standards—standards she helped develop over several other editions of other books.

I could not have made the timeline for this book without Chris Burns of Certskills Professional. Chris owns the mind map process now, owns big parts of the lab development process for the associated labs added to my blogs, does various tasks related to specific chapters, and then catches anything I need to toss over my shoulder so I can focus on the books. Chris, you are the man!

Sean Wilkins played the largest role he's played so far with one of my books. A long-time co-collaborator with Pearson's CCNA Simulator, Sean did a lot of technology work behind the scenes. No way the books are out on time without Sean's efforts; thanks for the great job, Sean!

A special thanks you to you readers who write in with suggestions and possible errors, and especially those of you who post online at the Cisco Learning Network. Without question, the comments I receive directly and overhear by participating at CLN made this edition a better book.

Thanks to my wonderful wife, Kris, who helps make this sometimes challenging work lifestyle a breeze. I love walking this journey with you, doll. Thanks to my daughter Hannah (see dedication). And thanks to Jesus Christ, Lord of everything in my life.

Contents at a Glance

Introduction xxxiv

Your Study Plan 2

Part I: Networking Fundamentals 13

Chapter 1 Introduction to TCP/IP Networking 14

Chapter 2 Fundamentals of Ethernet LANs 38

Chapter 3 Fundamentals of WANs 60

Chapter 4 Fundamentals of IPv4 Addressing and Routing 78

Chapter 5 Fundamentals of TCP/IP Transport and Applications 102

Part I Review 120

Part II: Implementing Basic Ethernet LANs 125

Chapter 6 Using the Command-Line Interface 126

Chapter 7 Analyzing Ethernet LAN Switching 146

Chapter 8 Configuring Basic Switch Management 166

Chapter 9 Configuring Switch Interfaces 190

Part II Review 212

Part III: Ethernet LANs: Design, VLANs, and Troubleshooting 217

Chapter 10 Analyzing Ethernet LAN Designs 218

Chapter 11 Implementing Ethernet Virtual LANs 242

Chapter 12 Troubleshooting Ethernet LANs 270

Part III Review 298

Part IV: IP Version 4 Addressing and Subnetting 301

Chapter 13 Perspectives on IPv4 Subnetting 302

Chapter 14 Analyzing Classful IPv4 Networks 326

Chapter 15 Analyzing Subnet Masks 340

Chapter 16 Analyzing Existing Subnets 356

Part IV Review 378

Part V: Implementing IPv4 383

- Chapter 17 Operating Cisco Routers 384
- Chapter 18 Configuring IPv4 Addresses and Static Routes 402
- Chapter 19 Learning IPv4 Routes with RIPv2 434
- Chapter 20 DHCP and IP Networking on Hosts 470
- Part V Review 498

Part VI: IPv4 Design and Troubleshooting 503

- Chapter 21 Subnet Design 504
- Chapter 22 Variable-Length Subnet Masks 528
- Chapter 23 IPv4 Troubleshooting Tools 542
- Chapter 24 Troubleshooting IPv4 Routing 564
- Part VI Review 586

Part VII: IPv4 Services: ACLs and NAT 591

- Chapter 25 Basic IPv4 Access Control Lists 592
- Chapter 26 Advanced IPv4 Access Control Lists 614
- Chapter 27 Network Address Translation 642
- Part VII Review 666

Part VIII: IP Version 6 671

- Chapter 28 Fundamentals of IP Version 6 672
- Chapter 29 IPv6 Addressing and Subnetting 688
- Chapter 30 Implementing IPv6 Addressing on Routers 704
- Chapter 31 Implementing IPv6 Addressing on Hosts 728
- Chapter 32 Implementing IPv6 Routing 750
- Part VIII Review 772

Part IX: Network Device Management 777

- Chapter 33 Device Management Protocols 778
- Chapter 34 Device Security Features 802

Chapter 35 Managing IOS Files 820

Chapter 36 IOS License Management 848

Part IX Review 864

Part X: Final Review 867

Chapter 37 Final Review 868

Part XI: Appendixes 887

Appendix A Numeric Reference Tables 889

Appendix B CCENT/CCNA ICND1 100-105 Exam Updates 895

Glossary 897

Index 928

DVD Appendixes

Appendix C Answers to the “Do I Know This Already?” Quizzes

Appendix D Practice for Chapter 14: Analyzing Classful IPv4 Networks

Appendix E Practice for Chapter 15: Analyzing Subnet Masks

Appendix F Practice for Chapter 16: Analyzing Existing Subnets

Appendix G Practice for Chapter 21: Subnet Design

Appendix H Practice for Chapter 22: Variable-Length Subnet Masks

Appendix I Practice for Chapter 25: Basic IPv4 Access Control Lists

Appendix J Practice for Chapter 28: Fundamentals of IP Version 6

Appendix K Practice for Chapter 30: Implementing IPv6 Addressing on Routers

Appendix L Mind Map Solutions

Appendix M Study Planner

Appendix N Classless Inter-domain Routing

Appendix O Route Summarization

Appendix P Implementing Point-to-Point WANs

Appendix Q Topics from Previous Editions

Appendix R Exam Topics Cross Reference

Contents

Introduction xxxiv

Your Study Plan 2

Part I Networking Fundamentals 13

Chapter 1 Introduction to TCP/IP Networking 14

- “Do I Know This Already?” Quiz 14
- Foundation Topics 17
- Perspectives on Networking 17
- TCP/IP Networking Model 18
 - History Leading to TCP/IP 19
 - Overview of the TCP/IP Networking Model 20
 - TCP/IP Application Layer 22
 - HTTP Overview 22
 - HTTP Protocol Mechanisms 22
 - TCP/IP Transport Layer 23
 - TCP Error Recovery Basics 23
 - Same-Layer and Adjacent-Layer Interactions 24
 - TCP/IP Network Layer 25
 - Internet Protocol and the Postal Service 25
 - Internet Protocol Addressing Basics 27
 - IP Routing Basics 27
 - TCP/IP Link Layer (Data Link Plus Physical) 28
 - TCP/IP Model and Terminology 30
 - Comparing the Original and Modern TCP/IP Models 30
 - Data Encapsulation Terminology 30
 - Names of TCP/IP Messages 31
- OSI Networking Model 32
 - Comparing OSI and TCP/IP 32
 - Describing Protocols by Referencing the OSI Layers 33
 - OSI Layers and Their Functions 33
 - OSI Layering Concepts and Benefits 35
 - OSI Encapsulation Terminology 35

Chapter 2 Fundamentals of Ethernet LANs 38

- “Do I Know This Already?” Quiz 38
- Foundation Topics 40
- An Overview of LANs 40
 - Typical SOHO LANs 41
 - Typical Enterprise LANs 42
 - The Variety of Ethernet Physical Layer Standards 43
 - Consistent Behavior over All Links Using the Ethernet Data Link Layer 44

Building Physical Ethernet Networks with UTP	45
Transmitting Data Using Twisted Pairs	45
Breaking Down a UTP Ethernet Link	46
UTP Cabling Pinouts for 10BASE-T and 100BASE-T	48
Straight-Through Cable Pinout	48
Choosing the Right Cable Pinouts	50
UTP Cabling Pinouts for 1000BASE-T	51
Sending Data in Ethernet Networks	51
Ethernet Data-Link Protocols	51
Ethernet Addressing	52
Identifying Network Layer Protocols with the Ethernet Type Field	54
Error Detection with FCS	55
Sending Ethernet Frames with Switches and Hubs	55
Sending in Modern Ethernet LANs Using Full Duplex	55
Using Half Duplex with LAN Hubs	56

Chapter 3 Fundamentals of WANs 60

“Do I Know This Already?” Quiz	60
Foundation Topics	62
Leased-Line WANs	62
Positioning Leased Lines with LANs and Routers	62
Physical Details of Leased Lines	63
Leased-Line Cabling	64
Building a WAN Link in a Lab	66
Data-Link Details of Leased Lines	66
HDLC Basics	67
How Routers Use a WAN Data Link	68
Ethernet as a WAN Technology	69
Ethernet WANs that Create a Layer 2 Service	70
How Routers Route IP Packets Using Ethernet Emulation	71
Accessing the Internet	72
The Internet as a Large WAN	72
Internet Access (WAN) Links	73
Digital Subscriber Line	74
Cable Internet	76

Chapter 4 Fundamentals of IPv4 Addressing and Routing 78

“Do I Know This Already?” Quiz	78
Foundation Topics	81
Overview of Network Layer Functions	81
Network Layer Routing (Forwarding) Logic	81
Host Forwarding Logic: Send the Packet to the Default Router	82
R1 and R2’s Logic: Routing Data Across the Network	83
R3’s Logic: Delivering Data to the End Destination	83

How Network Layer Routing Uses LANs and WANs	83
IP Addressing and How Addressing Helps IP Routing	84
Routing Protocols	85
IPv4 Addressing	86
Rules for IP Addresses	86
Rules for Grouping IP Addresses	87
Class A, B, and C IP Networks	88
The Actual Class A, B, and C IP Networks	90
IP Subnetting	91
IPv4 Routing	93
IPv4 Host Routing	93
Router Forwarding Decisions and the IP Routing Table	94
A Summary of Router Forwarding Logic	94
A Detailed Routing Example	94
IPv4 Routing Protocols	96
Other Network Layer Features	98
Using Names and the Domain Name System	98
The Address Resolution Protocol	99
ICMP Echo and the ping Command	100
Chapter 5 Fundamentals of TCP/IP Transport and Applications	102
“Do I Know This Already?” Quiz	102
Foundation Topics	104
TCP/IP Layer 4 Protocols: TCP and UDP	104
Transmission Control Protocol	105
Multiplexing Using TCP Port Numbers	106
Popular TCP/IP Applications	108
Connection Establishment and Termination	110
Error Recovery and Reliability	111
Flow Control Using Windowing	112
User Datagram Protocol	113
TCP/IP Applications	114
Uniform Resource Identifiers	114
Finding the Web Server Using DNS	115
Transferring Files with HTTP	117
How the Receiving Host Identifies the Correct Receiving Application	118
Part I Review	120
Part II Implementing Basic Ethernet LANs	125
Chapter 6 Using the Command-Line Interface	126
“Do I Know This Already?” Quiz	126
Foundation Topics	128

Accessing the Cisco Catalyst Switch CLI	128
Cisco Catalyst Switches	128
Accessing the Cisco IOS CLI	129
Cabling the Console Connection	130
Accessing the CLI with Telnet and SSH	133
User and Enable (Privileged) Modes	133
Password Security for CLI Access from the Console	135
CLI Help Features	136
The debug and show Commands	137
Configuring Cisco IOS Software	138
Configuration Submodes and Contexts	139
Storing Switch Configuration Files	141
Copying and Erasing Configuration Files	143
Chapter 7 Analyzing Ethernet LAN Switching	146
“Do I Know This Already?” Quiz	146
Foundation Topics	148
LAN Switching Concepts	148
Overview of Switching Logic	149
Forwarding Known Unicast Frames	150
Learning MAC Addresses	153
Flooding Unknown Unicast and Broadcast Frames	154
Avoiding Loops Using Spanning Tree Protocol	154
LAN Switching Summary	155
Verifying and Analyzing Ethernet Switching	156
Demonstrating MAC Learning	156
Switch Interfaces	158
Finding Entries in the MAC Address Table	159
Managing the MAC Address Table (Aging, Clearing)	161
MAC Address Tables with Multiple Switches	162
Chapter 8 Configuring Basic Switch Management	166
“Do I Know This Already?” Quiz	166
Foundation Topics	168
Securing the Switch CLI	168
Securing User Mode and Privileged Mode with Simple Passwords	169
Securing User Mode Access with Local Usernames and Passwords	173
Securing User Mode Access with External Authentication Servers	175
Securing Remote Access with Secure Shell	176
Enabling IPv4 for Remote Access	179
Host and Switch IP Settings	179
Configuring IPv4 on a Switch	181

Configuring a Switch to Learn Its IP Address with DHCP	182
Verifying IPv4 on a Switch	183
Miscellaneous Settings Useful in Lab	184
History Buffer Commands	184
The logging synchronous, exec-timeout, and no ip domain-lookup Commands	184
Chapter 9 Configuring Switch Interfaces	190
“Do I Know This Already?” Quiz	190
Foundation Topics	192
Configuring Switch Interfaces	192
Configuring Speed, Duplex, and Description	193
Configuring Multiple Interfaces with the interface range Command	195
Administratively Controlling Interface State with shutdown	195
Removing Configuration with the no Command	197
Autonegotiation	198
Autonegotiation Under Working Conditions	198
Autonegotiation Results When Only One Node Uses Autonegotiation	200
Autonegotiation and LAN Hubs	201
Port Security	202
Configuring Port Security	203
Verifying Port Security	205
Port Security Violation Actions	207
Port Security MAC Addresses as Static and Secure but Not Dynamic	207
Part II Review	212
Part III Ethernet LANs: Design, VLANs, and Troubleshooting	217
Chapter 10 Analyzing Ethernet LAN Designs	218
“Do I Know This Already?” Quiz	218
Foundation Topics	220
Analyzing Collision Domains and Broadcast Domains	220
Ethernet Collision Domains	220
10BASE-T with Hub	220
Ethernet Transparent Bridges	221
Ethernet Switches and Collision Domains	222
The Impact of Collisions on LAN Design	223
Ethernet Broadcast Domains	224
Virtual LANs	225
The Impact of Broadcast Domains on LAN Design	226
Analyzing Campus LAN Topologies	227
Two-Tier Campus Design (Collapsed Core)	227

The Two-Tier Campus Design	227
Topology Terminology Seen Within a Two-Tier Design	228
Three-Tier Campus Design (Core)	230
Topology Design Terminology	232
Analyzing LAN Physical Standard Choices	233
Ethernet Standards	234
Choosing the Right Ethernet Standard for Each Link	235
Wireless LANs Combined with Wired Ethernet	236
Home Office Wireless LANs	236
Enterprise Wireless LANs and Wireless LAN Controllers	238
Chapter 11 Implementing Ethernet Virtual LANs	242
“Do I Know This Already?” Quiz	242
Foundation Topics	244
Virtual LAN Concepts	244
Creating Multiswitch VLANs Using Trunking	246
VLAN Tagging Concepts	246
The 802.1Q and ISL VLAN Trunking Protocols	248
Forwarding Data Between VLANs	249
Routing Packets Between VLANs with a Router	249
Routing Packets with a Layer 3 Switch	251
VLAN and VLAN Trunking Configuration and Verification	252
Creating VLANs and Assigning Access VLANs to an Interface	252
VLAN Configuration Example 1: Full VLAN Configuration	253
VLAN Configuration Example 2: Shorter VLAN Configuration	256
VLAN Trunking Protocol	257
VLAN Trunking Configuration	258
Implementing Interfaces Connected to Phones	262
Data and Voice VLAN Concepts	262
Data and Voice VLAN Configuration and Verification	264
Summary: IP Telephony Ports on Switches	266
Chapter 12 Troubleshooting Ethernet LANs	270
“Do I Know This Already?” Quiz	271
Foundation Topics	274
Perspectives on Applying Troubleshooting Methodologies	274
Troubleshooting on the Exams	275
A Deeper Look at Problem Isolation	275
Troubleshooting as Covered in This Book	277
Analyzing Switch Interface Status and Statistics	278
Interface Status Codes and Reasons for Nonworking States	278
Interface Speed and Duplex Issues	279
Common Layer 1 Problems on Working Interfaces	282

Predicting Where Switches Will Forward Frames	284
Predicting the Contents of the MAC Address Table	284
Analyzing the Forwarding Path	286
Analyzing Port Security Operations on an Interface	287
Troubleshooting Shutdown Mode and Err-disabled Recovery	288
Troubleshooting Restrict and Protect Modes	289
Analyzing VLANs and VLAN Trunks	292
Ensuring That the Right Access Interfaces Are in the Right VLANs	292
Access VLANs Not Being Defined	293
Access VLANs Being Disabled	294
Mismatched Trunking Operational States	294
Part III Review	298
Part IV IP Version 4 Addressing and Subnetting	301
Chapter 13 Perspectives on IPv4 Subnetting	302
“Do I Know This Already?” Quiz	302
Foundation Topics	304
Introduction to Subnetting	304
Subnetting Defined Through a Simple Example	305
Operational View Versus Design View of Subnetting	306
Analyze Subnetting and Addressing Needs	306
Rules About Which Hosts Are in Which Subnet	306
Determining the Number of Subnets	308
Determining the Number of Hosts per Subnet	309
One Size Subnet Fits All—Or Not	310
Defining the Size of a Subnet	310
One-Size Subnet Fits All	311
Multiple Subnet Sizes (Variable-Length Subnet Masks)	312
This Book: One-Size Subnet Fits All (Mostly)	312
Make Design Choices	313
Choose a Classful Network	313
Public IP Networks	313
Growth Exhausts the Public IP Address Space	314
Private IP Networks	315
Choosing an IP Network During the Design Phase	316
Choose the Mask	316
Classful IP Networks Before Subnetting	316
Borrowing Host Bits to Create Subnet Bits	317
Choosing Enough Subnet and Host Bits	318
Example Design: 172.16.0.0, 200 Subnets, 200 Hosts	319
Masks and Mask Formats	319
Build a List of All Subnets	320

- Plan the Implementation 321
 - Assigning Subnets to Different Locations 322
 - Choose Static and Dynamic Ranges per Subnet 323

Chapter 14 Analyzing Classful IPv4 Networks 326

- “Do I Know This Already?” Quiz 326
- Foundation Topics 328
- Classful Network Concepts 328
 - IPv4 Network Classes and Related Facts 328
 - The Number and Size of the Class A, B, and C Networks 329
 - Address Formats 330
 - Default Masks 331
 - Number of Hosts per Network 331
 - Deriving the Network ID and Related Numbers 332
 - Unusual Network IDs and Network Broadcast Addresses 334
- Practice with Classful Networks 334
 - Practice Deriving Key Facts Based on an IP Address 335
 - Practice Remembering the Details of Address Classes 335
- Additional Practice for This Chapter’s Processes 337
- Answers to Earlier Practice Problems 337

Chapter 15 Analyzing Subnet Masks 340

- “Do I Know This Already?” Quiz 340
- Foundation Topics 342
- Subnet Mask Conversion 342
 - Three Mask Formats 342
 - Converting Between Binary and Prefix Masks 343
 - Converting Between Binary and DDN Masks 344
 - Converting Between Prefix and DDN Masks 346
 - Practice Converting Subnet Masks 346
- Identifying Subnet Design Choices Using Masks 347
 - Masks Divide the Subnet’s Addresses into Two Parts 348
 - Masks and Class Divide Addresses into Three Parts 349
 - Classless and Classful Addressing 350
 - Calculations Based on the IPv4 Address Format 350
 - Practice Analyzing Subnet Masks 352
- Additional Practice for This Chapter’s Processes 354
- Answers to Earlier Practice Problems 354

Chapter 16 Analyzing Existing Subnets 356

- “Do I Know This Already?” Quiz 356

Foundation Topics	358
Defining a Subnet	358
An Example with Network 172.16.0.0 and Four Subnets	358
Subnet ID Concepts	360
Subnet Broadcast Address	361
Range of Usable Addresses	361
Analyzing Existing Subnets: Binary	362
Finding the Subnet ID: Binary	362
Finding the Subnet Broadcast Address: Binary	364
Binary Practice Problems	364
Shortcut for the Binary Process	366
Brief Note About Boolean Math	367
Finding the Range of Addresses	367
Analyzing Existing Subnets: Decimal	368
Analysis with Easy Masks	368
Predictability in the Interesting Octet	369
Finding the Subnet ID: Difficult Masks	370
Resident Subnet Example 1	370
Resident Subnet Example 2	371
Resident Subnet Practice Problems	372
Finding the Subnet Broadcast Address: Difficult Masks	372
Subnet Broadcast Example 1	372
Subnet Broadcast Example 2	373
Subnet Broadcast Address Practice Problems	374
Practice Analyzing Existing Subnets	374
A Choice: Memorize or Calculate	374
Additional Practice for This Chapter's Processes	375
Answers to Earlier Practice Problems	376
Part IV Review	378
Part V Implementing IPv4	383
Chapter 17 Operating Cisco Routers	384
“Do I Know This Already?” Quiz	384
Foundation Topics	386
Installing Cisco Routers	386
Installing Enterprise Routers	386
Cisco Integrated Services Routers	387
Physical Installation	388
Installing Internet Access Routers	389
Enabling IPv4 Support on Cisco Router Interfaces	390
Accessing the Router CLI	390

- Router Interfaces 391
 - Interface Status Codes 393
 - Router Interface IP Addresses 394
 - Bandwidth and Clock Rate on Serial Interfaces 396
- Router Auxiliary Port 398

Chapter 18 Configuring IPv4 Addresses and Static Routes 402

- “Do I Know This Already?” Quiz 403
- Foundation Topics 405
- IP Routing 405
 - IPv4 Routing Process Reference 405
 - An Example of IP Routing 408
 - Host Forwards the IP Packet to the Default Router (Gateway) 409
 - Routing Step 1: Decide Whether to Process the Incoming Frame 409
 - Routing Step 2: De-encapsulation of the IP Packet 410
 - Routing Step 3: Choosing Where to Forward the Packet 410
 - Routing Step 4: Encapsulating the Packet in a New Frame 411
 - Routing Step 5: Transmitting the Frame 412
- Configuring IP Addresses and Connected Routes 412
 - Connected Routes and the ip address Command 413
 - The ARP Table on a Cisco Router 415
 - Routing Between Subnets on VLANs 415
 - Configuring Routing to VLANs Using 802.1Q on Routers 416
 - Configuring Routing to VLANs Using a Layer 3 Switch 420
- Configuring Static Routes 422
 - Static Route Configuration 422
 - Static Host Routes 424
 - Static Routes with No Competing Routes 425
 - Static Routes with Competing Routes 425
 - Static Default Routes 427
 - Troubleshooting Static Routes 428
 - Troubleshooting Incorrect Static Routes that Appear in the IP Routing Table 429
 - The Static Route Does Not Appear in the IP Routing Table 429
 - The Correct Static Route Appears but Works Poorly 429

Chapter 19 Learning IPv4 Routes with RIPv2 434

- “Do I Know This Already?” Quiz 435
- Foundation Topics 437
- RIP and Routing Protocol Concepts 437
 - History of Interior Gateway Protocols 437
 - Comparing IGP 438
 - Distance Vector Basics 439

The Concept of a Distance and a Vector	439
Full Update Messages and Split Horizon	440
Split Horizon	441
Route Poisoning	441
Summarizing RIPv2 Features	442
Core RIPv2 Configuration and Verification	443
Configuring Core RIPv2 Features	443
Understanding the RIP network Command	444
RIP Configuration Example, with Many IP Networks	445
RIP Configuration Example, with One IP Network	446
RIPv2 Verification	447
Examining RIP Routes in the IP Routing Table	447
Comparing Routing Sources with Administrative Distance	449
Revealing RIP Configuration with the show ip protocols Command	450
Examining the Best RIP Routes Using RIP Database	451
Optional RIPv2 Configuration and Verification	452
Controlling RIP Updates with the passive-interface Command	452
Supporting Multiple Equal-Cost Routes with Maximum Paths	453
Understanding Autosummarization and Discontiguous Classful Networks	454
Verifying Optional RIP Features	456
RIPv2 Default Routes	458
Learning Default Routes Using Static Routes and RIPv2	458
Learning a Default Route Using DHCP	460
Troubleshooting RIPv2	461
Symptoms with Missing and Incorrect network Commands	463
Issues Related to Passive Interfaces	464
Issues Related to auto-summary	465
RIP Issues Caused by Other Router Features	466
Summary of RIP Troubleshooting Issues	466
Chapter 20 DHCP and IP Networking on Hosts	470
“Do I Know This Already?” Quiz	471
Foundation Topics	473
Implementing and Troubleshooting DHCP	473
DHCP Concepts	473
Supporting DHCP for Remote Subnets with DHCP Relay	475
Information Stored at the DHCP Server	476
DHCP Server Configuration on Routers	478
IOS DHCP Server Verification	480
Troubleshooting DHCP Services	481
DHCP Relay Agent Configuration Mistakes and Symptoms	481

IOS DHCP Server Configuration Mistakes and Symptoms	482
IP Connectivity from DHCP Relay Agent to DHCP Server	484
LAN Connectivity Between the DHCP Client and Relay Agent	484
Summary of DHCP Troubleshooting	485
Detecting Conflicts with Offered Versus Used Addresses	485
Verifying Host IPv4 Settings	486
IP Address and Mask Configuration	487
Name Resolution with DNS	488
Default Routers	489
IPv4 Address Types	490
Review of Unicast (Class A, B, and C) IP Addresses	491
IP Broadcast Addresses	491
IPv4 Multicast Addresses (Class D Addresses)	492
Comparing and Contrasting IP Address Types	494

Part V Review 498

Part VI IPv4 Design and Troubleshooting 503

Chapter 21 Subnet Design 504

“Do I Know This Already?” Quiz	504
Foundation Topics	506
Choosing the Mask(s) to Meet Requirements	506
Review: Choosing the Minimum Number of Subnet and Host Bits	507
No Masks Meet Requirements	508
One Mask Meets Requirements	509
Multiple Masks Meet Requirements	510
Finding All the Masks: Concepts	510
Finding All the Masks: Math	511
Choosing the Best Mask	512
The Formal Process	512
Practice Choosing Subnet Masks	513
Practice Problems for Choosing a Subnet Mask	513
Finding All Subnet IDs	513
First Subnet ID: The Zero Subnet	514
Finding the Pattern Using the Magic Number	515
A Formal Process with Less Than 8 Subnet Bits	515
Example 1: Network 172.16.0.0, Mask 255.255.240.0	517
Example 2: Network 192.168.1.0, Mask 255.255.255.224	518
Finding All Subnets with Exactly 8 Subnet Bits	519
Finding All Subnets with More Than 8 Subnet Bits	520
Process with 9–16 Subnet Bits	520
Process with 17 or More Subnet Bits	522

Practice Finding All Subnet IDs	523
Practice Problems for Finding All Subnet IDs	523
Additional Practice for This Chapter's Processes	524
Answers to Earlier Practice Problems	524
Chapter 22 Variable-Length Subnet Masks	528
"Do I Know This Already?" Quiz	528
Foundation Topics	530
VLSM Concepts and Configuration	530
Classless and Classful Routing Protocols	530
VLSM Configuration and Verification	531
Finding VLSM Overlaps	532
Designing Subnetting Plans with VLSM	533
An Example of Finding a VLSM Overlap	534
Practice Finding VLSM Overlaps	536
Adding a New Subnet to an Existing VLSM Design	536
An Example of Adding a New VLSM Subnet	537
Additional Practice for This Chapter's Processes	539
Answers to Earlier Practice Problems	539
Chapter 23 IPv4 Troubleshooting Tools	542
"Do I Know This Already?" Quiz	543
Foundation Topics	543
Problem Isolation Using the ping Command	543
Ping Command Basics	543
Strategies and Results When Testing with the ping Command	544
Testing Longer Routes from Near the Source of the Problem	545
Using Extended Ping to Test the Reverse Route	547
Testing LAN Neighbors with Standard Ping	549
Testing LAN Neighbors with Extended Ping	550
Testing WAN Neighbors with Standard Ping	551
Using Ping with Names and with IP Addresses	552
Problem Isolation Using the traceroute Command	553
traceroute Basics	553
How the traceroute Command Works	554
Standard and Extended traceroute	556
Using traceroute to Isolate the Problem to Two Routers	557

Telnet and SSH 559

Common Reasons to Use the IOS Telnet and SSH Client 559

IOS Telnet and SSH Examples 560

Chapter 24 Troubleshooting IPv4 Routing 564

“Do I Know This Already?” Quiz 565

Foundation Topics 565

Problems Between the Host and the Default Router 565

Root Causes Based on a Host’s IPv4 Settings 566

Ensure IPv4 Settings Correctly Match 566

Mismatched Masks Impact Route to Reach Subnet 567

Typical Root Causes of DNS Problems 569

Wrong Default Router IP Address Setting 570

Root Causes Based on the Default Router’s Configuration 570

DHCP Issues 571

Router LAN Interface and LAN Issues 573

Problems with Routing Packets Between Routers 574

IP Forwarding by Matching the Most Specific Route 575

Using show ip route and Subnet Math to Find the Best Route 575

Using show ip route *address* to Find the Best Route 577

show ip route Reference 577

Routing Problems Caused by Incorrect Addressing Plans 579

Recognizing When VLSM Is Used or Not 579

Overlaps When Not Using VLSM 579

Overlaps When Using VLSM 581

Configuring Overlapping VLSM Subnets 582

Pointers to Related Troubleshooting Topics 583

Router WAN Interface Status 583

Filtering Packets with Access Lists 584

Part VI Review 586

Part VII IPv4 Services: ACLs and NAT 591

Chapter 25 Basic IPv4 Access Control Lists 592

“Do I Know This Already?” Quiz 592

Foundation Topics 594

IPv4 Access Control List Basics 594

ACL Location and Direction 594

Matching Packets 595

Taking Action When a Match Occurs 596

Types of IP ACLs 596

Standard Numbered IPv4 ACLs 597

List Logic with IP ACLs 598

Matching Logic and Command Syntax 599

Matching the Exact IP Address	599
Matching a Subset of the Address with Wildcards	600
Binary Wildcard Masks	601
Finding the Right Wildcard Mask to Match a Subnet	602
Matching Any/All Addresses	602
Implementing Standard IP ACLs	602
Standard Numbered ACL Example 1	603
Standard Numbered ACL Example 2	604
Troubleshooting and Verification Tips	606
Practice Applying Standard IP ACLs	607
Practice Building access-list Commands	608
Reverse Engineering from ACL to Address Range	608
Additional Practice for This Chapter's Processes	611
Answers to Earlier Practice Problems	612
Chapter 26 Advanced IPv4 Access Control Lists	614
"Do I Know This Already?" Quiz	615
Foundation Topics	616
Extended Numbered IP Access Control Lists	616
Matching the Protocol, Source IP, and Destination IP	617
Matching TCP and UDP Port Numbers	618
Extended IP ACL Configuration	621
Extended IP Access Lists: Example 1	622
Extended IP Access Lists: Example 2	623
Practice Building access-list Commands	624
Named ACLs and ACL Editing	625
Named IP Access Lists	625
Editing ACLs Using Sequence Numbers	627
Numbered ACL Configuration Versus Named ACL Configuration	629
ACL Implementation Considerations	630
Troubleshooting with IPv4 ACLs	631
Analyzing ACL Behavior in a Network	631
ACL Troubleshooting Commands	633
Example Issue: Reversed Source/Destination IP Addresses	634
Steps 3D and 3E: Common Syntax Mistakes	635
Example Issue: Inbound ACL Filters Routing Protocol Packets	635
ACL Interactions with Router-Generated Packets	637
Local ACLs and a Ping from a Router	637
Router Self-Ping of a Serial Interface IPv4 Address	637
Router Self-Ping of an Ethernet Interface IPv4 Address	638
Answers to Earlier Practice Problems	641

Chapter 27 Network Address Translation 642

- “Do I Know This Already?” Quiz 642
- Foundation Topics 645
- Perspectives on IPv4 Address Scalability 645
 - CIDR 645
 - Private Addressing 646
- Network Address Translation Concepts 647
 - Static NAT 648
 - Dynamic NAT 650
 - Overloading NAT with Port Address Translation 652
- NAT Configuration and Troubleshooting 653
 - Static NAT Configuration 653
 - Dynamic NAT Configuration 655
 - Dynamic NAT Verification 657
 - NAT Overload (PAT) Configuration 660
 - NAT Troubleshooting 662

Part VII Review 666

Part VIII IP Version 6 671

Chapter 28 Fundamentals of IP Version 6 672

- “Do I Know This Already?” Quiz 672
- Foundation Topics 674
 - Introduction to IPv6 674
 - The Historical Reasons for IPv6 674
 - The IPv6 Protocols 676
 - IPv6 Routing 677
 - IPv6 Routing Protocols 679
 - IPv6 Addressing Formats and Conventions 680
 - Representing Full (Unabbreviated) IPv6 Addresses 680
 - Abbreviating and Expanding IPv6 Addresses 681
 - Representing the Prefix Length of an Address 683
 - Calculating the IPv6 Prefix (Subnet ID) 683
 - Finding the IPv6 Prefix 683
 - Working with More-Difficult IPv6 Prefix Lengths 685
- Additional Practice for This Chapter’s Processes 686
- Answers to Earlier Practice Problems 687

Chapter 29 IPv6 Addressing and Subnetting 688

- “Do I Know This Already?” Quiz 688
- Foundation Topics 690
- Global Unicast Addressing Concepts 690
 - A Brief Review of Public and Private IPv4 Addresses 690

Review of Public IPv4 Addressing Concepts	690
Review of Private IPv4 Addressing Concepts	692
Public and Private IPv6 Addresses	692
The IPv6 Global Routing Prefix	693
Address Ranges for Global Unicast Addresses	695
IPv6 Subnetting Using Global Unicast Addresses	696
Deciding Where IPv6 Subnets Are Needed	696
The Mechanics of Subnetting IPv6 Global Unicast Addresses	696
Listing the IPv6 Subnet Identifier	698
List All IPv6 Subnets	699
Assign Subnets to the Internetwork Topology	699
Assigning Addresses to Hosts in a Subnet	700
Unique Local Unicast Addresses	701
Subnetting with Unique Local IPv6 Addresses	701
The Need for Globally Unique Local Addresses	702
Chapter 30 Implementing IPv6 Addressing on Routers	704
“Do I Know This Already?” Quiz	705
Foundation Topics	706
Implementing Unicast IPv6 Addresses on Routers	706
Static Unicast Address Configuration	707
Configuring the Full 128-Bit Address	707
Enabling IPv6 Routing	708
Verifying the IPv6 Address Configuration	709
Generating a Unique Interface ID Using Modified EUI-64	711
Dynamic Unicast Address Configuration	715
Special Addresses Used by Routers	715
Link-Local Addresses	716
Link-Local Address Concepts	716
Creating Link-Local Addresses on Routers	717
Routing IPv6 with Only Link-Local Addresses on an Interface	718
IPv6 Multicast Addresses	719
Local Scope Multicast Addresses	719
Solicited-Node Multicast Addresses	720
Anycast Addresses	722
Miscellaneous IPv6 Addresses	723
IPv6 Addressing Configuration Summary	723
Additional Practice for This Chapter’s Processes	725
Answers to Earlier Practice Problems	726
Chapter 31 Implementing IPv6 Addressing on Hosts	728
“Do I Know This Already?” Quiz	728

- Foundation Topics 730
- The Neighbor Discovery Protocol 730
 - Discovering Routers with NDP RS and RA 731
 - Discovering Addressing Info for SLAAC with NDP RS and RA 732
 - Discovering Neighbor Link Addresses with NDP NS and NA 733
 - Discovering Duplicate Addresses Using NDP NS and NA 734
 - NDP Summary 735
- Dynamic Configuration of Host IPv6 Settings 735
 - Dynamic Configuration Using Stateful DHCP and NDP 736
 - Differences Between DHCPv6 and DHCPv4 736
 - DHCPv6 Relay Agents 737
 - Using Stateless Address Auto Configuration 739
 - Building an IPv6 Address Using SLAAC 739
 - Combining SLAAC with NDP and Stateless DHCP 740
- Troubleshooting IPv6 Addressing 741
 - Verifying Host IPv6 Connectivity from Hosts 741
 - Verifying Host Connectivity from Nearby Routers 744
- Chapter 32 Implementing IPv6 Routing 750**
 - “Do I Know This Already?” Quiz 750
 - Foundation Topics 752
 - Connected and Local IPv6 Routes 752
 - Rules for Connected and Local Routes 753
 - Example of Connected IPv6 Routes 753
 - Examples of Local IPv6 Routes 755
 - Static IPv6 Routes 756
 - Static Routes Using the Outgoing Interface 756
 - Static Routes Using Next-Hop IPv6 Address 758
 - Example Static Route with a Global Unicast Next-Hop Address 758
 - Example Static Route with a Link-Local Next-Hop Address 759
 - Static Default Routes 760
 - Static IPv6 Host Routes 761
 - Floating Static IPv6 Routes 762
 - Default Routes with SLAAC on Router Interfaces 763
 - Troubleshooting Static IPv6 Routes 765
 - Troubleshooting Incorrect Static Routes That Appear in the IPv6 Routing Table 765
 - The Static Route Does Not Appear in the IPv6 Routing Table 767

Part VIII Review 772

Part IX Network Device Management 777

Chapter 33 Device Management Protocols 778

- “Do I Know This Already?” Quiz 779
- Foundation Topics 780

System Message Logging (Syslog)	780
Sending Messages in Real Time to Current Users	780
Storing Log Messages for Later Review	781
Log Message Format	782
Log Message Severity Levels	783
Configuring and Verifying System Logging	784
The debug Command and Log Messages	786
Network Time Protocol (NTP)	787
Setting the Time and Timezone	788
Implementing NTP Clients, Servers, and Client/Server Mode	789
NTP Using a Loopback Interface for Better Availability	791
Analyzing Topology Using CDP and LLDP	793
Examining Information Learned by CDP	793
Configuring and Verifying CDP Itself	796
Implementing Link Layer Discovery Protocol	797
Chapter 34 Device Security Features	802
“Do I Know This Already?” Quiz	802
Foundation Topics	804
Securing IOS Passwords	804
Encrypting Older IOS Passwords with service password-encryption	805
Encoding the Enable Passwords with Hashes	806
Interactions Between Enable Password and Enable Secret	806
Making the Enable Secret Truly Secret with a Hash	807
Improved Hashes for Cisco’s Enable Secret	808
Hiding the Passwords for Local Usernames	810
Cisco Device Hardening	810
Configuring Login Banners	810
Securing Unused Switch Interfaces	812
Controlling Telnet and SSH Access with ACLs	813
Firewalls	814
Typical Location and Uses of Firewalls	814
Security Zones	815
Chapter 35 Managing IOS Files	820
“Do I Know This Already?” Quiz	820
Foundation Topics	822
Managing Cisco IOS Images and Upgrades	822
The IOS File System	822
Upgrading IOS Images	824
Copying a New IOS Image to a Local IOS File System Using TFTP	825
Verifying IOS Code Integrity with MD5	827

Copying Images with FTP	828
Copying Images with SCP	829
The Cisco IOS Software Boot Sequence	830
The Configuration Register	831
How a Router Chooses Which OS to Load	831
Verifying the IOS Image Using the show version Command	833
Password Recovery	835
The General Ideas Behind Cisco Password Recovery/Reset	836
A Specific Password Reset Example	837
Managing Configuration Files	839
Copying and Erasing Configuration Files	839
Traditional Configuration Backup and Restore with the copy Command	840
Alternatives for Configuration Backup and Restore	841
Erasing Configuration Files	843
Initial Configuration (Setup Mode)	843

Chapter 36 IOS License Management 848

“Do I Know This Already?” Quiz	848
Foundation Topics	850
IOS Packaging	850
IOS Images per Model, Series, and per Software Version/Release	850
Original Packaging: One IOS Image per Feature Set Combination	851
New IOS Packaging: One Universal Image with All Feature Sets	851
IOS Software Activation with Universal Images	852
The Future: Cisco ONE Licensing	854
Managing Software Activation with Cisco License Manager	854
Manually Activating Software Using Licenses	855
Example of Manually Activating a License	857
Showing the Current License Status	857
Adding a Permanent Technology Package License	859
Right-to-Use Licenses	861

Part IX Review 864

Part X Final Review 867

Chapter 37 Final Review 868

Advice About the Exam Event	868
Learn the Question Types Using the Cisco Certification Exam Tutorial	868
Think About Your Time Budget Versus Number of Questions	869
A Suggested Time-Check Method	870
Miscellaneous Pre-Exam Suggestions	870
Exam-Day Advice	871

Reserve the Hour After the Exam in Case You Fail	871
Exam Review	872
Practice Subnetting and Other Math-Related Skills	873
Take Practice Exams	874
Practicing Taking the ICND1 Exam	875
Advice on How to Answer Exam Questions	876
Taking Other Practice Exams	877
Find Knowledge Gaps Through Question Review	877
Practice Hands-On CLI Skills	879
Review Mind Maps from Part Review	880
Do Labs	880
Assess Whether You Are Ready to Pass (and the Fallacy of Exam Scores)	881
Study Suggestions After Failing to Pass	882
Other Study Tasks	883
Final Thoughts	884

Part XI Appendixes 887

Appendix A Numeric Reference Tables 889

Appendix B CCENT/CCNA ICND1 100-105 Exam Updates 895

Glossary 897

Index 928

DVD Appendixes

Appendix C Answers to the “Do I Know This Already?” Quizzes

Appendix D Practice for Chapter 14: Analyzing Classful IPv4 Networks

Appendix E Practice for Chapter 15: Analyzing Subnet Masks

Appendix F Practice for Chapter 16: Analyzing Existing Subnets

Appendix G Practice for Chapter 21: Subnet Design

Appendix H Practice for Chapter 22: Variable-Length Subnet Masks

Appendix I Practice for Chapter 25: Basic IPv4 Access Control Lists

Appendix J Practice for Chapter 28: Fundamentals of IP Version 6

Appendix K Practice for Chapter 30: Implementing IPv6 Addressing on Routers

Appendix L Mind Map Solutions

Appendix M Study Planner

Appendix N Classless Inter-domain Routing

Appendix O Route Summarization

Appendix P Implementing Point-to-Point WANs

Appendix Q Topics from Previous Editions


Appendix R Exam Topics Cross Reference

Reader Services

To access additional content for this book, simply register your product. To start the registration process, go to www.ciscopress.com/register and log in or create an account*. Enter the product ISBN 9781587205804 and click Submit. After the process is complete, you will find any available bonus content under Registered Products.

*Be sure to check the box that you would like to hear from us to receive exclusive discounts on future editions of this product.

Icons Used in This Book



Command Syntax Conventions

The conventions used to present command syntax in this book are the same conventions used in the IOS Command Reference. The Command Reference describes these conventions as follows:

- **Boldface** indicates commands and keywords that are entered literally as shown. In actual configuration examples and output (not general command syntax), boldface indicates commands that are manually input by the user (such as a **show** command).
- *Italic* indicates arguments for which you supply actual values.
- Vertical bars (|) separate alternative, mutually exclusive elements.
- Square brackets ([]) indicate an optional element.
- Braces ({ }) indicate a required choice.
- Braces within brackets ([{ }]) indicate a required choice within an optional element.

Introduction

About the Exams

Congratulations! If you're reading far enough to look at this book's Introduction, you've probably already decided to go for your Cisco certification. If you want to succeed as a technical person in the networking industry at all, you need to know Cisco. Cisco has a ridiculously high market share in the router and switch marketplace, with more than 80 percent market share in some markets. In many geographies and markets around the world, networking equals Cisco. If you want to be taken seriously as a network engineer, Cisco certification makes perfect sense.

The Exams to Achieve CCENT and CCNA R&S

Cisco announced changes to the CCENT and CCNA Routing and Switching certifications, and the related 100-105 ICND1, 200-105 ICND2, and 200-125 CCNA exams, early in the year 2016. Most everyone new to Cisco certifications begins with either CCENT or CCNA Routing and Switching (CCNA R&S). However, the paths to certification are not quite obvious at first.

The CCENT certification requires a single step: pass the ICND1 exam. Simple enough.

Cisco gives you two options to achieve CCNA R&S certification, as shown in Figure I-1: pass both the ICND1 and ICND2 exams, or just pass the CCNA exam. Both paths cover the same exam topics, but the two-exam path does so spread over two exams rather than one. You also pick up the CCENT certification by going through the two-exam path, but you do not when working through the single-exam option.




Figure I-1 *Cisco Entry-Level Certifications and Exams*

Note that Cisco has begun referencing some exams with a version number on some of their web pages. If that form holds true, the exams in Figure I-1 will likely be called version 3 (or v3 for short). Historically, the 200-125 CCNA R&S exam is the seventh separate version of the exam (which warrants a different exam number), dating back to 1998. To make sure you reference the correct exam, when looking for information, using forums, and registering for the test, just make sure to use the correct exam number as shown in the figure.

Types of Questions on the Exams

The ICND1, ICND2, and CCNA exams all follow the same general format. At the testing center, you sit in a quiet room with a PC. Before the exam timer begins, you have a chance to do a few other tasks on the PC; for instance, you can take a sample quiz just to get accustomed to the PC and the testing engine. Anyone who has user-level skills in

getting around a PC should have no problems with the testing environment. The question types are

- Multiple-choice, single-answer
- Multiple-choice, multiple-answer
- Testlet (one scenario with multiple multi-choice questions)
- Drag-and-drop
- Simulated lab (sim)
- Simlet

Before taking the test, learn the exam user interface by using the Cisco Exam Tutorial. To find the Cisco Certification Exam Tutorial, search for “exam tutorial” at www.cisco.com. This tool walks through each type of question Cisco may ask on the exam.

Although the first four types of questions in the list should be somewhat familiar from other tests in school, the last two are more common to IT tests and Cisco exams in particular. Both use a network simulator to ask questions, so that you control and use simulated Cisco devices. In particular:

Sim questions: You see a network topology, a lab scenario, and can access the devices. Your job is to fix a problem with the configuration.

Simlet questions: This style combines sim and testlet question formats. Like a sim question, you see a network topology, a lab scenario, and can access the devices. However, like a testlet, you also see multiple multiple-choice questions. Instead of changing/fixing the configuration, you answer questions about the current state of the network.

These two question styles with the simulator give Cisco the ability to test your configuration skills with sim questions, and your verification and troubleshooting skills with simlet questions.

What’s on the CCNA Exams—And What’s in the Book?

Ever since I was in grade school, whenever the teacher announced that we were having a test soon, someone would always ask, “What’s on the test?” Even in college, people would try to get more information about what would be on the exams. At heart, the goal is to know what to study hard, what to study a little, and what to not study at all.

You can find out more about what’s on the exam from two primary sources: this book and from the Cisco website.

The Cisco Published Exam Topics

First, Cisco tells the world the specific topics on each of their exams. Cisco wants the public to know both the variety of topics, and an idea about the kinds of knowledge and skills required for each topic, for every Cisco certification exam. Just go to www.cisco.com/go/certifications, look for the CCENT and CCNA Routing and Switching pages, and navigate until you see the exam topics in Appendix R, “Exam Topic Cross Reference.” This PDF appendix lists two cross references: one with a list of the exam topics and the chapters that include something about each topic, as well as the reverse: a list of chapters, with the exam topics included in each chapter.

Cisco does more than just list the topic (for example, IPv4 addressing), but they also list the depth to which you must master the topic. The primary exam topics each list one or more verbs that describe the skill level required. For example, consider the following exam topic, which describes one of the most important topics in both CCENT and CCNA R&S:

Configure, verify, and troubleshoot IPv4 addressing and subnetting

Note that this one exam topic has three verbs (configure, verify, and troubleshoot). So, you should be able to not only configure IPv4 addresses and subnets, but you should understand them well enough to verify that the configuration works, and to troubleshoot problems when it is not working. And if to do that, you need to understand concepts, and you need to have other knowledge, those details are implied. The exam questions will attempt to assess whether you can configure, verify, and troubleshoot.

Note that the list of exam topics provides a certain level of depth. For example, the ICND1 100-105 exam topic list has 41 primary exam topics (topics with verbs), plus additional sub-topics that further define that technology area.

You should take the time to not only read the exam topics, but read the short material above the exam topics as listed at the Cisco web page for each certification and exam. Look for notices about the use of unscored items, and the fact that Cisco intends the exam topics to be a set of general guidelines for the exams.

This Book: About the Exam Topics

This book provides a complete study system for the Cisco published exam topics for the ICND1 100-105 exam. All the topics in this book either directly relate to some ICND1 exam topic or provide more basic background knowledge for some exam topic. The scope of the book is based on the exam topics.

For those of you thinking more specifically about the CCNA R&S certification and the CCNA 200-125 single-exam path to CCNA, this book covers about one-half of the CCNA exam topics. The ICND1 book (and ICND1 100-105 exam topics) covers about half of the topics listed for the CCNA 200-125 exam, and the ICND2 book (and the ICND2 200-105 exam topics) cover the other half. In short, for content, CCNA = ICND1 + ICND2.

Book Features

This book, and the similar *CCNA Routing and Switching ICND2 200-105 Official Cert Guide*, go beyond what you would find in a simple technology book. These books give you a study system designed to help you not only learn facts but also to develop the skills need to pass the exams. To do that, in the technology chapters of the book, about three-quarters of the chapter is about the technology, and about one-quarter is for the related study features.

The “Foundation Topics” section of each chapter contains rich content to explain the topics on the exam and to show many examples. This section makes extensive use of figures, with lists and tables for comparisons. It also highlights the most important topics in each chapter as key topics, so you know what to master first in your study.

Most of the book’s features tie in some way to the need to study beyond simply reading the “Foundation Topics” section of each chapter. The rest of this section works through these book features. And because the book organizes your study by chapter, and then by part (a part contains multiple chapters), and then a final review at the end of the book, this Introduction discusses the book features introduced by chapter, part, and for final review.

Chapter Features and How to Use Each Chapter

Each chapter of this book is a self-contained short course about one small topic area, organized for reading and study, as follows:

“Do I Know This Already?” quizzes: Each chapter begins with a prechapter quiz.

Foundation Topics: This is the heading for the core content section of the chapter.

Chapter Review: This section includes a list of study tasks useful to help you remember concepts, connect ideas, and practice skills-based content in the chapter.

Figure I-2 shows how each chapter uses these three key elements. You start with the DIKTA quiz. You can use the score to determine whether you already know a lot, or not so much, and determine how to approach reading the Foundation Topics (that is, the technology content in the chapter). When finished, use the chapter review tasks to start working on mastering your memory of the facts and skills with configuration, verification, and troubleshooting.




Figure I-2 *Three Primary Tasks for a First Pass Through Each Chapter*

In addition to these three main chapter features, each “Chapter Review” section uses a variety of other book features, including the following:

- **Review Key Topics:** Inside the “Foundation Topics” section, the Key Topic icon appears next to the most important items, for the purpose of later review and mastery. While all content matters, some is, of course, more important to learn, or needs more review to master, so these items are noted as key topics. The chapter review lists the key topics in a table; scan the chapter for these items to review them.
- **Complete Tables from Memory:** Instead of just rereading an important table of information, some tables have been marked as memory tables. These tables exist in the Memory Table app that is available on the DVD and from the companion website. The app shows the table with some content removed, and then reveals the completed table, so you can work on memorizing the content.
- **Key Terms You Should Know:** You do not need to be able to write a formal definition of all terms from scratch. However, you do need to understand each term well enough to understand exam questions and answers. The chapter review lists the key terminology from the chapter. Make sure you have a good understanding of each term, and use the DVD Glossary to cross-check your own mental definitions.
- **Labs:** Many exam topics use verbs list “configure,” “verify,” and “troubleshoot”; all these refer to skills you should practice at the user interface (CLI) of a router or switch. The chapter review refers you to these other tools. The Introduction’s upcoming section titled “About Building Hands-On Skills” discusses your options.

- **Command References:** Some book chapters cover a large amount of router and switch commands. The chapter review includes reference tables for the command used in that chapter, along with an explanation. Use these tables for reference, but also use them for study—just cover one column of the table, and see how much you can remember and complete mentally.
- **Review DIKTA Questions:** Although you have already seen the DIKTA questions from the chapters in a part, re-answering those questions can prove a useful way to review facts. The part review suggests that you repeat the DIKTA questions, but using the Pearson IT Certification Practice Test (PCPT) exam software that comes with the book, for extra practice in answering multiple choice questions on a computer.
- **Subnetting and Other Process Exercises:** Many chapters in the ICND1 book ask you to perform various tasks that use math or use a particular process. The chapter review asks you to do additional practice problems as found in DVD-only PDF appendixes.

Part Features and How to Use Part Review

The book organizes the chapters into parts. Each part contains a number of related chapters. Figure I-3 lists the titles of the parts and the chapters in those parts (by chapter number).




Figure I-3 *The Book Parts (by Title), and Chapter Numbers in Each Part*

Each book part ends with a “Part Review” section that contains a list of activities for study and review, much like the “Chapter Review” section at the end of each chapter. However, because the part review takes place after completing a number of chapters, the part review includes some tasks meant to help pull the ideas together from this larger body of work. The following list explains the types of tasks added to part review beyond the types mentioned for chapter review:

- **Answer Part Review Questions:** The books comes with exam software and databases on questions. One database holds questions written specifically for part review. These questions tend to connect multiple ideas together, to help you think about topics from multiple chapters, and to build the skills needed for the more challenging analysis questions on the exams.
- **Mind Maps:** Mind maps are graphical organizing tools that many people find useful when learning and processing how concepts fit together. The process of creating mind maps helps you build mental connections. The part review elements make use of mind maps in several ways: to connect concepts and the related configuration commands, to connect **show** commands and the related networking concepts, and even to connect terminology. (For more information about mind maps, see the section “About Mind Maps.”)

- **Labs:** The “Part Review” section will direct you to the kinds of lab exercises you should do with your chosen lab product, labs that would be more appropriate for this stage of study and review. (Check out the section “About Building Hands-On Skills” for information about lab options.)

In addition to these tasks, many “Part Review” sections have you perform other tasks with book features mentioned in the “Chapter Review” section: repeating DIKTA quiz questions, reviewing key topics, and doing more lab exercises.

Final Review

The “Final Review” chapter at the end of this book lists a series of preparation tasks that you can best use for your final preparation before taking the exam. The “Final Review” chapter focuses on a three-part approach to helping you pass: practicing your skills, practicing answering exam questions, and uncovering your weak spots. To that end, the “Final Review” chapter uses the same familiar book features discussed for the chapter review and part review elements, along with a much larger set of practice questions.

Other Features

In addition to the features in each of the core chapters, this book, as a whole, has additional study resources, including the following:

- **DVD-based practice exam:** The companion DVD contains the powerful Pearson IT Certification Practice Test (PCPT) exam engine. You can take simulated ICND1 exams with the DVD and activation code included in this book. (You can take simulated ICND2 and CCNA R&S exams with the DVD in the *CCNA Routing and Switching ICND2 200-105 Official Cert Guide*.)
- **CCENT ICND1 100-105 Network Simulator Lite:** This lite version of the best-selling CCNA Network Simulator from Pearson provides you with a means, right now, to experience the Cisco command-line interface (CLI). No need to go buy real gear or buy a full simulator to start learning the CLI. Just install it from the DVD in the back of this book.
- **eBook:** If you are interested in obtaining an eBook version of this title, we have included a special offer on a coupon card inserted in the DVD sleeve in the back of the book. This offer enables you to purchase the *CCENT/CCNA ICND1 100-105 Official Cert Guide Premium Edition eBook and Practice Test* at a 70 percent discount off the list price. In addition to three versions of the eBook, PDF (for reading on your computer), EPUB (for reading on your tablet, mobile device, or Nook or other eReader), and Mobi (the native Kindle version), you also receive additional practice test questions and enhanced practice test features.
- **Subnetting videos:** The companion DVD contains a series of videos that show you how to calculate various facts about IP addressing and subnetting (in particular, using the shortcuts described in this book).
- **Subnetting practice:** The companion DVD contains five appendixes (D–H) with a set of subnetting practice problems and answers. This is a great resource to practice building subnetting skills. You can also do these same practice problems with applications that you can access from the DVD or the companion web site.

- **Other practice:** The companion DVD contains four other appendixes (I–K) that each contain other practice problems related to a particular chapter from the book. Use these for more practice on the particulars with some of the math- and process-oriented activities in the chapters. You can also do these same practice problems with applications that you can access from the DVD or the companion website.
- **Mentoring videos:** The DVD included with this book includes four other instructional videos, about the following topics: switch basics, CLI navigation, router configuration, and VLANs.
- **Companion website:** The website www.ciscopress.com/title/9781587205804 posts up-to-the-minute materials that further clarify complex exam topics. Check this site regularly for new and updated postings written by the author that provide further insight into the more troublesome topics on the exam.
- **PearsonITCertification.com:** The website www.pearsonitcertification.com is a great resource for all things IT-certification related. Check out the great CCNA articles, videos, blogs, and other certification preparation tools from the industry’s best authors and trainers.
- **CCNA Simulator:** If you are looking for more hands-on practice, you might want to consider purchasing the CCNA Network Simulator. You can purchase a copy of this software from Pearson at <http://pearsonitcertification.com/networksimulator> or other retail outlets. To help you with your studies, I have created a mapping guide that maps each of the labs in the simulator to the specific sections in these CCNA cert guides. You can get this mapping guide for free on the Extras tab of the companion website.
- **Author’s website and blogs:** The author maintains a website that hosts tools and links useful when studying for CCENT and CCNA. The site lists information to help you build your own lab, study pages that correspond to each chapter of this book and the ICND1 book, and links to the author’s CCENT Skills blog and CCNA Skills blog. Start at www.certskills.com; look to blog.certskills.com for a page about the blogs in particular, with links to the pages with the labs related to this book.

A Big New Feature: Review Applications

One of the single biggest additions to this edition of the book is the addition of study apps for many of the chapter review activities. In the past, all chapter review activities use the book chapter, or the chapter plus a DVD-only appendix. Readers tell us they find that content useful, but the content is static.

This book (and the *CCNA Routing and Switching ICND2 200-105 Official Cert Guide*) are the first Cisco Press Cert Guides with extensive interactive applications. Basically, most every activity that can be done at chapter review can now be done with an application. The applications can be found both on the DVD that comes with the book and on the book’s companion website.

The advantages of using these apps are as follows:

- **Easier to use:** Instead of having to print out copies of the appendixes and do the work on paper, these new apps provide you with an easy to use, interactive experience that you can easily run over and over.
- **Convenient:** When you have a spare 5–10 minutes, go to the book’s website, and review content from one of your recently finished chapters.

- **Untethered from Book/DVD:** Because these apps are available on the book’s companion web page in addition to the DVD, you can access your review activities from anywhere—no need to have the book or DVD with you.
- **Good for tactile learners:** Sometimes looking at a static page after reading a chapter lets your mind wander. Tactile learners may do better by at least typing answers into an app, or clicking inside an app to navigate, to help keep you focused on the activity.

Our in-depth reader surveys show that readers who use the chapter review tools like them, but that not everyone uses the “Chapter Review” sections consistently. So, we want to increase the number of people using the review tools, and make them both more useful and more interesting. Table I-1 summarizes these new applications and the traditional book features that cover the same content.

Table I-1 Book Features with Both Traditional and App Options

Feature	Traditional	App
Key Topic	Table with list; flip pages to find	Key Topics Table app
Config Checklist	Just one of many types of key topics	Config Checklist app
Memory Table	Two static PDF appendixes (one with sparse tables for you to complete, one with completed tables)	Memory Table app
Key Terms	Listed in each “Chapter Review” section, with the Glossary in the back of the book	Glossary Flash Cards app
Subnetting Practice	Appendixes D–H, with practice problems and answers	A variety of apps, one per problem type
Other Practice	Appendixes I–K with practice problems and answers	A variety of apps, one per problem type

How to Get the Electronic Elements of This Book

Traditionally, all chapter review activities use the book chapter plus appendixes, with the appendixes often being located on the DVD. But most of that content is static: useful, but static.

If you buy the print book, and have a DVD drive, you have all the content on the DVD. Just spin the DVD and use the disk menu that should automatically start to explore all content.

If you buy the print book but do not have a DVD drive, you can get the DVD files by registering your book on the Cisco Press website. To do so, simply go to www.ciscopress.com/register and enter the ISBN of the print book: 9781587205804. After you have registered your book, go to your account page and click the **Registered Products** tab. From there, click the **Access Bonus Content** link to get access to the book’s companion website.

If you buy the Premium Edition eBook and Practice Test from Cisco Press, your book will automatically be registered on your account page. Simply go to your account page, click the **Registered Products** tab, and select **Access Bonus Content** to access the book’s companion website.

If you buy the eBook from some other bookseller, the very last page of your eBook file will contain instructions for how to register the book and access the companion website. The steps are the same as noted earlier for those who buy the print book but do not have a DVD drive.

Book Organization, Chapters, and Appendixes

This book contains 36 core chapters, Chapters 1 through 36, with Chapter 37 as the “Final Review” chapter. Each core chapter covers a subset of the topics on the ICND1 exam. The core chapters are organized into sections. The core chapters cover the following topics:

- **Part I: Networking Fundamentals**
 - **Chapter 1, “Introduction to TCP/IP Networking,”** introduces the central ideas and terms used by TCP/IP, and contrasts the TCP/IP networking model with the OSI model.
 - **Chapter 2, “Fundamentals of Ethernet LANs,”** introduces the concepts and terms used when building Ethernet LANs.
 - **Chapter 3, “Fundamentals of WANs,”** covers the concepts and terms used for the data link layer for WANs, including HDLC.
 - **Chapter 4, “Fundamentals of IPv4 Addressing and Routing”:** IP is the main network layer protocol for TCP/IP. This chapter introduces the basics of IPv4, including IPv4 addressing and routing.
 - **Chapter 5, “Fundamentals of TCP/IP Transport and Applications”:** This chapter completes most of the detailed discussion of the upper two layers of the TCP/IP model (transport and application), focusing on TCP and applications.
- **Part II: Implementing Basic Ethernet LANs**
 - **Chapter 6, “Using the Command-Line Interface,”** explains how to access the text-based user interface of Cisco Catalyst LAN switches.
 - **Chapter 7, “Analyzing Ethernet LAN Switching,”** shows how to use the Cisco CLI to verify the current status of an Ethernet LAN and how it switches Ethernet frames.
 - **Chapter 8, “Configuring Basic Switch Management,”** explains how to configure Cisco switches for basic management features, such as remote access using Telnet and SSH.
 - **Chapter 9, “Configuring Switch Interfaces,”** shows how to configure a variety of switch features that apply to interfaces, including duplex/speed and port security.
- **Part III: Ethernet LANs: Design, VLANs, and Troubleshooting**
 - **Chapter 10, “Analyzing Ethernet LAN Designs,”** examines various ways to design Ethernet LANs, discussing the pros and cons, and explains common design terminology.
 - **Chapter 11, “Implementing Ethernet Virtual LANs”:** This chapter explains the concepts and configuration surrounding virtual LANs, including VLAN trunking.
 - **Chapter 12, “Troubleshooting Ethernet LANs,”** focuses on how to tell whether the switch is doing what it is supposed to be doing, mainly through the use of show commands.

- **Part IV: IP Version 4 Addressing and Subnetting**
 - **Chapter 13, “Perspectives on IPv4 Subnetting,”** walks you through the entire concept of subnetting, from starting with a Class A, B, or C network to a completed subnetting design as implemented in an enterprise IPv4 network.
 - **Chapter 14, “Analyzing Classful IPv4 Networks”:** IPv4 addresses originally fell into several classes, with unicast IP addresses being in Class A, B, and C. This chapter explores all things related to address classes and the IP network concept created by those classes.
 - **Chapter 15, “Analyzing Subnet Masks,”** shows how an engineer can analyze the key facts about a subnetting design based on the subnet mask. This chapter shows how to look at the mask and IP network to determine the size of each subnet and the number of subnets.
 - **Chapter 16, “Analyzing Existing Subnets”:** Most troubleshooting of IP connectivity problems starts with an IP address and mask. This chapter shows how to take those two facts and find key facts about the IP subnet in which that host resides.
- **Part V: Implementing IPv4**
 - **Chapter 17, “Operating Cisco Routers,”** is like Chapter 8, focusing on basic device management, but it focuses on routers instead of switches.
 - **Chapter 18, “Configuring IPv4 Addresses and Static Routes,”** discusses how to add IPv4 address configuration to router interfaces and how to configure static IPv4 routes.
 - **Chapter 19, “Learning IPv4 Routes with RIPv2,”** explains how routers work together to find all the best routes to each subnet using a routing protocol. This chapter also shows how to configure the RIPv2 routing protocol for use with IPv4.
 - **Chapter 20, “DHCP and IP Networking on Hosts,”** discusses how hosts can be configured with their IPv4 settings, and how they can learn those settings with DHCP.
- **Part VI: IPv4 Design and Troubleshooting**
 - **Chapter 21, “Subnet Design,”** takes a design approach to subnetting. This chapter begins with a classful IPv4 network, and asks why a particular mask might be chosen, and if chosen, what subnet IDs exist.
 - **Chapter 22, “Variable-Length Subnet Masks,”** moves away from the assumption of one subnet mask per network to multiple subnet masks per network—which makes subnetting math and processes much more challenging. This chapter explains those challenges.
 - **Chapter 23, “IPv4 Troubleshooting Tools,”** focuses on how to use two key troubleshooting tools to find routing problems: the **ping** and **tracert** commands.
 - **Chapter 24, “Troubleshooting IPv4 Routing,”** looks at the most common IPv4 problems and how to find the root causes of those problems when troubleshooting.
- **Part VII: IPv4 Services: ACLs and NAT**
 - **Chapter 25, “Basic IPv4 Access Control Lists”:** This chapter examines how standard IP ACLs can filter packets based on the source IP address so that a router will not forward the packet.

- **Chapter 26, “Advanced IPv4 Access Control Lists”:** This chapter examines both named and numbered ACLs, and both standard and extended IP ACLs.
- **Chapter 27, “Network Address Translation,”** works through the complete concept, configuration, verification, and troubleshooting sequence for the router NAT feature, including how it helps conserve public IPv4 addresses.
- **Part VIII: IP Version 6**
 - **Chapter 28, “Fundamentals of IP Version 6,”** discusses the most basic concepts of IP version 6, focusing on the rules for writing and interpreting IPv6 addresses.
 - **Chapter 29, “IPv6 Addressing and Subnetting,”** works through the two branches of unicast IPv6 addresses—global unicast addresses and unique local addresses—that act somewhat like IPv4 public and private addresses, respectively.
 - **Chapter 30, “Implementing IPv6 Addressing on Routers,”** shows how to configure IPv6 routing and addresses on routers, while discussing a variety of special IPv6 addresses.
 - **Chapter 31, “Implementing IPv6 Addressing on Hosts,”** mirrors Chapter 20’s discussions of IPv4 on hosts, while adding details of how IPv6 uses Stateless Address Auto Configuration (SLAAC).
 - **Chapter 32, “Implementing IPv6 Routing,”** shows how to add static routes to an IPv6 router’s routing table.
- **Part IX: Network Device Management**
 - **Chapter 33, “Device Management Protocols,”** discusses the concepts and configuration of some common network management tools: syslog, NTP, CDP, and LLDP.
 - **Chapter 34, “Device Security Features,”** takes the discussion of device passwords a step deeper, and examines how to better secure devices through device hardening.
 - **Chapter 35, “Managing IOS Files,”** explains the IOS file system, focusing on key files like the IOS and configuration files. The chapter shows how to upgrade IOS and to backup/restore the configuration file.
 - **Chapter 36, “IOS License Management,”** discusses the Cisco per-device license management practices through the use of PAK licensing.
- **Part X: Final Review**
 - **Chapter 37, “Final Review,”** suggests a plan for final preparation after you have finished the core parts of the book.
- **Part XI: Appendixes (In Print)**
 - **Appendix A, “Numeric Reference Tables,”** lists several tables of numeric information, including a binary-to-decimal conversion table and a list of powers of 2.
 - **Appendix B, “CCENT/CCNA ICND1 100-105 Exam Updates,”** is a place for the author to add book content mid-edition. Always check online for the latest PDF version of this appendix; the appendix lists download instructions.
 - The **Glossary** contains definitions for all the terms listed in the “Key Terms You Should Know” sections at the conclusion of Chapters 1 through 36.

■ Part XII: DVD Appendixes

The following appendixes are available in digital format on the DVD that accompanies this book:

- **Appendix C, “Answers to the ‘Do I Know This Already?’ Quizzes,”** includes the explanations to all the questions from Chapters 1 through 36.
- **Appendix D, “Practice for Chapter 14: Analyzing Classful IPv4 Networks”**
- **Appendix E, “Practice for Chapter 15: Analyzing Subnet Masks”**
- **Appendix F, “Practice for Chapter 16: Analyzing Existing Subnets”**
- **Appendix G, “Practice for Chapter 21: Subnet Design”**
- **Appendix H, “Practice for Chapter 22: Variable-Length Subnet Masks”**
- **Appendix I, “Practice for Chapter 25: Basic IPv4 Access Control Lists”**
- **Appendix J, “Practice for Chapter 28: Fundamentals of IP Version 6”**
- **Appendix K, “Practice for Chapter 30: Implementing IPv6 Addressing on Routers”**
- **Appendix L, “Mind Map Solutions,”** shows an image of sample answers for all the part-ending mind map exercises.
- **Appendix M, “Study Planner,”** is a spreadsheet with major study milestones, where you can track your progress through your study.
- **Appendix N, “Classless Inter-domain Routing,”** is an extra chapter for anyone interested in reading more about the concepts, terminology, and math related to CIDR.
- **Appendix O, “Route Summarization,”** is a copy of a chapter that was in the previous edition of this book, but was removed for this edition. It is included here for anyone who has interest, and for instructors who may need the chapter for their existing course.
- **Appendix P, “Implementing Point-to-Point WANs,”** is a copy of the ICND2 book’s chapter about serial WANs. In a lab environment, you may want to use serial WAN links, and you may not have a copy of the ICND2 book. I included this chapter for reference if you need a little more depth about serial links.
- **Appendix Q, “Topics from Previous Editions,”** is a collection of information about topics that have appeared on previous versions of the CCNA exams. While no longer within this exam’s topics, the concepts are still of interest to someone with the CCENT or CCNA certification.
- **Appendix R, “Exam Topics Cross Reference,”** provides some tables to help you find where each exam objectives is covered in the book.

Reference Information

This short section contains a few topics available for reference elsewhere in the book. You may read these when you first use the book, but you may also skip these topics and refer back to them later. In particular, make sure to note the final page of this introduction, which lists several contact details, including how to get in touch with Cisco Press.

Install the Pearson IT Certification Practice Test Engine and Questions

This book, like many other Cisco Press books, includes the rights to use the Pearson IT Certification Practice Test (PCPT) software, along with rights to use some exam questions related to this book. PCPT allows has many options, including the option to answer

questions in study mode, so you can see the answers and explanations for each question as you go along, or to take a simulated exam that mimics real exam conditions, or to view questions in flash card mode, where all the answers are stripped out, challenging you to answer questions from memory.

You should install PCPT so it is ready to use even for the earliest chapters. This book's Part Review sections ask you specifically to use PCPT, and you can even take the DIKTA chapter pre-quizzes using PCPT.

NOTE The right to use the exams associated with this book is based on an activation code. For those with a print book, the code is in the DVD sleeve at the back of the book. For those who purchase the Premium Edition eBook and Practice Test directly from the Cisco Press website, the code will be populated on your account page after purchase. For those who purchase a Kindle edition, the access code will be supplied directly from Amazon. Note that if you purchase an eBook version from any other source, the practice test is not included, as other vendors are not able to vend the required unique access code. *Do not lose the activation code.*

NOTE Also on this same piece of paper, on the opposite side from the exam activation code, you will find a one-time-use coupon code that gives you 70 percent off the purchase of the *CCENT/CCNA ICND1 100-105 Official Cert Guide, Premium Edition eBook and Practice Test*.

PCPT Exam Databases with This Book

This book includes an activation code that allows you to load a set of practice questions. The questions come in different exams or exam databases. When you install the PCPT software and type in the activation code, the PCPT software downloads the latest version of all these exam databases. And with the ICND1 book alone, you get four different “exams,” or four different sets of questions, as listed in Figure I-4.




Figure I-4 PCPT Exams/Exam Databases and When to Use Them

You can choose to use any of these exam databases at any time, both in study mode and practice exam mode. However, many people find it best to save some of the exams until exam review time, after you have finished reading the entire book. Figure I-4 begins to suggest a plan, spelled out here:

- During part review, use PCPT to review the DIKTA questions for that part, using study mode.
- During part review, use the questions built specifically for part review (the part review questions) for that part of the book, using study mode.
- Save the remaining exams to use with the “Final Review” chapter at the end of the book.

The two modes inside PCPT give you better options for study versus practicing a timed exam event. In study mode, you can see the answers immediately, so you can study the topics more easily. Also, you can choose a subset of the questions in an exam database; for instance, you can view questions from only the chapters in one part of the book.

PCPT practice mode lets you practice an exam event somewhat like the actual exam. It gives you a preset number of questions, from all chapters, with a timed event. Practice exam mode also gives you a score for that timed event.

How to View Only DIKTA Questions by Chapter or Part

Most chapters begin with a “Do I Know This Already?” (DIKTA) quiz. You can take the quiz to start a chapter, take it again during chapter review for more practice, and the “Part Review” sections even suggest that you repeat the questions from all chapters in that part.

You can use the DIKTA quiz as printed in the book, or use the PCPT software. The book lists the questions, with the letter answers on the page following the quiz. Appendix C, on the DVD, lists the answers along with an explanation; you might want to keep that PDF handy.

Using PCPT for these questions has some advantages. It gives you a little more practice in how to read questions from testing software. Also, the explanations to the questions are conveniently located in the PCPT software.

To view these DIKTA questions inside the PCPT software, you need to select **Book Questions**, which is the way PCPT references questions found inside the printed book. Then you have to deselect all chapters (with a single click), and then select one or more chapters, as follows:

- Step 1.** Start the PCPT software.
- Step 2.** From the main (home) menu, select the item for this product, with a name like *CCENT/CCNA ICND1 100-105 Official Cert Guide*, and click **Open Exam**.
- Step 3.** The top of the next window that appears should list some exams; check the **ICND1 Book Questions** box, and uncheck the other boxes. This selects the “book” questions (that is, the DIKTA questions from the beginning of each chapter).
- Step 4.** On this same window, click at the bottom of the screen to deselect all objectives (chapters). Then select the box beside each chapter in the part of the book you are reviewing.
- Step 5.** Select any other options on the right side of the window.
- Step 6.** Click **Start** to start reviewing the questions.

How to View Part Review Questions

The exam databases you get with this book include a database of questions created solely for study during the part review process. DIKTA questions focus more on facts, to help you determine whether you know the facts contained within the chapter. The part review questions instead focus more on application of those facts to typical real scenarios, and look more like real exam questions.

To view these questions, follow the same process as you did with DIKTA/book questions, but select the Part Review database rather than the book database. PCPT has a clear name for this database: Part Review Questions.

About Mind Maps

Mind maps are a type of visual organization tool that you can use for many purposes. For instance, you can use mind maps as an alternative way to take notes.

You can also use mind maps to improve how your brain organizes concepts. Mind maps improve your brain's connections and relationships between ideas. When you spend time thinking about an area of study, and organize your ideas into a mind map, you strengthen existing mental connections and create new connections, all into your own frame of reference.

In short, mind maps help you internalize what you learn.

Each mind map begins with a blank piece of paper or blank window in a mind mapping application. You then add a large central idea, with branches that move out in any direction. The branches contain smaller concepts, ideas, commands, pictures, whatever idea needs to be represented. Any concepts that can be grouped should be put near each other. As need be, you can create deeper and deeper branches, although for this book's purposes, most mind maps will not go beyond a couple of levels.

NOTE Many books have been written about mind maps, but Tony Buzan often gets credit for formalizing and popularizing mind maps. You can learn more about mind maps at his website, www.thinkbuzan.com.

For example, Figure I-5 shows a sample mind map that begins to output some of the IPv6 content from Part VIII of the ICND1 book. You might create this kind of mind map when reviewing IPv6 addressing concepts, starting with the big topic of “IPv6 addressing,” and then writing down random terms and ideas. As you start to organize them mentally, you draw lines connecting the ideas, reorganize them, and eventually reach the point where you believe the organization of ideas makes sense to you.




Figure I-5 Sample Mind Map

Mind maps may be the least popular but most effective study tool suggested in this book. I personally find a huge improvement in learning new areas of study when I mind map; I hope you will make the effort to try these tools and see if they work well for you too.

Finally, for mind mapping tools, you can just draw them on a blank piece of paper, or find and download a mind map application. I have used Mind Node Pro on a Mac, and we build the sample mind maps with XMIND, which has free versions for Windows, Linux, and OS X.

About Building Hands-On Skills

You need skills in using Cisco routers and switches, specifically the Cisco command-line interface (CLI). The Cisco CLI is a text-based command-and-response user interface; you type a command, and the device (a router or switch) displays messages in response. To answer sim and simlet questions on the exams, you need to know a lot of commands, and you need to be able to navigate to the right place in the CLI to use those commands.

This next section walks through the options of what is included in the book, with a brief description of lab options outside the book.

Config Lab Exercises

Some router and switch features require multiple configuration commands. Part of the skill you need to learn is to remember which configuration commands work together, which ones are required, and which ones are optional. So, the challenge level goes beyond just picking the right parameters on one command. You have to choose which commands to use, in which combination, typically on multiple devices. And getting good at that kind of task requires practice.

The Config Labs feature, introduced as a new feature in this edition of the book, helps provide that practice. Each lab presents a sample lab topology, with some requirements, and you have to decide what to configure on each device. The answer then shows a sample configuration. Your job is to create the configuration, and then check your answer versus the supplied answer.

Also for the first time, this edition places the content not only outside the book but also onto the author's blog site. To reach my blog sites for ICND1 content or for ICND2 content (two different blogs), you can start at my blog launch site (blog.certskills.com), and click from there.

blog.certskills.com/ccent/ Wendell's CCENT (ICND1): In the menus, navigate to Hands On... Config Lab

blog.certskills.com/ccna/ Wendell's CCNA (ICND2): In the menus, navigate to Hands On... Config Lab

Both blogs are geared toward helping you pass the exams, so feel free to look around. Note that the Config Lab posts should show an image like this in the summary:



Figure I-6 *Config Lab Logo in the Author's Blogs*

These Config Labs have several benefits, including the following:

Untethered and responsive: Do them from anywhere, from any web browser, from your phone or tablet, untethered from the book or DVD.

Designed for idle moments: Each lab is designed as a 5- to 10-minute exercise if all you are doing is typing in a text editor or writing your answer on paper.

Two outcomes, both good: Practice getting better and faster with basic configuration, or if you get lost, you have discovered a topic that you can now go back and reread to complete your knowledge. Either way, you are a step closer to being ready for the exam!

Blog format: Allows easy adds and changes by me, and easy comments by you.

Self-assessment: As part of final review, you should be able to do all the Config Labs, without help, and with confidence.

Note that the blog organizes these Config Lab posts by book chapter, so you can easily use these at both chapter review and part review. See the “Your Study Plan” element that follows the Introduction for more details about those review sections.

A Quick Start with Pearson Network Simulator Lite

The decision of how to get hands-on skills can be a little scary at first. The good news: You have a free and simple first step to experience the CLI: Install and use the Pearson NetSim Lite that comes with this book.

This book comes with a lite version of the best-selling CCNA Network Simulator from Pearson, which provides you with a means, right now, to experience the Cisco CLI. No need to go buy real gear or buy a full simulator to start learning the CLI. Just install it from the DVD in the back of this book.

The labs with this latest version of NetSim Lite includes labs associated with Part II of this book. Part I includes concepts only, with Part II being the first part with commands. So, make sure and use the NetSim Lite to learn the basics of the CLI to get a good start.

Of course, one reason that NetSim Lite comes on the DVD is that the publisher hopes you will buy the full product. However, even if you do not use the full product, you can still learn from the labs that come with NetSim Lite while deciding about what options to pursue.

NOTE The ICND1 and ICND2 books each contain a different version of the Sim Lite product, each with labs that match the book content. If you bought both books, make sure you install both Sim Lite products.

The Pearson Network Simulator

The Config Labs and the Pearson Network Simulator Lite both fill specific needs, and they both come with the book. However, you need more than those two tools.

The single best option for lab work to do along with this book is the paid version of the Pearson Network Simulator. This simulator product simulates Cisco routers and switches so that you can learn for the CCENT and CCNA R&S certifications. But more importantly, it focuses on learning for the exam by providing a large number of useful lab exercises. Reader surveys tell us that those people who use the Simulator along with the book love the learning process, and rave about how the book and Simulator work well together.

Of course, you need to make a decision for yourself, and consider all the options. Thankfully, you can get a great idea of how the full Simulator product works by using the Pearson Network Simulator Lite product include with the book. Both have the same base code and same user interface, and the same types of labs. Try the Lite version, and check out the full product. There is a full product for CCENT only, and another for CCNA R&S (which includes all the labs in the CCENT product, plus others for the ICND2 parts of the content).

Note that the Simulator and the books work on a different release schedule. For a time in 2016, the Simulator will be the Simulator created for the previous versions of the exams (ICND1 100-101, ICND2 200-101, and CCNA 200-120). That product includes approximately 80 percent of the CLI topics in the ICND1 100-105 and 200-105 books. So during that time, the Simulator is still very useful.

On a practical note, when you want to do labs when reading a chapter or doing part review, the Simulator organizes the labs to match the book. Just look for “Sort by Chapter” tab in the Simulator’s user interface. However, during the months in 2016 for which the Simulator is the older edition listing the older exams in the title, you will need to refer to a PDF that lists those labs versus this book’s organization. You can find that PDF on the book product page under the Downloads tab here: www.ciscopress.com/title/9781587205804.

More Lab Options

If you decide against using the full Pearson Network Simulator, you still need hands-on experience. You should plan to use some lab environment to practice as much CLI as possible.

First, you can use real Cisco routers and switches. You can buy them, new or used, or borrow them at work. You can rent them for a fee. If you have the right mix of gear, you could even do the Config Lab exercises from my blog on that gear, or try and re-create examples from the book.

Cisco offers a virtualization product that lets you run router and switch operating system (OS) images in a virtual environment. This tool, the Virtual Internet Routing Lab (VIRL; <http://virl.cisco.com>), lets you create a lab topology, start the topology, and connect to real router and switch OS images. Check out <http://virl.cisco.com> for more information.

You can even rent virtual Cisco router and switch lab pods from Cisco, in an offering called Cisco Learning Labs (www.cisco.com/go/learninglabs).

All these previously mentioned options cost some money, but the next two are generally free to the user, but with a different catch for each. First, GNS3 works somewhat like VIRL, creating a virtual environment running real Cisco IOS. However, GNS3 is not a Cisco product, and cannot provide you with the IOS images for legal reasons.

Cisco also makes a simulator that works very well as a learning tool: Cisco Packet Tracer. However, Cisco intends Packet Tracer for use by people currently enrolled in Cisco Networking Academy courses, and not for the general public. So, if you are part of a Cisco Academy, definitely use Packet Tracer.

This book does not tell you what option to use, but you should plan on getting some hands-on practice somehow. The important thing to know is that most people need to practice using the Cisco CLI to be ready to pass these exams.

For More Information

If you have any comments about the book, submit them via www.ciscopress.com. Just go to the website, select **Contact Us**, and type your message.

Cisco might make changes that affect the CCNA certification from time to time. You should always check www.cisco.com/go/ccna and www.cisco.com/go/ccent for the latest details.

The *CCENT/CCNA ICND1 100-105 Official Cert Guide* helps you attain CCENT and CCNA Routing and Switching certification. This is the CCNA ICND1 certification book from the only Cisco-authorized publisher. We at Cisco Press believe that this book certainly can help you achieve CCNA certification, but the real work is up to you! I trust that your time will be well spent.

This page intentionally left blank



Your Study Plan

You just got this book. You have probably already read (or quickly skimmed) the Introduction. You are probably now wondering whether to start reading here or skip ahead to Chapter 1, “Introduction to TCP/IP Networking.”

Stop to read this section about how to create your own study plan for the exam(s) you plan to take (ICND1 100-105, ICND2 200-105, and/or CCNA 200-125). Your study will go much better if you take time (maybe 15 minutes) to think about a few key points about how to study before starting on this journey. That is what this section will help you do.

A Brief Perspective on Cisco Certification Exams

Cisco sets the bar pretty high for passing the ICND1, ICND2, and CCNA R&S exams. Most anyone can study and pass these exams, but it takes more than just a quick read through the book and the cash to pay for the exam.

The challenge of these exams comes from many angles. Each of these exams covers a lot of concepts and many commands specific to Cisco devices. Beyond knowledge, these Cisco exams also require deep skills. You must be able to analyze and predict what really happens in a network. You must be able to configure Cisco devices to work correctly in those networks. And you must be ready to troubleshoot problems when the network does not work correctly.

The more challenging questions on these exams work a lot like a jigsaw puzzle, but with four out of every five puzzle pieces not even in the room. To solve the puzzle, you have to mentally re-create the missing pieces. To do that, you must know each networking concept and remember how the concepts work together.

For instance, the ICND1 exam includes many troubleshooting topics. A simple question might ask you why a host cannot communicate with some server. The question would supply some of the information, like some pieces of the jigsaw puzzle, as represented with the white pieces in Figure 1. You have to apply your knowledge of IPv4 routing, IP addressing, and Ethernet LAN switching to the scenario in the question to come up with some of the other pieces of the puzzle. For a given question, some pieces of the puzzle may remain a mystery, but with enough of the puzzle filled in, you should be able to answer the question. And some pieces will just remain unknown for a given question.

These skills require that you prepare by doing more than just reading and memorizing what you read. Of course, you need to read many pages in this book to learn many individual facts and how these facts relate to each other. But a big part of this book lists exercises beyond reading, exercises that help you build the skills to solve these networking puzzles.




Figure 1 *Filling In Puzzle Pieces with Your Analysis Skills*

Five Study Plan Steps

These exams are challenging, but many people pass them every day. So, what do you need to do to be ready to pass, beyond reading and remembering all the facts? You need to develop skills. You need to mentally link each idea with other related ideas. Doing that requires additional work. To help you along the way, the next few pages give you five key planning steps to take so that you can more effectively build those skills and make those connections, before you dive into this exciting but challenging world of learning networking on Cisco gear.

Step 1: Think in Terms of Parts and Chapters

The first step in your study plan is to get the right mindset about the size and nature of the task you have set out to accomplish. This is a large book. So you cannot think about the book as one huge task or you might get discouraged. Besides, you never sit down to read 900 pages in one study session. So break the task down into smaller tasks.

The good news here is that the book is designed with obvious breakpoints and built-in extensive review activities. In short, the book is more of a study system than a book.

So the first step in your study plan is to visualize the book not as one large book, but as 9 parts. Then, within each part, visualize an average of 4 chapters. Your study plan has you working through the chapters in each part, and then reviewing the material in that part before moving on, as shown in Figure 2.




Figure 2 9 Parts, with an Average of 4 Chapters Each, with Part Reviews

Now your plan has the following:

- 1 large task: Read and master all content in the book.
- 9 medium tasks/book: Read and master a part.
- 4 small tasks/part: Read and master a chapter.

Step 2: Build Your Study Habits Around the Chapter

For your second step, possibly the most important step, approach each chapter with the same process: read it, and then study the chapter before moving on.

Each chapter follows the same design with three parts, as shown in Figure 3. The chapter pre-quiz (called a DIKTA quiz, or Do I Know This Already? quiz) helps you decide how much time to spend reading versus skimming the core of the chapter, called the Foundation Topics. The Chapter Review section then gives you instructions about how to study and review what you just read.




Figure 3 Suggested Approach to Each Chapter

The book has no long chapters, on purpose. They average just over 20 pages for the Foundation Topics. By keeping the size reasonable, you can complete all of a chapter in one or two short study sessions. Go into each study session that begins a new chapter thinking that you have a chance to complete the chapter, or at least make a great start on it. And if you do not have enough time, look for the major headings inside the chapter—each chapter

has two to three major headings, and those make a great place to stop reading when you need to wait to complete the reading in the next study sessions.

The Chapter Review tasks are very important to your exam-day success. Doing these tasks after you've read the chapter really does help you get ready. Do not put off using these tasks until later! The chapter-ending review tasks help you with the first phase of deepening your knowledge and skills of the key topics, remembering terms, and linking the concepts together in your brain so that you can remember how it all fits together. The following list describes most of the activities you will find in the "Chapter Review" sections:

- Review key topics
- Review key terms
- Repeat the DIKTA questions
- Review memory tables
- Re-create config checklists
- Review command tables
- Do lab exercises
- Do subnetting exercises

Check out the upcoming section titled "Find Review Activities on the Web and DVD?" later in this planning section for more details.

Step 3: Use Book Parts for Major Milestones

Studies show that to master a concept and/or skill, you should plan to go through multiple study sessions to review the concept and to practice the skill. The "Chapter Review" section at the end of each chapter is the first such review, while the Part Review, at the end of each part, acts as that second review.

Plan time to do the Part Review task at the end of each part, using the Part Review elements found at the end of each Part. You should expect to spend about as much time on one Part Review as you would on one entire chapter, or maybe a little more for some parts. So in terms of planning your time, think of the Part Review itself as another chapter.

Figure 4 lists the names of the parts in this book, with some color coding. Note that Parts II and III are related (Ethernet), and Parts IV through VII are also related (IP version 4). Each part ends with a Part Review section of 2 to 4 pages, with notes about what tools and activities to use.




Figure 4 *Parts as Major Milestones*

Chapter Review and Part Review differ in some ways. Chapter Review tasks tend to provide a lot of context, so you can focus on mentally adding a specific piece of knowledge, or practicing a specific skill. Part Review activities instead remove a lot of the context, more like real life and the real exams. Removing that context means that you have to exercise your own knowledge and skills. The result: You uncover your weaknesses. The better you become at uncovering weaknesses, and then learning what you are missing in that area, the better prepared you will be for the exam.

The Part Review sections use the following kinds of tools in addition to some of the same tools used for Chapter Review:

- Mind maps
- Part Review questions with PCPT
- Labs

Also, consider setting a goal date for finishing each part of the book (and a reward, as well). Plan a break, some family time, some time out exercising, eating some good food, whatever helps you get refreshed and motivated for the next part.

Step 4: Use the Final Review Chapter to Refine Skills and Uncover Weaknesses

Your fourth step has one overall task: Follow the details outlined in Chapter 37, “Final Review,” at the end of this book for what to do between finishing the book and taking the exam.

The “Final Review” chapter has two major goals. First, it helps you further develop the analytical skills you need to answer the more complicated questions on the exam. Many questions require that you connect ideas about concepts, configuration, verification, and troubleshooting. The closer you get to taking the exam, the less reading you should do, and the more you should do other learning activities; this chapter’s tasks give you activities to further develop these skills.

The tasks in the “Final Review” chapter also help you uncover your weak areas. This final element gives you repetition with high-challenge exam questions, uncovering any gaps in your knowledge. Many of the questions are purposefully designed to test your knowledge of the most common mistakes and misconceptions, helping you avoid some of the common pitfalls people experience with the actual exam.

Step 5: Set Goals and Track Your Progress

Your fifth study plan step spans the entire timeline of your study effort. Before you start reading the book and doing the rest of these study tasks, take the time to make a plan, set some goals, and be ready to track your progress.

While making lists of tasks may or may not appeal to you, depending on your personality, goal setting can help everyone studying for these exams. And to do the goal setting, you need to know what tasks you plan to do.

NOTE If you read this, and decide that you want to try to do better with goal setting beyond your exam study, check out a blog series I wrote about planning your networking career here: <http://blog.certskills.com/ccna/tag/development-plan/>.

As for the list of tasks to do when studying, you do not have to use a detailed task list. (You could list every single task in every chapter-ending Chapter Review section, every task in the Part Reviews, and every task in the “Final Review” chapter.) However, listing the major tasks can be enough.

You should track at least two tasks for each typical chapter: reading the “Foundation Topics” section and doing the Chapter Review at the end of the chapter. And, of course, do not forget to list tasks for Part Reviews and Final Review. Table 1 shows a sample for Part I of this book.

Table 1 Sample Excerpt from a Planning Table

Element	Task	Goal Date	First Date Completed	Second Date Completed (Optional)
Chapter 1	Read Foundation Topics			
Chapter 1	Do Chapter Review tasks			
Chapter 2	Read Foundation Topics			
Chapter 2	Do Chapter Review tasks			
Chapter 3	Read Foundation Topics			
Chapter 3	Do Chapter Review tasks			
Part I Review	Do Part Review activities			

NOTE Appendix M, “Study Planner,” on the DVD that comes with this book, contains a complete planning checklist like Table 1 for the tasks in this book. This spreadsheet allows you to update and save the file to note your goal dates and the tasks you have completed.

Use your goal dates as a way to manage your study, and not as a way to get discouraged if you miss a date. Pick reasonable dates that you can meet. When setting your goals, think about how fast you read and the length of each chapter’s “Foundation Topics” section, as listed in the table of contents. Then, when you finish a task sooner than planned, move up the next few goal dates.

If you miss a few dates, do *not* start skipping the tasks listed at the ends of the chapters! Instead, think about what is impacting your schedule—real life, commitment, and so on—and either adjust your goals or work a little harder on your study.

Things to Do Before Starting the First Chapter

Now that you understand the big ideas behind a good study plan for the book, take a few more minutes for a few overhead actions that will help. Before leaving this section, look at some other tasks you should do either now, or around the time you are reading the first few chapters, to help make a good start in the book.

Find Review Activities on the Web and DVD

The earlier editions of the book have used review activities that relied on the chapter, plus PDF appendixes found on the DVD. Some activities also rely on the PCPT testing software.

This edition is the first Cisco Press certification guide to offer a large set of apps to use instead of the traditional study features. The Introduction's section titled "A Big New Feature: Review Applications" detailed some of the reasons.

I encourage you to go ahead and access the book's companion website to find the review apps and explore. Also, spin the DVD, and find the review apps there. Both methods organize the review activities by chapter and by part.

Note that this book includes the traditional methods of review as well, with instructions in the book, and matching PDF appendixes in some cases. For instance, all the subnetting exercises can be done in an app, but those same exercises exist in DVD-only appendixes—you choose which works better for you.

Should I Plan to Use the Two-Exam Path or One-Exam Path?

You do not have to make this choice today, but you can be mulling the decision while you study.

To get a CCNA Routing and Switching certification, you choose either a one-exam or two-exam path. Which should you use? The following is my opinion, but it's based on chatter and opinions from readers from many years. You can consider the one-exam path if

- You already know about half the topics well, through prior experience or study.
- You have already proven that you are excellent at learning through self-study.

Otherwise, in my opinion, you would be better off taking the two-exam path. First, there is no cost savings for most people with the one-exam path. Check the exam prices in your country, for ICND1, ICND2, and CCNA, and then make some comparisons. Assume you pass the tests on the first try: traditionally, the cost is identical for both the ICND1 + ICND2 path and the CCNA path. Or, assume that you fail each exam once: again, the costs are identical.

Next, consider the number of topics. From a content perspective, CCNA = ICND1 + ICND2. So, both paths require learning the same content.

Next, which would you rather have done in school: take a final exam over a single semester's material, or a final exam covering the whole year? It is just harder to prepare for an exam that covers more material, so the two-exam path gain has an advantage.

Finally, the most compelling reason for the two-exam path is that you probably have no experience with Cisco exams yet. I hope you have a chance to pass many Cisco exams during your career. The two-exam path gets you to that first exam attempt sooner, and the exam experience teaches you things about the exam and yourself that no study tool can teach you.

Thankfully, you do not have to decide now. In fact, you can study the entire ICND1 book and all the while ponder whether to use the one-exam or two-exam path to CCNA R&S. At that point, you can make a better decision about which path works better for you.

Study Options for Those Taking the 200-125 CCNA Exam

Studying for the two-exam path has an obvious approach: just use the ICND1 book for the ICND1 exam, and the ICND2 book for the ICND2 exam. Simple enough.

If you do plan to take the 200-125 CCNA R&S exam, you have a couple of study options. First, to be clear: The 200-125 CCNA exam covers the topics in the combined ICND1 and ICND2 books. So, using both the ICND1 and ICND2 books covers everything for the 200-125 CCNA R&S exam. The only question is when to read each part of the two books. You have two reasonable options when going with the one-exam option:

- Complete all the ICND1 book, then move on to the ICND2 book.
- Move back and forth between the ICND1 and ICND2 books, by part, based on topics, as shown in Figure 5.

The first option is pretty obvious, but the second one is less obvious. Figure 5 shows a study plan in which you complete the Ethernet parts in the ICND1, then the Ethernet part in ICND2. Similarly, you complete the IPv4 parts in ICND1, then ICND2, and then the IPv6 part in both books, and then the final part in both books.




Figure 5 *Alternate Reading Plan for CCNA: Moving Between Books by Part*

Personally, I am a fan of completing the ICND1 book completely, and then moving on to the ICND2 book. However, for those of you with a large amount of experience already, this alternate reading plan may work well.

Other Small Tasks Before Getting Started

You need to do a few overhead tasks to install software, find some PDFs, and so on. You can do these tasks now or do them in your spare moments when you need a study break during the first few chapters of the book. But do these early. That way, if you do stumble upon an installation problem, you have time to work through it before you need a particular tool.

Register (for free) at the Cisco Learning Network (CLN, <http://learningnetwork.cisco.com>) and join the CCENT/CCNA R&S study group. This group allows you to both lurk and participate in discussions about topics related to the ICND1 exam, ICND2 exam, and CCNA R&S exam. Register (for free), join the groups, and set up an email filter to redirect the messages to a separate folder. Even if you do not spend time reading all the posts yet, later, when you have time to read, you can browse through the posts to find interesting topics (or just search the posts from the CLN website).

Explore the electronic elements of this book, as detailed in the Introduction's section titled "How to Get the Electronic Elements of This Book." That includes the installation of the PCPT and Sim Lite software.

Also find my blog site as listed in the Introduction, and bookmark the pages that list the config labs, to have those handy for later study. (The URL is <http://blog.certskills.com/ccent/category/hands-on/config-lab>.)

Getting Started: Now

Now dive in to your first of many short, manageable tasks: reading the relatively short Chapter 1. Enjoy!

This page intentionally left blank

Variable-Length Subnet Masks

This chapter covers the following exam topics:

1.0 Network Fundamentals

1.8 Configure, verify, and troubleshoot IPv4 addressing and subnetting

IPv4 addressing and subnetting use a lot of terms, a lot of small math steps, and a lot of concepts that fit together. While learning those concepts, it helps to keep things as simple as possible. One way this book has kept the discussion simpler so far was to show examples that use one mask only inside a single Class A, B, or C network.

This chapter removes that restriction by introducing variable-length subnet masks (VLSM). VLSM simply means that the subnet design uses more than one mask in the same classful network. VLSM has some advantages and disadvantages, but when learning, the main challenge is that a subnetting design that uses VLSM requires more math, and it requires that you think about some other issues as well. This chapter walks you through the concepts, the issues, and the math.

“Do I Know This Already?” Quiz

Take the quiz (either here, or use the PCPT software) if you want to use the score to help you decide how much time to spend on this chapter. The answers are at the bottom of the page following the quiz, and the explanations are in DVD Appendix C and in the PCPT software.

Table 22-1 “Do I Know This Already?” Foundation Topics Section-to-Question Mapping

Foundation Topics Section	Questions
VLSM Concepts and Configuration	1–2
Finding VLSM Overlaps	3–4
Adding a New Subnet to an Existing VLSM Design	5

1. Which of the following routing protocols support VLSM? (Choose three answers.)
 - a. RIPv1
 - b. RIPv2
 - c. EIGRP
 - d. OSPF

2. What does the acronym VLSM stand for?
 - a. Variable-length subnet mask
 - b. Very long subnet mask
 - c. Vociferous longitudinal subnet mask
 - d. Vector-length subnet mask
 - e. Vector loop subnet mask

3. R1 has configured interface Fa0/0 with the **ip address 10.5.48.1 255.255.240.0** command. Which of the following subnets, when configured on another interface on R1, would not be considered an overlapping VLSM subnet?
 - a. 10.5.0.0 255.255.240.0
 - b. 10.4.0.0 255.254.0.0
 - c. 10.5.32.0 255.255.224.0
 - d. 10.5.0.0 255.255.128.0

4. R4 has a connected route for 172.16.8.0/22. Which of the following answers lists a subnet that overlaps with this subnet?
 - a. 172.16.0.0/21
 - b. 172.16.6.0/23
 - c. 172.16.16.0/20
 - d. 172.16.11.0/25

5. A design already includes subnets 192.168.1.0/26, 192.168.1.128/30, and 192.168.1.160/29. Which of the following subnets is the numerically lowest subnet ID that could be added to the design, if you wanted to add a subnet that uses a /28 mask?
 - a. 192.168.1.144/28
 - b. 192.168.1.112/28
 - c. 192.168.1.64/28
 - d. 192.168.1.80/28
 - e. 192.168.1.96/28

Foundation Topics

VLSM Concepts and Configuration

VLSM occurs when an internetwork uses more than one mask for different subnets of a single Class A, B, or C network. Figure 22-1 shows an example of VLSM used in Class A network 10.0.0.0.




Figure 22-1 VLSM in Network 10.0.0.0: Masks /24 and /30

Figure 22-1 shows a typical choice of using a /30 prefix (mask 255.255.255.252) on point-to-point serial links, with mask /24 (255.255.255.0) on the LAN subnets. All subnets are of Class A network 10.0.0.0, with two masks being used, therefore meeting the definition of VLSM.

Oddly enough, a common mistake occurs when people think that VLSM means “using more than one mask in some internetwork” rather than “using more than one mask *in a single classful network*.” For example, if in one internetwork diagram, all subnets of network 10.0.0.0 use a 255.255.240.0 mask, and all subnets of network 11.0.0.0 use a 255.255.255.0 mask, the design uses two different masks. However, Class A network 10.0.0.0 uses only one mask, and Class A network 11.0.0.0 uses only one mask. In that case, the design does not use VLSM.

VLSM provides many benefits for real networks, mainly related to how you allocate and use your IP address space. Because a mask defines the size of the subnet (the number of host addresses in the subnet), VLSM allows engineers to better match the need for addresses with the size of the subnet. For example, for subnets that need fewer addresses, the engineer uses a mask with fewer host bits, so the subnet has fewer host IP addresses. This flexibility reduces the number of wasted IP addresses in each subnet. By wasting fewer addresses, more space remains to allocate more subnets.

VLSM can be helpful for both public and private IP addresses, but the benefits are more dramatic with public networks. With public networks, the address savings help engineers avoid having to obtain another registered IP network number from regional IP address assignment authorities. With private networks, as defined in RFC 1918, running out of addresses is not as big a negative, because you can always grab another private network from RFC 1918 if you run out.

Classless and Classful Routing Protocols

Before you can deploy a VLSM design, you must first use a routing protocol that supports VLSM. To support VLSM, the routing protocol must advertise the mask along with each subnet. Without mask information, the router receiving the update would be confused.

Answers to the “Do I Know This Already?” quiz:

1 B, C, D 2 A 3 A 4 D 5 C

For example, if a router learned a route for 10.1.8.0, but with no mask information, what does that mean? Is that subnet 10.1.8.0/24? 10.1.8.0/23? 10.1.8.0/30? The dotted-decimal number 10.1.8.0 happens to be a valid subnet number with a variety of masks, and because multiple masks can be used with VLSM, the router has no good way to make an educated guess. To effectively support VLSM, the routing protocol needs to advertise the correct mask along with each subnet so that the receiving router knows the exact subnet that is being advertised.

By definition, *classless routing protocols* advertise the mask with each advertised route, and *classful routing protocols* do not. The classless routing protocols, as noted in Table 22-2, are the newer, more advanced routing protocols. Not only do these more advanced classless routing protocols support VLSM, but they also support manual route summarization, which allows a routing protocol to advertise one route for a larger subnet instead of multiple routes for smaller subnets.

**Key
Topic**
Table 22-2 Classless and Classful Interior IP Routing Protocols

Routing Protocol	Is It Classless?	Sends Mask in Updates?	Supports VLSM?	Supports Manual Route Summarization?
RIPv1	No	No	No	No
RIPv2	Yes	Yes	Yes	Yes
EIGRP	Yes	Yes	Yes	Yes
OSPF	Yes	Yes	Yes	Yes

Beyond VLSM itself, the routing protocols do not have to be configured to support VLSM or to be classless. There is no command to enable or disable the fact that classless routing protocols include the mask with each route. The only configuration choice you must make is to use a classless routing protocol.

VLSM Configuration and Verification

Cisco routers do not configure VLSM, enable or disable it, or need any configuration to use it. From a configuration perspective, VLSM is simply a side effect of using the `ip address` interface subcommand. Routers collectively configure VLSM by virtue of having IP addresses in the same classful network but with different masks.

For example, Example 22-1 shows two of the interfaces from router Yosemite from Figure 22-1. The example shows the IP address assignments on two interfaces, one with a /24 mask and one with a /30 mask, both with IP addresses in Class A network 10.0.0.0.

Example 22-1 Configuring Two Interfaces on Yosemite, Resulting in VLSM

```
Yosemite# configure terminal
Yosemite(config)# interface Fa0/0
Yosemite(config-if)# ip address 10.2.1.1 255.255.255.0
Yosemite(config-if)# interface S0/1
Yosemite(config-if)# ip address 10.1.4.1 255.255.255.252
```

The use of VLSM can also be detected by a detailed look at the output of the `show ip route` command. This command lists routes in groups, by classful network, so that you see all the subnets of a single Class A, B, or C network all in a row. Just look down the list, and

look to see, if any, how many different masks are listed. For example, Example 22-2 lists the routing table on Albuquerque from Figure 22-1; Albuquerque uses masks /24 and /30 inside network 10.0.0.0, as noted in the highlighted line in the example.

Example 22-2 *Albuquerque Routing Table with VLSM*

```
Albuquerque# show ip route
! Legend omitted for brevity

10.0.0.0/8 is variably subnetted, 14 subnets, 3 masks
D    10.2.1.0/24 [90/2172416] via 10.1.4.1, 00:00:34, Serial0/0
D    10.2.2.0/24 [90/2172416] via 10.1.4.1, 00:00:34, Serial0/0
D    10.2.3.0/24 [90/2172416] via 10.1.4.1, 00:00:34, Serial0/0
D    10.2.4.0/24 [90/2172416] via 10.1.4.1, 00:00:34, Serial0/0
D    10.3.4.0/24 [90/2172416] via 10.1.6.2, 00:00:56, Serial0/1
D    10.3.5.0/24 [90/2172416] via 10.1.6.2, 00:00:56, Serial0/1
D    10.3.6.0/24 [90/2172416] via 10.1.6.2, 00:00:56, Serial0/1
D    10.3.7.0/24 [90/2172416] via 10.1.6.2, 00:00:56, Serial0/1
C    10.1.1.0/24 is directly connected, FastEthernet0/0
L    10.1.1.1/32 is directly connected, FastEthernet0/0
C    10.1.6.0/30 is directly connected, Serial0/1
L    10.1.6.1/32 is directly connected, Serial0/1
C    10.1.4.0/30 is directly connected, Serial0/0
L    10.1.4.1/32 is directly connected, Serial0/0
```

NOTE For the purposes of understanding whether a design uses VLSM, ignore the /32 “local” routes that a router automatically creates for its own interface IP addresses.

So ends the discussion of VLSM as an end to itself. This chapter is devoted to VLSM, but it took a mere three to four pages to fully describe it. Why the entire VLSM chapter? Well, to work with VLSM, to find problems with it, to add subnets to an existing design, and to design using VLSM from scratch—in other words, to apply VLSM to real networks—takes skill and practice. To do these same tasks on the exam requires skill and practice. The rest of this chapter examines the skills to apply VLSM and provides some practice for these two key areas:

- Finding VLSM overlaps
- Adding new VLSM subnets without overlaps

Finding VLSM Overlaps



Regardless of whether a design uses VLSM, the subnets used in any IP internetwork design should not overlap their address ranges. When subnets in different locations overlap their addresses, a router’s routing table entries overlap. As a result, hosts in different locations can be assigned the same IP address. Routers clearly cannot route packets correctly in these cases. In short, a design that uses overlapping subnets is considered to be an incorrect design and should not be used.

This section begins with a short discussion about VLSM design, to drive home the ideas behind VLSM overlaps. It then gets into an operational and troubleshooting approach to the topic, by looking at existing designs and trying to find any existing overlaps.

Designing Subnetting Plans with VLSM

When creating a subnetting plan using VLSM, you have to be much more careful in choosing what subnets to use. First, whatever masks you use in a VLSM design, each subnet ID must be a valid subnet ID given the mask that you use for that subnet.

For example, consider a subnet plan for Class B network 172.16.0.0. To create a subnet with a /24 mask, the subnet ID must be a subnet ID that you could choose if you subnetted the whole Class B network with that same mask. Chapter 21, “Subnet Design,” discusses how to find those subnets in depth, but with a Class B network and a /24 mask, the possible subnet IDs should be easy to calculate by now: 172.16.0.0 (the zero subnet), then 172.16.1.0, 172.16.2.0, 172.16.3.0, 172.16.4.0, and so on, up through 172.16.255.0.

NOTE Subnet IDs must always follow this important binary rule as noted back in Chapter 16, “Analyzing Existing Subnets”: In binary, each subnet ID has a host field of all binary 0s. If you use the math and processes to find all subnet IDs per Chapter 21, all those subnet IDs happen to have binary 0s in the host fields.

Now expand your thinking about subnet IDs to a VLSM design. To begin, you would decide that you need some subnets with one mask, other subnets with another mask, and so on, to meet the requirements for different sizes of different subnets. For instance, imagine you start with a brand-new VLSM design, with Class B network 172.16.0.0. You plan to have some subnets with /22 masks, some with /23, and some with /24. You might develop then a planning diagram, or at least draw the ideas, with something like Figure 22-2.




Figure 22-2 Possible Subnet IDs of Network 172.16.0.0, with /22, /23, and /24 Masks

The drawing shows the first few subnet IDs available with each mask, but you cannot use all subnets from all three lists in a design. As soon as you choose to use one subnet from any column, you remove some subnets from the other lists because subnets cannot overlap. Overlapping subnets are subnets whose range of addresses include some of the same addresses.

As an example, Figure 22-3 shows the same list of the first few possible /22, /23, and /24 subnets of Class B network 172.16.0.0. However, it shows a check mark beside two subnets that have been allocated for use; that is, on paper, the person making the subnetting plan has decided to use these two subnets somewhere in the network. The subnets with a dark gray shading and an X in them can no longer be used because they have some overlapping addresses with the subnets that have check marks (172.16.3.0/24 and 172.16.4.0/22).




Figure 22-3 *Selecting Two Subnets Disallows Other Subnets in Different Columns*

Just to complete the example, first look at subnet 172.16.4.0 on the lower left. That subnet includes addresses from the subnet ID of 172.16.4.0 through the subnet broadcast address of 172.16.7.255. As you can see just by looking at the subnet IDs to the right, all the subnets referenced with the arrowed lines are within that same range of addresses.

Now look to the upper right of the figure, to subnet 172.16.3.0/24. The subnet has a range of 172.16.3.0–172.16.3.255 including the subnet ID and subnet broadcast address. That subnet overlaps with the two subnets referenced to the left. For instance, subnet 172.16.0.0/22 includes the range from 172.16.0.0–172.16.3.255. But because there is some overlap, once the design has allocated the 172.16.3.0/24 subnet, the 172.16.2.0/23 and 172.16.0.0/22 subnets could not be used without causing problems, because:

A subnetting design, whether using VLSM or not, should not allow subnets whose address ranges overlap. If overlapping subnets are implemented, routing problems occur and some hosts simply cannot communicate outside their subnets.

These address overlaps are easier to see when not using VLSM. When not using VLSM, overlapped subnets have identical subnet IDs, so to find overlaps, you just have to look at the subnet IDs. With VLSM, overlapped subnets may not have the same subnet ID, as was the case in this most recent example with the subnets across the top of Figure 22-3. To find these overlaps, you have to look at the entire range of addresses in each subnet, from subnet ID to subnet broadcast address, and compare the range to the other subnets in the design.

An Example of Finding a VLSM Overlap

For example, imagine that a practice question for the CCENT exam shows Figure 22-4. It uses a single Class B network (172.16.0.0), with VLSM, because it uses three different masks: /23, /24, and /30.



Figure 22-4 VLSM Design with Possible Overlap

Now imagine that the exam question shows you the figure, and either directly or indirectly asks whether overlapping subnets exist. This type of question might simply tell you that some hosts cannot ping each other, or it might not even mention that the root cause could be that some of the subnets overlap. To answer such a question, you could follow this simple but possibly laborious process:

Key Topic

- Step 1.** Calculate the subnet ID and subnet broadcast address of each subnet, which gives you the range of addresses in that subnet.
- Step 2.** List the subnet IDs in numerical order (along with their subnet broadcast addresses).
- Step 3.** Scan the list from top to bottom, comparing each pair of adjacent entries, to see whether their range of addresses overlaps.

For example, Table 22-3 completes the first two steps based on Figure 22-4, listing the subnet IDs and subnet broadcast addresses, in numerical order based on the subnet IDs.

Table 22-3 Subnet IDs and Broadcast Addresses, in Numerical Order, from Figure 22-4

Subnet	Subnet Number	Broadcast Address
R1 LAN	172.16.2.0	172.16.3.255
R2 LAN	172.16.4.0	172.16.5.255
R3 LAN	172.16.5.0	172.16.5.255
R1-R2 serial	172.16.9.0	172.16.9.3
R1-R3 serial	172.16.9.4	172.16.9.7

The VLSM design is invalid in this case because of the overlap between R2's LAN subnet and R3's LAN subnet. As for the process, Step 3 states the somewhat obvious step of comparing the address ranges to see whether any overlaps occur. Note that, in this case, none of the subnet numbers are identical, but two entries (highlighted) do overlap. The design is invalid because of the overlap, and one of these two subnets would need to be changed.

As far as the three-step process works, note that if two adjacent entries in the list overlap, compare three entries at the next step. The two subnets already marked as overlapped can overlap with the next subnet in the list. For example, the three subnets in the following list overlap in that the first subnet overlaps with the second and third subnets in the list. If you

followed the process shown here, you would have first noticed the overlap between the first two subnets in the list, so you would then also need to check the next subnet in the list to find out if it overlapped.

10.1.0.0/16 (subnet ID 10.1.0.0, broadcast 10.1.255.255)

10.1.200.0/24 (subnet ID 10.1.200.0, broadcast 10.1.200.255)

10.1.250.0/24 (subnet ID 10.1.250.0, broadcast 10.1.250.255)

Practice Finding VLSM Overlaps

As typical of anything to with applying IP addressing and subnetting, practice helps. To that end, Table 22-4 lists three practice problems. Just start with the five IP addresses listed in a single column, and then follow the three-step process outlined in the previous section to find any VLSM overlaps. The answers can be found near the end of this chapter, in the section “Answers to Earlier Practice Problems.”

Table 22-4 VLSM Overlap Practice Problems

Problem 1	Problem 2	Problem 3
10.1.34.9/22	172.16.126.151/22	192.168.1.253/30
10.1.29.101/23	172.16.122.57/27	192.168.1.113/28
10.1.23.254/22	172.16.122.33/30	192.168.1.245/29
10.1.17.1/21	172.16.122.1/30	192.168.1.125/30
10.1.1.1/20	172.16.128.151/20	192.168.1.122/30

Adding a New Subnet to an Existing VLSM Design

The task described in this section happens frequently in real networks: choosing new subnets to add to an existing design. In real life, you can use IP Address Management (IPAM) tools that help you choose a new subnet so that you do not cause an overlap. However, for both real life and for the CCENT and CCNA Routing and Switching exams, you need to be ready to do the mental process and math of choosing a subnet that does not create an overlapped VLSM subnet condition. In other words, you need to pick a new subnet and not make a mistake!

For example, consider the internetwork shown earlier in Figure 22-2, with classful network 172.16.0.0. An exam question might suggest that a new subnet, with a /23 prefix length, needs to be added to the design. The question might also say, “Pick the numerically lowest subnet number that can be used for the new subnet.” In other words, if both 172.16.4.0 and 172.16.6.0 would work, use 172.16.4.0.

So, you really have a couple of tasks: To find all the subnet IDs that could be used, rule out the ones that would cause an overlap, and then check to see whether the question guides you to pick either the numerically lowest (or highest) subnet ID. This list outlines the specific steps:



- Step 1.** Pick the subnet mask (prefix length) for the new subnet, based on the design requirements (if not already listed as part of the question).
- Step 2.** Calculate all possible subnet numbers of the classful network using the mask from Step 1, along with the subnet broadcast addresses.

- Step 3.** Make a list of existing subnet IDs and matching subnet broadcast addresses.
- Step 4.** Compare the existing subnets to the candidate new subnets to rule out overlapping new subnets.
- Step 5.** Choose the new subnet ID from the remaining subnets identified at Step 4, paying attention to whether the question asks for the numerically lowest or numerically highest subnet ID.

An Example of Adding a New VLSM Subnet

For example, Figure 22-5 shows an existing internetwork that uses VLSM. (The figure uses the same IP addresses as shown in Figure 22-4, but with R3's LAN IP address changed to fix the VLSM overlap shown in Figure 22-4.) In this case, you need to add a new subnet to support 300 hosts. Imagine that the question tells you to use the smallest subnet (least number of hosts) to meet that requirement. You use some math and logic you learned earlier in your study to choose mask /23, which gives you 9 host bits, for $2^9 - 2 = 510$ hosts in the subnet.




Figure 22-5 Internetwork to Which You Need to Add a /23 Subnet, Network 172.16.0.0

At this point, just follow the steps listed before Figure 22-5. For Step 1, you have already been given the mask (/23). For Step 2, you need to list all the subnet numbers and broadcast addresses of 172.16.0.0, assuming the /23 mask. You will not use all these subnets, but you need the list for comparison to the existing subnets. Table 22-5 shows the results, at least for the first five possible /23 subnets.

Table 22-5 First Five Possible /23 Subnets

Subnet	Subnet Number	Subnet Broadcast Address
First (zero)	172.16.0.0	172.16.1.255
Second	172.16.2.0	172.16.3.255
Third	172.16.4.0	172.16.5.255
Fourth	172.16.6.0	172.16.7.255
Fifth	172.16.8.0	172.16.9.255

Next, at Step 3, list the existing subnet numbers and broadcast addresses, as shown earlier in Figure 22-5. To do so, do the usual math to take an IP address/mask to then find the subnet ID and subnet broadcast address. Table 22-6 summarizes that information, including the locations, subnet numbers, and subnet broadcast addresses.

Table 22-6 Existing Subnet IDs and Broadcast Addresses from Figure 22-5

Subnet	Subnet Number	Subnet Broadcast Address
R1 LAN	172.16.2.0	172.16.3.255
R2 LAN	172.16.4.0	172.16.5.255
R3 LAN	172.16.6.0	172.16.6.255
R1-R2 serial	172.16.9.0	172.16.9.3
R1-R3 serial	172.16.9.4	172.16.9.7

At this point, you have all the information you need to look for the overlap at Step 4. Simply compare the range of numbers for the subnets in the previous two tables. Which of the possible new /23 subnets (Table 22-5) overlap with the existing subnets (Table 22-6)? In this case, the second through fifth subnets in Table 22-5 overlap, so rule those out as candidates to be used. (Table 22-5 denotes those subnets with gray highlights.)

Step 5 has more to do with the exam than with real network design, but it is still worth listing as a separate step. Multiple-choice questions sometimes need to force you into a single answer, and asking for the numerically lowest or highest subnet does that. This particular example asks for the numerically lowest subnet number, which in this case is 172.16.0.0/23.

NOTE The answer, 172.16.0.0/23, happens to be a zero subnet. For the exam, the zero subnet should be avoided if (a) the question implies the use of classful routing protocols or (b) the routers are configured with the **no ip subnet-zero** global configuration command. Otherwise, assume that the zero subnet can be used.

Chapter Review

One key to doing well on the exams is to perform repetitive spaced review sessions. Review this chapter's material using either the tools in the book, DVD, or interactive tools for the same material found on the book's companion website. Refer to the "Your Study Plan" element for more details. Table 22-7 outlines the key review elements and where you can find them. To better track your study progress, record when you completed these activities in the second column.

Table 22-7 Chapter Review Tracking

Review Element	Review Date(s)	Resource Used
Review key topics		Book, DVD/website
Review key terms		Book, DVD/website
Repeat DIKTA questions		Book, PCPT
Review memory tables		Book, DVD/website
Practice finding VLSM overlaps		DVD Appendix H, DVD/website
Practice adding new VLSM subnets		DVD Appendix H, DVD/website

Review All the Key Topics



Table 22-8 Key Topics for Chapter 22

Key Topic Element	Description	Page Number
Table 22-2	Classless and classful routing protocols listed and compared	531
Text	Rule about subnetting designs cannot allow subnets to overlap	532
List	Steps to analyze an existing design to discover any VLSM overlaps	535
List	Steps to follow when adding a new subnet to an existing VLSM design	536

Key Terms You Should Know

classful routing protocol, classless routing protocol, overlapping subnets, variable-length subnet masks (VLSM)

Additional Practice for This Chapter's Processes

For additional practice with finding VLSM overlaps and adding a new subnet to a VLSM design, you may do the same set of practice problems using your choice of tools:

Application: Use the Variable-Length Subnet Masks application on the DVD or companion website.

PDF: Alternatively, practice the same problems found in both these apps using DVD Appendix H, “Practice for Chapter 22: Variable-Length Subnet Masks.”

Answers to Earlier Practice Problems

Answers to Practice Finding VLSM Overlaps

This section lists the answers to the three practice problems in the section “Practice Finding VLSM Overlaps,” as listed earlier in Table 22-4. Note that the tables that list details of the answer reordered the subnets as part of the process.

In Problem 1, the second and third subnet IDs listed in Table 22-9 happen to overlap. The second subnet's range completely includes the range of addresses in the third subnet.

Table 22-9 VLSM Overlap Problem 1 Answers (Overlaps Highlighted)

Reference	Original Address and Mask	Subnet ID	Broadcast Address
1	10.1.1.1/20	10.1.0.0	10.1.15.255
2	10.1.17.1/21	10.1.16.0	10.1.23.255
3	10.1.23.254/22	10.1.20.0	10.1.23.255
4	10.1.29.101/23	10.1.28.0	10.1.29.255
5	10.1.34.9/22	10.1.32.0	10.1.35.255

In Problem 2, again the second and third subnet IDs (listed in Table 22-10) happen to overlap, and again, the second subnet's range completely includes the range of addresses in the third subnet. Also, the second and third subnet IDs are the same value, so the overlap is more obvious.

Table 22-10 VLSM Overlap Problem 2 Answers (Overlaps Highlighted)

Reference	Original Address and Mask	Subnet ID	Broadcast Address
1	172.16.122.1/30	172.16.122.0	172.16.122.3
2	172.16.122.57/27	172.16.122.32	172.16.122.63
3	172.16.122.33/30	172.16.122.32	172.16.122.35
4	172.16.126.151/22	172.16.124.0	172.16.127.255
5	172.16.128.151/20	172.16.128.0	172.16.143.255

In Problem 3, three subnets overlap. Subnet 1's range completely includes the range of addresses in the second and third subnets, as shown in Table 22-11. Note that the second and third subnets do not overlap with each other, so for the process in this book to find all the overlaps, after you find that the first two subnets overlap, you should compare the next entry in the table (3) with both of the two known-to-overlap entries (1 and 2).

Table 22-11 VLSM Overlap Problem 3 Answers (Overlaps Highlighted)

Reference	Original Address and Mask	Subnet ID	Broadcast Address
1	192.168.1.113/28	192.168.1.112	192.168.1.127
2	192.168.1.122/30	192.168.1.120	192.168.1.123
3	192.168.1.125/30	192.168.1.124	192.168.1.127
4	192.168.1.245/29	192.168.1.240	192.168.1.247
5	192.168.1.253/30	192.168.1.252	192.168.1.255

This page intentionally left blank



Index

Symbols

2-switch topology, 162-163
2-tier campus design, 228-230
3-tier campus design, 230-232
10BASE-T, 43, 48-50, 220-221
10GBASE-T, 43
100BASE-T, 43, 48-50
802.1A, 416-419
802.1Q, 248-249
1000BASE-LX, 43
1000BASE-T, 51
? command, 136-137
:: (double colon), 681

A

AAA (authentication, authorization, and accounting) servers, 175-176
abbreviating IPv6 addresses, 681-682
access-class command, 640, 813-814, 819
access control lists. *See* ACLs
access interfaces, 252, 292-293
access-list command, 599, 602, 611, 617-620, 640
 any keyword, 602
 building ACLs with, 608
 deny keyword, 602-603

 examples and logic explanations, 621
 extended numbered ACL configuration commands, 621
 log keyword, 606
 permit keyword, 599, 602-603
 reverse engineering from ACL to address range, 608-610
 tcp keyword, 618
 upd keyword, 618
access points (APs), 41
access switches, 228, 232
access VLANs (virtual LANs), 293-294
ACK flags, 110
ACLs (access control lists), 584, 594
 comparison of, 596-597
 controlling Telnet and SSH access with, 813-814
 extended numbered ACLs, 616-621
 implementation considerations, 630-631
 location and direction, 594-595
 matching packets, 595-596
 named ACLs, 625-629
 standard numbered ACLs, 597, 629-630
 access-list command, 608
 command syntax, 599
 configuration examples, 602-606
 list logic, 598-599
 matching any/all addresses, 602
 matching exact IP address, 599-600
 matching subset of address, 600-601

- reverse engineering from ACL to address range, 608-610*
 - troubleshooting, 606-607*
 - verification, 606-607*
 - wildcard masks, 600-602*
- troubleshooting, 631
 - ACL behavior in network, 631-633*
 - ACL interactions with router-generated packets, 637-639*
 - common syntax mistakes, 635*
 - inbound ACL filters routing protocol packets, 635-636*
 - reversed source/destination IP address, 634-635*
 - troubleshooting commands, 633-634*
- activating software. *See* software activation
- AD (administrative distance), 449-450
- Adaptive Security Appliance (ASA)
 - firewall, 814
- Address Resolution Protocol (ARP), 84, 99-100
- addresses. *See* IPv4 addresses; IPv6 addresses
- adjacent-layer interaction, 24-25
- administrative distance (AD), 449-450
- algorithms, CSMA/CD, 57
- all-hosts broadcast addresses (IPv4), 491
- all IP addresses, matching, 602
- all-subnets broadcast addresses (IPv4), 491
- any keyword, 602
- any/all IP addresses, matching, 602
- anycast addresses (IPv6), 722-723
- APs (access points), 41
- application layer
 - OSI, 34
 - TCP/IP, 22-23
- architecture (networking), 18
- archive command, 841, 845-846
- archiving configuration files, 841
- ARP (Address Resolution Protocol), 84, 99-100, 415, 490
- arp -a command, 490, 497
- ASA (Adaptive Security Appliance)
 - firewall, 814
- authentication, authorization, and accounting (AAA) servers, 175-176
- auto-mdix, 51
- autonegotiation, 198-202
- autosummarization (RIPv2), 454-455
- auto-summary command, 454, 465, 468
- auxiliary ports (routers), 398-399

B

- backups, 840-842
- bandwidth command, 397-400
- bandwidth setting, 398
- banner command, 810-812, 819
- banners, login, 810-812
- Berners-Lee, Tim, 22
- binary/hexadecimal conversion chart (IPv6), 681
- binary masks, converting
 - binary wildcard masks, 601
 - to/from DDN masks, 344-345
 - to/from prefix masks, 343-344
- binary subnet analysis
 - binary practice problems, 364-366
 - Boolean math, 367
 - finding range of addresses, 367
 - finding subnet broadcast addresses, 364
 - finding subnet IDs, 362-363
 - shortcut for binary process, 366-367
- binary-to-hexadecimal conversion, 892
- blocking, 155
- blocks (CIDR), 646
- Boolean AND, 367
- Boolean math, 367
- Boolean OR, 367
- boot sequence (IOS), 830-833

- boot system command, 831-833, 845
- bridges, 221-222
- bridging table. *See* MAC address table
- broadcast addresses, 53-54, 491-492
- broadcast domains, 224-227
- broadcast flags, 474
- broadcast subnet, 518
- browsers, 114
- browsing web
 - DNS (Domain Name System) resolution, 115-117
 - HTTP (Hypertext Transfer Protocol), 114, 117-118
 - URIs (Uniform Resource Identifiers), 114-115

C

- cables, 41
 - cable Internet, 76-77
 - DCE (data communications equipment) cables, 66
 - DTE (data terminal equipment) cables, 66
 - leased-line cabling, 64-65
 - physical console connection, 130-132
 - UTP (unshielded twisted-pair), 43-46
 - cabling pinouts for 10BASE-T and 100BASE-T, 48-50*
 - cabling pinouts for 1000BASE-T, 51*
 - UTP Ethernet links, 46-47*
- cache (ARP), 100
- CAM (Content-Addressable Memory) tables. *See* MAC address table
- campus LANs
 - three-tier campus design, 230-232
 - topology design terminology, 232-233
 - two-tier campus design, 227-230
- carrier sense multiple access with collision detection (CSMA/CD), 57, 221
- CDP (Cisco Discovery Protocol)
 - configuration, 796-797
 - discovering information about neighbors, 793-796
 - verification, 796-797
- cdp enable command, 801
- cdp run command, 801
- channel service unit/data service unit (CSU/DSU), 65
- CIDR (classless inter-domain routing), 343, 645-646
- circuits. *See* leased-line WANs
- Cisco Adaptive Security Appliance (ASA) firewall, 814
- Cisco Binary Game, 344
- Cisco Catalyst switches, 128-129
- Cisco Certification Exam tips. *See* exam tips
- Cisco Certification Exam Tutorial, 868-869
- Cisco Discovery Protocol. *See* CDP
- Cisco integrated services routers, 387-388
- Cisco IOS. *See* IOS (Internetwork Operating System)
- Cisco Learning Network (CLN), 344
- Cisco License Manager, 854-855
- Cisco ONE Licensing, 854
- Cisco Product License Registration Portal, 855-857
- Cisco Unified Communication Manager (CUCM), 263
- Class A networks, 88-91
 - address formats, 330
 - calculating hosts per network, 331-332
 - default masks, 331
 - dividing addresses into three parts, 349-350
 - first octet values, 328
 - number and size, 329-330
 - reserved networks, 329, 334
 - unusual addresses, 334

- Class B networks, 88-91**
 - address formats, 330
 - calculating hosts per network, 331-332
 - default masks, 331
 - dividing addresses into three parts, 349-350
 - first octet values, 328
 - number and size, 329-330
 - reserved networks, 329
 - unusual addresses, 334
- Class C networks, 88-91**
 - address formats, 330
 - calculating hosts per network, 331-332
 - default masks, 331
 - dividing addresses into three parts, 349-350
 - first octet values, 328
 - number and size, 329-330
 - reserved networks, 329
 - unusual addresses, 334
- Class D networks, 328**
- Class E networks, 328**
- classful IP addresses, 349-350**
- classful IP networks, 88-91**
 - address formats, 330
 - before subnetting, 316-317
 - calculating hosts per network, 331-332
 - choosing, 316
 - classes in, 328-329
 - default masks, 331
 - network number and related numbers, 332-333
 - number and size, 329-330
 - private IP networks, 315-316
 - public IP networks, 313-315
 - subnet masks, 340
 - unusual addresses, 334
- classful routing protocols, 454, 530-531**
- classless addressing, 350**
 - classless inter-domain routing (CIDR), 343, 645-646
 - classless routing protocols, 530-531
 - clear ip dhcp conflict command, 486, 497
 - clear ip nat translation command, 651, 659, 665
 - clear ipv6 neighbor command, 745
 - clear logging command, 785
 - clear mac address-table dynamic command, 162-164
- CLI (command-line interface)**
 - accessing, 129-130, 390-391
 - password security, 135-136*
 - physical console connection, 130-132*
 - SSH (Secure Shell), 133*
 - Telnet, 133*
 - Cisco Catalyst switches, 128-129
 - command edit and recall, 137
 - common command prompts, 140
 - configuration files, 141-143
 - configuration mode, 138-139
 - configuration submodes and contexts, 139-141
 - help, 136-137
 - overview, 126-128
 - privileged EXEC mode, 133-135
 - security, 168-169
 - external authentication servers, 175-176*
 - local username/password configuration, 173-175*
 - simple password configuration, 169-173*
 - SSH (Secure Shell), 176-179*
 - user EXEC mode, 133-135
- CLI skills, practicing, 879-881**
- clients**
 - NTP (Network Time Protocol), 789-791
 - Telnet clients, 133

- CLM (Cisco License Manager), 854-855
- CLN (Cisco Learning Network), 344
- clock rate command, 66, 397, 400
- clock set command, 788-789
- clock summer-time command, 789, 800
- clock timezone command, 789, 800
- clocking, 66, 396-397
- collapsed core design, 227-230
- collision domains, 220
 - 10BASE-T with hub, 220-221
 - impact on LAN design, 223-224
 - switches, 222-223
 - transparent bridges, 221-222
- command-line interface. *See* CLI
- commands. *See* individual commands (for example, access-list command)
- config-register command, 831, 845
- configuration, 717-718
 - ACLs (access control lists), 602-606
 - CDP (Cisco Discovery Protocol), 796-797
 - DHCP (Dynamic Host Configuration Protocol), 182-183, 478-480
 - dynamic unicast addresses (IPv6), 715
 - extended numbered ACLs, 621-624
 - IOS software
 - common command prompts*, 140
 - configuration mode*, 138-139
 - configuration submodes and contexts*, 139-141
 - copying configuration files*, 143
 - erasing configuration files*, 143
 - initial configuration*, 843
 - storing configuration files*, 141-143
 - IPv4, 181-183
 - IPv6
 - address configuration summary*, 723-724
 - host settings*, 735-741
 - login banners, 810-812
 - named ACLs (access control lists), 626
 - NAT (Network Address Translation)
 - dynamic NAT*, 655-657
 - PAT (Port Address Translation)*, 660-662
 - static NAT*, 654-655
 - NTP (Network Time Protocol) client/server, 789-791
 - numbered ACLs (access control lists), 629-630
 - overlapping VLSM subnets, 582-583
 - passwords
 - local passwords*, 173-175
 - simple passwords*, 169-173
 - RIPv2, 443-447
 - static routes, 422-428
 - static unicast addresses, 707
 - configuring full 128-bit address*, 707-708
 - enabling IPv6 routing*, 708
 - generating unique interface ID with modified EUI-64*, 711-714
 - verifying*, 709-711
 - switch interfaces, 190-192
 - autonegotiation*, 198-202
 - description*, 193-194
 - duplex*, 193-194
 - enabling/disabling interfaces*, 195-197
 - multiple interfaces*, 195
 - port security*, 202-208
 - removing configuration*, 197-198
 - speed*, 193-194
 - Syslog, 784-786
 - VLANs (virtual LANs), 252-253
 - data and voice VLANs*, 264-266
 - full VLAN configuration example*, 253-256
 - routing*, 420-422
 - shorter VLAN configuration example*, 256-257
 - trunking*, 258-262

- VLSM (variable length subnet masks), 531-532
 - configuration files
 - archiving, 841
 - copying, 143, 839-841
 - erasing, 143, 843
 - replacing, 841-842
 - running-config, 142
 - startup-config, 142
 - storing, 141-143
 - configuration mode (CLI), 138-139
 - configuration register, 831
 - configure replace command, 841-842, 846
 - configure restore command, 841
 - configure terminal command, 139, 143-145, 171, 256, 841
 - conflicts (DHCP), 485-486
 - confreg command, 836-837
 - connected routes, 403, 413-414, 753-755
 - connection establishment and termination (TCP), 110-111
 - connection-oriented protocols, 111
 - connectionless protocols, 111
 - console connection cabling, 130-132
 - console passwords, 169
 - Content-Addressable Memory (CAM) tables. *See* MAC address table
 - context-setting commands, 139
 - contiguous networks, 455
 - copy command, 391, 825, 828, 839-840, 846
 - copy ftp flash command, 828
 - copy running-config startup-config command, 143-145, 205, 831, 839, 841, 846
 - copy startup-config running-config command, 145, 838, 846
 - copy tftp flash command, 825
 - copy tftp startup-config command, 840
 - copying
 - configuration files, 839-841
 - IOS images, 825-830
 - switch configuration files, 143
 - core design, 230-232
 - CPE (customer premises equipment), 65
 - crossover cable pinout, 50
 - crosstalk, 46
 - crypto key command, 177
 - crypto key generate rsa command, 176-178, 187, 818
 - CSMA/CD (carrier sense multiple access with collision detection), 57, 221
 - CSU/DSU (channel service unit/data service unit), 65
 - CUCM (Cisco Unified Communication Manager), 263
 - current license status, showing, 857-859
 - customer premises equipment (CPE), 65
- ## D
-
- DAD (Duplicate Address Detection), 731, 734-735
 - data centers, 148
 - data communications equipment (DCE) cables, 66
 - data encapsulation
 - OSI terminology, 35
 - TCP/IP terminology, 30-32
 - data link layer
 - Ethernet, 44, 51-52
 - OSI, 34
 - data-link protocols, 66-67
 - data terminal equipment (DTE) cables, 66
 - DCE (data communications equipment) cables, 66
 - DDN (dotted-decimal notation), 27, 87, 342-346
 - debug command, 138, 783, 786-787, 801
 - debug ip nat command, 659, 665
 - debug ip rip command, 786

decimal masks. *See* DDN (dotted-decimal notation)

decimal subnet analysis

- analysis with easy masks, 368-369
- finding subnet broadcast addresses, 372-374
- finding subnet IDs, 370-372
- predictability in interesting octet, 369-370
- reference table: DDN mask values and binary equivalent, 374

decimal-to-binary conversion, 889-891

decimal wildcard masks, 600-601

de-encapsulation of IP packets, 410

default gateways, 83, 93, 406

default masks, 331

default-router command, 496

default routers, 83, 93, 406, 489-490

default VLANs, 253

delete vlan.dat command, 156

demilitarized zone (DMZ), 816

denial of service (DoS) attack, 815

deny command, 596, 602-603, 626-628, 641

description command, 193, 210, 400

destination IP, matching, 617-618

destination port numbers, 107

device hardening

- controlling Telnet and SSH access with ACLs, 813-814
- definition of, 810
- firewalls, 814-817
- login banner configuration, 810-812
- unused switch interface security, 812-813

device management protocols

- CDP (Cisco Discovery Protocol)
 - configuration,* 796-797
 - discovering information about neighbors,* 793-796
 - verification,* 796-797
- LLDP (Link Layer Discovery Protocol), 797-799

NTP (Network Time Protocol), 787-788
client/server configuration, 789-791

loopback interfaces, 791-793

setting time and timezone, 788-789

Syslog

configuration, 784-786

debug command, 786-787

log message format, 782

log message security levels, 783

sending messages to users, 780-781

storing log messages for review, 781-782

verification, 784-786

device security

device hardening

controlling Telnet and SSH access with ACLs, 813-814

definition of, 810

firewalls, 814-817

login banner configuration, 810-812

unused switch interface security, 812-813

IOS passwords, 804

encoding with hashes, 806-809

encrypting with service password-encryption command, 805-806

hiding for local usernames, 810

DHCP (Dynamic Host Configuration Protocol), 182-183, 323, 471-475

advantages of, 473

broadcast flags, 474

configuration, 478-480

DHCP pools, 478

DHCP Relay, 571

supporting, 475-476

troubleshooting, 481-482

DHCPv6, 736

compared to DHCPv4, 736-737

relay agents, 737-739

information stored at DHCP server, 476-477

- pools, 478
 - server verification, 480-481
 - troubleshooting, 481, 571-572
 - conflicts*, 485-486
 - DHCP Relay agent configuration*, 481-482
 - DHCP server configuration*, 482-484
 - IP connectivity*, 484
 - LAN connectivity*, 484-485
 - summary*, 485
 - diagrams, network, 18, 29
 - digital subscriber line (DSL), 74-76
 - dir command, 826, 846, 863
 - directed broadcast addresses, 320, 491
 - direction (ACLs), 594-595
 - disable command, 145
 - disabled VLANs, 294
 - discontiguous classful networks, 454-455
 - disk file systems, 824
 - distance vector, 439-440
 - distribution switches, 228, 232
 - DMZ (demilitarized zone), 816
 - DNS (Domain Name System), 98-99, 109, 115-117, 488-489, 569-570
 - dns-server command, 496, 569
 - DoS (denial of service) attack, 815
 - dotted-decimal notation (DDN), 27, 87, 342-346
 - DRAM (dynamic random-access memory), 141
 - DSL (digital subscriber line), 74-76
 - DSL access multiplexer (DSLAM), 76
 - DSLAM (DSL access multiplexer), 76
 - DTE (data terminal equipment) cables, 66
 - dual stack, 679
 - duplex
 - configuring on switch interfaces, 193-194
 - duplex mismatch, 201
 - troubleshooting, 279-282
 - duplex command, 193-194, 209, 279-281, 297, 391, 400
 - Duplicate Address Detection (DAD), 731, 734-735
 - duplicate addresses, 734-735
 - dynamic configuration of IPv6 host settings, 735
 - DHCPv6, 736-739
 - SLAAC (Stateless Address Auto Configuration)
 - building IPv6 addresses with*, 739-740
 - combining with NDP and DHCP*, 740-741
 - Dynamic Host Configuration Protocol. *See* DHCP
 - dynamic IP address configuration, 182-183
 - dynamic NAT (Network Address Translation), 650-651
 - configuration, 655-657
 - verification, 657-659
 - dynamic port numbers, 107
 - dynamic random-access memory (DRAM), 141
 - dynamic ranges per subnet, choosing, 323-324
 - dynamic unicast address configuration, 715
 - dynamic windows, 112-113
- ## E
-
- echo replies (ICMP), 100
 - echo requests (ICMP), 100
 - EIGRPv6 (EIGRP for IPv6), 679
 - enable command, 133, 145, 169-170
 - enable mode, 133-135
 - enable password command, 171, 806, 819
 - enable passwords, 169
 - enable secret command, 171, 188, 806-809, 819

- enable secret love command, 136
- encapsulation, 411-412
 - de-encapsulation of IP packets, 410
 - IPv4 (Internet Protocol Version 4), 83-84
 - OSI terminology, 35
 - TCP/IP terminology, 30-32
- encapsulation command, 418
- encoding schemes, 45
- encryption, 805-806
- end command, 145
- end-user perspectives on networking, 17-18
- enterprise LANs, 42-43
- enterprise networks, 17, 307
- enterprise routers, 386-388
- enterprise wireless LANs, 238-240
- EoMPLS (Ethernet over MPLS), 70-71
- eq 21 parameters, 619
- equal-cost load balancing, 453
- equal-cost routes, 453-454
- erase nvram command, 145, 843, 846
- erase startup-config command, 145, 156, 843, 846
- err-disabling recovery, 288-289
- error detection, 55, 104
- error recovery, 104, 111-112
- Ethernet emulation, 70-72
- Ethernet LANs, 29, 38-40
 - broadcast domains, 224-227
 - campus LANs
 - three-tier campus design*, 230-232
 - topology design terminology*, 232-233
 - two-tier campus design*, 227-230
 - collision domains, 220
 - 10BASE-T with hub*, 220-221
 - impact on LAN design*, 223-224
 - switches*, 222-223
 - transparent bridges*, 221-222
 - enterprise LANs, 42-43
 - Ethernet addressing, 52-54
 - Ethernet data link protocols, 44, 51-52
 - Ethernet frames, 44
 - Ethernet physical layer standards, 43
 - Ethernet ports, 46
 - Ethernet Type field, 54
 - FCS (Frame Check Sequence) field, 55
 - full-duplex logic, 55-56
 - half-duplex logic, 56-58
 - hubs, 220
 - LAN switching, 41
 - analyzing*, 156
 - flooding*, 154
 - MAC address table*, 153-163
 - overview*, 146-149
 - STP (Spanning Tree Protocol)*, 154-155
 - summary*, 155-156
 - switch forwarding and filtering decisions*, 150-153
 - switch interfaces*, 158-159
 - switching logic*, 149-150
 - verifying*, 156
 - physical standards, 233-234
 - choosing*, 235-236
 - enterprise wireless LANs*, 238-240
 - Ethernet types, media, and segment lengths*, 235
 - history of*, 234
 - home office wireless LANs*, 236-237
 - table of*, 234
- port security, 202-203
 - configuration*, 203-205
 - MAC addresses*, 207-208
 - verifying*, 205-206
 - violation actions*, 207
- SOHO (small office/home office) LANs, 41-42

- switch interface configuration, 190-192
 - autonegotiation*, 198-202
 - description*, 193-194
 - duplex*, 193-194
 - enabling/disabling interfaces*, 195-197
 - multiple interfaces*, 195
 - removing configuration*, 197-198
 - speed*, 193-194
- troubleshooting, 573-574
 - analyzing forwarding paths*, 286-287
 - definition of*, 271
 - interface speed and duplex issues*, 279-282
 - interface status codes*, 278-279
 - Layer 1 problems*, 282-284
 - methodologies*, 274-275
 - port security*, 287-292
 - predicting contents of MAC address table*, 284-286
 - problem isolation*, 275-277
 - VLANs (virtual LANs)*, 292-296
- UTP (unshielded twisted-pair) cables, 43-46
 - cabling pinouts for 10BASE-T and 100BASE-T*, 48-50
 - cabling pinouts for 1000BASE-T*, 51
 - UTP Ethernet links*, 46-47
- VLANs (virtual LANs), 244-246
 - configuration*, 252-257
 - default VLANs*, 253
 - IP telephony*, 262-267
 - native VLANs*, 248
 - routing between*, 249-252
 - tagging*, 246-248
 - troubleshooting*, 292-296
 - trunking*, 246-249, 257-262
 - VLAN IDs*, 246
- Ethernet over MPLS (EoMPLS)**, 70-71
- Ethernet WANs (wide area networks)**, 69-70
 - Ethernet emulation, 70-72
 - Ethernet over MPLS (EoMPLS), 70-71
 - Internet access, 72
 - cable Internet*, 76-77
 - DSL (digital subscriber line)*, 74-76
 - Internet access links*, 73-74
 - Internet as a large WAN*, 72-73
- EtherType**, 54
- EUI-64 (extended unique identifier)**, 711-714
- exact IP address matching**, 599-600
- exam tips**
 - assessing whether you are ready to pass, 881-882
 - Cisco Certification Exam Tutorial, 868-869
 - exam-day advice, 871
 - exam review, 872-873
 - finding knowledge gaps*, 877-879
 - hands-on CLI skills*, 879-881
 - practice exams*, 874-877
 - subnetting and other math-related skills*, 873-874
 - other study tasks, 883-884
 - pre-exam suggestions, 870-871
 - study suggestions after failing to pass, 871-872, 882-883
 - time management, 869-870
- EXEC modes**, 169-173
 - privileged EXEC, 133-135
 - user EXEC, 133-135
- exec-timeout command**, 185, 188
- exit command**, 139, 143-145
- experimental addresses**, 328
- extended numbered IPv4 ACLs**, 616
 - configuration, 621-624

- matching protocol, source IP, and destination IP, 617-618
- matching TCP and UDP port numbers, 618-621

extended ping

- testing LAN neighbors with, 550-551
- testing reverse routes with, 547-549

external authentication servers, 175-176

F

failed exam attempts, 871-872, 882-883

Fast Ethernet, 43

FCS (Frame Check Sequence) field, 55

feature sets, 851

fiber-optic cabling, 43

file system, 822-824

File Transfer Protocol. *See* FTP

files

- configuration files, 839
 - archiving, 841*
 - copying, 143, 839-841*
 - erasing, 143, 843*
 - replacing, 841-842*
 - running-config, 142*
 - startup-config, 142*
 - storing, 141-143*
- management, 820-822
 - configuration files, 839-842*
 - IOS file system, 822-824*
 - IOS software boot sequence, 830-835*
 - password recovery/reset, 835-838*
 - upgrading IOS images, 824-830*

transferring, 117-118

FIN bits, 110

firewalls, 814-817

first octet values, 328

first usable IP addresses, 332-333

flash memory, 141, 823

floating static routes, 426, 762-763

flooding, 154

flow control (TCP), 112-113

forward acknowledgment, 111

forward-versus-filter decisions, 152

forwarding packets. *See* IPv4 routing; IPv6 routing

forwarding path, 286-287

Frame Check Sequence (FCS) field, 55

frames, 29-31, 44

- deciding to process incoming frames, 409-410

- flooding, 154

- transmitting, 412

FTP (File Transfer Protocol), 828-829

full addresses (IPv6), 680

full-duplex logic, 55-56

full mesh topology, 229, 233

full update messages, 440-441

full VLAN configuration example, 253-256

G

G0/0 status code, 394

G0/1 status code, 394

GET requests, 23, 117

Gigabit Ethernet, 43

global routing prefix (IPv6), 693-695

global unicast addresses

- address ranges for, 695

- assigning to hosts, 700-701

- definition of, 692-693

- IPv6 static routes with, 758-759

- subnetting with, 696-699

group addresses, 53

groupings (IP address), 83, 87-88

H

- half-duplex logic, 56-58
 - hands-on CLI skills, practicing, 879-881
 - hashes, 806
 - HDLC (High-Level Data Link Control), 67
 - headers
 - Ethernet, 52
 - HDLC (High-Level Data Link Control), 67
 - headers (HTTP), 23
 - hexadecimal-to-binary conversion, 681, 892
 - High-Level Data Link Control (HDLC), 67
 - history buffer commands, 184
 - history size command, 184, 188
 - home office wireless LANs, 236-237
 - host addresses, 331-332
 - host bits, 310
 - host forwarding logic, 82, 93-94
 - host part (of IP addresses), 330, 340, 348-349
 - host routing logic, 406
 - hostname command, 141-145, 156, 178, 188
 - hostname Fred command, 139
 - hostnames, 98
 - hosts, IPv4, 27, 81
 - analyzing subnet needs, 306-309
 - assigning addresses to, 700-701
 - calculating per subnet, 350-352
 - host bits, 310
 - IPv4 settings, 86, 179-181, 486
 - default routers*, 489-490
 - DNS name resolution*, 488-489
 - IP address and mask configuration*, 487-488
 - troubleshooting*, 566-570
 - hosts, IPv6
 - dynamic configuration, 735
 - DHCPv6*, 736-739
 - SLAAC (Stateless Address Auto Configuration)*, 739-741
 - NDP (Neighbor Discovery Protocol), 730-731
 - discovering duplicate addresses*, 734-735
 - discovering neighbor link addresses*, 733-734
 - discovering routers*, 731-732
 - discovering SLAAC addressing info*, 732-733
 - NA (Neighbor Advertisement)*, 733
 - NS (Neighbor Solicitation)*, 733
 - RA (Router Advertisement)*, 731
 - RS (Router Solicitation)*, 731
 - verifying host connectivity
 - from hosts*, 741-744
 - from nearby routers*, 744-747
 - HTTP (Hypertext Transfer Protocol), 22-23, 114-118
 - hubs
 - 10BASE-T, 220-221
 - autonegotiation and, 201-202
 - Huston, Geoff, 675
 - hybrid topology, 229, 233
 - Hypertext Transfer Protocol (HTTP), 22-23, 114-118
-
- IANA (Internet Assigned Numbers Authority), 645, 688
 - IBM SNA (Systems Network Architecture), 19
 - ICANN (Internet Corporation for Assigned Names and Numbers), 688
 - ICMP (Internet Control Message Protocol), 100
 - icmp keyword, 635
 - ICMPv6, 676

IDs

- interface IDs, 698
- IPv4 subnet IDs, 310, 320, 360-361, 513
 - finding subnets with 9-16 subnet bits, 520-522*
 - finding subnets with 17 or more subnet bits, 522*
 - finding subnets with exactly 8 subnet bits, 519-520*
 - finding subnets with less than 8 subnet bits, 515-519*
 - finding with binary math, 362-363*
 - finding with decimal math, 370-372*
 - finding with magic number, 515*
 - zero subnet, 514*
- IPv6 subnet IDs, 698-699
- VLAN IDs, 246
- IEEE (Institute of Electrical and Electronic Engineers), 20
- ifconfig command, 487, 497, 566, 742, 748
- IGPs (interior gateway protocols), 437-438
- IGRP (Interior Gateway Routing Protocol), 437
- images (IOS)
 - copying
 - with FTP, 828-829*
 - to local file system, 825-827*
 - with SCP, 829-830*
 - one image per feature set, 851
 - one image per model/series, 850
 - universal images, 851-853
 - upgrading, 824-830
 - verifying, 827, 833-835
- incoming frames, 409-410
- infinity, 441
- input errors, 282
- inside global addresses, 649-650
- inside local addresses, 649-650
- installation of routers
 - Cisco integrated services routers, 387-388
 - enterprise routers, 386-388
 - Internet access routers, 389-390
- Institute of Electrical and Electronic Engineers (IEEE), 20
- interesting octet, 369-370, 515
- interface command, 139, 145, 209, 253, 265, 391, 400
- interface ethernet command, 392
- interface fastethernet command, 392
- interface gigabitethernet command, 392
- interface IDs, 698
- Interface loopback command, 800
- interface range command, 195, 209, 255
- interface subcommands, 139
- interface vlan command, 187
- interface vlan vlan_id, 421
- interfaces
 - access interfaces, 292-293
 - Layer 1 problems, 282-284
 - port security, 202-203, 287-288
 - configuration, 203-205*
 - err-disabled recovery, 288-289*
 - MAC addresses, 207-208*
 - protect mode, 289-292*
 - restrict mode, 289-292*
 - shutdown mode, 288-289*
 - verifying, 205-206*
 - violation actions, 207*
 - router interfaces
 - bandwidth, 398*
 - clock rate, 396-397*
 - displaying, 391-393*
 - interface status codes, 393-396*
 - speed and duplex issues, 279-282
 - status codes, 278-279, 393-394
 - switch interface configuration, 190-192
 - autonegotiation, 198-202*
 - description, 193-194*

- duplex, 193-194*
- enabling/disabling interfaces, 195-197*
- multiple interfaces, 195*
- removing configuration, 197-198*
- speed, 193-194*
- interior gateway protocols (IGPs), 437-438
- Interior Gateway Routing Protocol (IGRP), 437
- International Organization for Standardization (ISO), 19
- Internet access, 72
 - DSL (digital subscriber line), 74-76
 - Internet access links, 73-74
 - Internet access routers, 389-390
 - Internet as a large WAN, 72-73
- Internet Assigned Numbers Authority (IANA), 645, 688
- Internet Control Message Protocol (ICMP), 100
- Internet Corporation for Assigned Names and Numbers (ICANN), 688
- Internetwork Operating System. *See* IOS
- internetworks, 85, 307
- Inter-Switch Link (ISL), 248-249
- IOS (Internetwork Operating System)
 - boot sequence, 830-831
 - choosing IOS to load, 831-833*
 - configuration register, 831*
 - verifying IOS image, 833-835*
 - configuration
 - common command prompts, 140*
 - configuration mode, 138-139*
 - configuration submodes and contexts, 139-141*
 - copying configuration files, 143*
 - erasing configuration files, 143*
 - storing configuration files, 141-143*
 - file management, 820-822
 - configuration files, 839-842*
 - IOS file system, 822-824*
 - password recovery/reset, 835-838*
 - upgrading IOS images, 824-830*
- initial configuration, 843
- license management, 848
 - manual software activation, 855-860*
 - software activation with Cisco License Manager, 854-855*
 - software activation with universal images, 852-853*
- packaging
 - one image per model/series, 850*
 - one IOS image per feature set, 851*
 - universal images, 851-853*
- password security, 804
 - encoding with hashes, 806-809*
 - encrypting with service password-encryption command, 805-806*
 - hiding passwords for local usernames, 810*
- software activation
 - with Cisco License Manager, 854-855*
 - manual activation, 855-860*
 - with right-to-use licenses, 861-862*
 - with universal images, 852-853*
- versions versus releases, 850
- ip -6 neighbor show command, 734, 748
- ip access-group command, 604, 611, 621, 631, 640
- ip access-list command, 626-627, 640
- IP ACLs (access control lists). *See* ACLs (access control lists)
- ip address command, 182, 187, 394, 400, 413-414, 418, 421, 424, 531, 566, 582-583
- IP ARP table, 415
- ip default-gateway command, 182, 187
- ip dhcp excluded-address command, 478-479, 496
- ip dhcp pool command, 478, 496

ip domain-lookup command, 570
ip domain-name command, 178
ip ftp password command, 845
ip ftp username command, 845
ip helper-address command, 473-476, 480-483, 497, 571-572
ip name-server command, 182, 187, 570
ip nat command, 665
ip nat inside command, 653, 655, 660-662
ip nat inside source command, 657, 665
ip nat inside source list command, 656, 660, 663
ip nat inside source static command, 653, 655, 662
ip nat outside command, 653-655, 660-662
ip nat pool command, 656, 665
ip route, 403, 413, 422-424
ip scp server enable command, 829
ip ssh version 2 command, 178
ip subnet-zero command, 514
IP telephony, 262

- data and voice VLAN concepts, 262-264
- data and voice VLAN configuration and verification, 264-266
- summary, 266-267

ipconfig command, 487, 497, 566, 742, 748
IPv4 ACLs (access control lists). *See* ACLs (access control lists)
IPv4 addresses, 84-85. *See also* subnet masks; subnets

- address exhaustion, 675
- address formats, 330
- broadcast addresses, 491-492
- calculating hosts and subnets in network, 350-352
- calculating hosts per network, 331-332
- CIDR (classless inter-domain routing), 645-646
- classes in, 328-329
- classless versus classful addressing, 350

- comparison of address types, 494-495
- default masks, 331
- dynamic IP address configuration, 182-183
- grouping, 87-88
- host settings, 486-490
- matching addresses
 - any/all addresses*, 602
 - exact IP address*, 599-600
 - subset of address*, 600-601
- multicast addresses, 492-494
- NAT (Network Address Translation), 642, 647-648
 - dynamic NAT*, 650-651, 655-659
 - PAT (Port Address Translation)*, 652-653, 660-662
 - source NAT*, 648
 - static NAT*, 648-650, 654-655
 - troubleshooting*, 662-664
- network number and related numbers, 332-333
- number and size of networks, 329-330
- private addresses, 646-647, 690-692
- public addresses, 690-692
- router interface IP addresses, 394-396
- rules for, 86-87
- scalability, 645
- troubleshooting, 570
- unicast addresses, 491
- unusual addresses within classes, 334

IPv4 routing, 25-28, 78, 81, 405-407. *See also* subnets
 ARP (Address Resolution Protocol), 84, 99-100
 configuring on switch, 181-182
 DNS (Domain Name System), 98-99
 enabling IPv4 support on router interfaces

- bandwidth*, 398
- CLI access*, 390-391
- clock rate*, 396-397
- displaying interfaces*, 391-393

- interface status codes*, 393-394
- IP addresses*, 394-396
- router auxiliary ports*, 398-399
- examples of, 408
 - choosing where to forward packets*, 410-411
 - deciding whether to process incoming frames*, 409-410
 - de-encapsulation of IP packets*, 410
 - encapsulating packets in frames*, 411-412
 - hosts forward IP packets to default routers (gateway)*, 409
 - transmitting frames*, 412
- host and switch IP settings, 179-181
- IP hosts, 27, 86
- IP networks, 85, 88-91
- IP packet encapsulation, 408
- protocols, 85-86, 96-98
- routing logic, 81-83
 - data link layer encapsulation*, 83-84
 - host forwarding logic*, 82, 93-94
 - IP routing tables*, 83, 94-95
- routing tables, 83, 94-95
- RIPv2, 437
 - autosummarization*, 454-455
 - comparison of IGPs (interior gateway protocols)*, 438
 - configuration*, 443-447
 - discontiguous classful networks*, 454-455
 - distance vector*, 439-440
 - equal-cost routes*, 453-454
 - full update messages*, 440-441
 - history of IGPs (interior gateway protocols)*, 437-438
 - key features*, 442-443
 - RIP updates, controlling*, 452-453
 - route poisoning*, 441-442
 - split horizon*, 441
 - troubleshooting*, 461-466
 - verification*, 447-451, 456-458
- testing connectivity, 100
- troubleshooting, 564
 - default router IP address setting*, 570
 - DHCP issues*, 571-572
 - DNS problems*, 569-570
 - incorrect addressing plans*, 579-583
 - IP forwarding issues*, 575-578
 - LAN issues*, 573-574
 - mismatched IPv4 settings*, 566-567
 - mismatched masks*, 567-569
 - packet filtering with access lists*, 584
 - ping command*, 543-553
 - router WAN interface status*, 583
 - SSH (Secure Shell)*, 559-561
 - Telnet*, 559-561
 - traceroute command*, 553-559
- verifying on switch, 183-184
- ipv6 address command**, 707, 711, 715-717, 726, 753
- ipv6 address dhcp command**, 726
- ipv6 address eui-64 command**, 714
- ipv6 address link-local command**, 718
- IPv6 addresses**, 674, 706-707
 - abbreviating, 681-682
 - address configuration summary, 723-724
 - assigning subnets to internetwork topology, 699-700
 - dynamic configuration of host settings, 735
 - DHCPv6*, 736-739
 - SLAAC (Stateless Address Auto Configuration)*, 739-741
 - dynamic unicast address configuration, 715
 - expanding addresses, 682
 - global routing prefix, 693-695

- global unicast addresses
 - address ranges for*, 695
 - assigning to hosts*, 700-701
 - definition of*, 692-693
 - subnetting with*, 696-699
- hexadecimal/binary conversion chart, 681
- history of, 674-676
- interface IDs, 698
- link-local addresses, 716-718
- loopback addresses, 723
- multicast addresses
 - anycast addresses*, 722-723
 - local scope multicast addresses*, 719-720
 - solicited-node multicast addresses*, 720-721
- NDP (Neighbor Discovery Protocol), 730-731
 - discovering duplicate addresses*, 734-735
 - discovering neighbor link addresses*, 733-734
 - discovering routers*, 731-732
 - discovering SLAAC addressing info*, 732-733
 - NA (Neighbor Advertisement)*, 733
 - NS (Neighbor Solicitation)*, 733
 - RA (Router Advertisement)*, 731
 - RS (Router Solicitation)*, 731
 - summary*, 735
- prefix length, 683-685
- protocols, 676-677
- representing full IPv6 addresses, 680
- routing, 677-680
- site local addresses, 693
- static unicast address configuration, 707
 - configuring full 128-bit address*, 707-708
 - enabling IPv6 routing*, 708
 - generating unique interface ID with modified EUI-64*, 711-714
 - verifying*, 709-711
- subnet router anycast addresses, 699
- subnetting with global unicast addresses, 696-699
- subnetting with unique local addresses, 701-702
- troubleshooting, 741
 - verifying host connectivity from hosts*, 741-744
 - verifying host connectivity from nearby routers*, 744-747
- unique local addresses
 - definition of*, 692-693
 - importance of*, 702-703
 - subnetting with*, 701-702
- unknown addresses, 723
- ipv6 dhcp relay command**, 738-739
- ipv6 dhcp relay destination command**, 748
- ipv6 enable command**, 718, 726
- ipv6 route command**, 756, 769
 - floating static routes, 762
 - global unicast next-hop address, 758
 - link-local next-hop address, 759
 - outgoing interface, 756
 - static default routes, 761
 - static host routes, 761
 - troubleshooting, 765-768
- IPv6 routing**, 752
 - connected routes, 753-755
 - local routes, 753, 755-756
 - static routes, 756
 - floating static routes*, 762-763
 - global unicast next-hop address*, 758-759
 - link-local next-hop address*, 759-760
 - outgoing interface*, 756-757
 - static default routes*, 760-761
 - static host routes*, 761-762
 - troubleshooting*, 765-768

ipv6 unicast-routing command, 708, 726
 ISL (Inter-Switch Link), 248-249
 ISO (International Organization for Standardization), 19
 isolating problems with traceroute, 275-277, 553-559

J-K-L

knowledge gaps, finding, 877-879
 known unicast frames, 150-153

L3 PDU (Layer 3 protocol data units), 84
 L4PDU, 106
 LANs (local-area networks). *See* Ethernet LANs; WLANs
 LAN neighbors, testing, 549-551
 LAN switching, 146-149
 analyzing, 156
 flooding, 154
 MAC address table, 153-154
 aging, 161
 clearing, 162
 finding entries in, 159-160
 multiple switches, 162-163
 showing, 156-157
 port security, 202-203, 287-288
 configuration, 203-205
 err-disabled recovery, 288-289
 MAC addresses, 207-208
 protect mode, 289-292
 restrict mode, 289-292
 shutdown mode, 288-289
 verifying, 205-206
 violation actions, 207
 STP (Spanning Tree Protocol), 154-155
 summary, 155-156
 switch forwarding and filtering decisions, 150-153

switch interface configuration, 158-159, 190-192
 autonegotiation, 198-202
 description, 193-194
 duplex, 193-194
 enabling/disabling interfaces, 195-197
 multiple interfaces, 195
 removing configuration, 197-198
 speed, 193-194
 switching logic, 149-150
 verifying, 156

last usable IP addresses, 332-333
 Layer 1 problems, 282-284
 Layer 2 switches, 181, 249
 Layer 3 protocol data units (L3 PDU), 84
 Layer 3 switches, 181, 249, 416
 configuring routing to VLANs, 420-422
 VLAN (virtual LAN) routing, 251-252
 Layer 4 PDU, 106

layers

- Ethernet
 - data link*, 44, 51-52
 - physical layer standards*, 43
- OSI (Open Systems Interconnection), 33-35
- TCP/IP
 - adjacent-layer interaction*, 24-25
 - application layer*, 22-23
 - compared to OSI*, 32-33
 - data encapsulation terminology*, 30-32
 - HTTP (Hypertext Transfer Protocol)*, 22-23
 - IPv4 (Internet Protocol version 4)*, 25-28
 - link layer*, 28-30
 - network layer*, 25-28
 - original versus modern TCP/IP models*, 30
 - same-layer interaction*, 24-25

- TCP (Transmission Control Protocol), 23-24*
- transport layer, 23-25*
- lease command, 497**
- leased circuits. *See* leased-line WANs**
- leased-line WANs (wide area networks)**
 - cabling, 64-65
 - connecting LANs via, 62-63
 - creating in lab, 66
 - data-link protocols, 66-67
 - HDLC (High-Level Data Link Control), 67
 - leased line terminology, 63-64
 - routing, 68-69
- license boot module command, 861-862**
- license install command, 857, 863**
- license management, 848**
 - Cisco License Manager, 854-855
 - Cisco ONE Licensing, 854
 - Cisco Product License Registration Portal, 855-857
 - IOS packaging, 850
 - one IOS image per feature set, 851*
 - one IOS image per model/series, 850*
 - universal images, 851-853*
 - right-to-use licenses, 861-862
 - software activation
 - with Cisco License Manager, 854-855*
 - manual activation, 855-860*
 - with universal images, 852-853*
- License Manager (Cisco), 854-855**
- Lightweight AP (LWAP), 239**
- limited broadcast addresses (IPv4), 491**
- line aux 0 command, 399**
- line con 0 command, 170-171**
- line console command, 818**
- line console 0 command, 139-140, 145, 187, 391**
- line vty command, 171, 187, 818**
- link layer (TCP/IP), 28-30**
- Link Layer Discovery Protocol (LLDP), 797-799**
- link-local addresses (IPv6), 716-718**
- link-local next-hop address, 759-760**
- links, 115**
- list logic (IP ACLs), 598-599**
- list of subnets, building, 320-321**
- LLDP (Link Layer Discovery Protocol), 797-799**
- lldp receive command, 799-801**
- lldp run command, 799-801**
- lldp transmit command, 799-801**
- local-area networks. *See* Ethernet LANs; wireless LANs**
- local broadcast addresses (IPv4), 491**
- local routes (IPv6), 753-756**
- local scope multicast addresses, 719-720**
- local usernames, hiding passwords for, 810**
- location (ACLs), 594-595**
- log keyword, 606**
- logging with Syslog, 780**
 - configuration, 784-786
 - debug command, 786-787
 - log message format, 782
 - log message security levels, 783
 - sending messages to users, 780-781
 - storing log messages for review, 781-782
 - verification, 784-786
- logging buffered command, 781, 785, 800**
- logging command, 800**
- logging console command, 185, 188, 780, 800**
- logging monitor command, 781, 800**
- logging synchronous command, 185, 188**
- logging trap command, 800**
- login banners, 810-812**
- login command, 136, 145, 170-171, 187, 818**
- login local command, 187, 818**
- loopback addresses, 334, 723**

loopback interfaces, 791-793
 loops, avoiding with STP (Spanning Tree Protocol), 154-155
 LWAP (Lightweight AP), 239

M

MAC address table, 52-54, 153-154
 aging, 161
 clearing, 162
 finding entries in, 159-160
 multiple switches, 162-163
 overview, 153-154
 predicting contents of, 284-286
 showing, 156-157

MAC addresses
 port security, 207-208
 sticky secure MAC addresses, 203

macrobending, 279

magic number, 370, 515

manual software activation
 Cisco Product License Registration Portal, 855-857
 current license status, showing, 857-859
 permanent technology package licenses, adding, 859-861

masks. *See* subnet masks

matching packets, 595-596

matching parameters
 extended numbered ACLs, 617-621
 standard numbered ACLs
 any/all addresses, 602
 command syntax, 599
 exact IP address, 599-600
 subset of address, 600-601
 wildcard masks, 600-602

maximum-paths command, 453-454, 458, 468

maximum transmission unit (MTU), 52

MD5 verification, 827

Media Access Control. *See* MAC address table

memory, 141, 823

messages
 full update messages, 440-441
 log messages, 781-783
 sending to users, 780-781

mismatched IPv4 settings, 566-567

mismatched masks, 567-569

mismatched trunking operational states, 294-296

models, networking
 definition of, 18-19
 history of, 19-20
 OSI model, 32-35
 TCP/IP, 20-21
 adjacent-layer interaction, 24-25
 application layer, 22-23
 compared to OSI, 32-33
 data encapsulation terminology, 30-32
 link layer, 28-30
 network layer, 25-28
 original versus modern TCP/IP models, 30
 overview, 20-21
 same-layer interaction, 24-25
 TCP (Transmission Control Protocol), 24
 transport layer, 23-24

modified EUI-64 (extended unique identifier), 711-714

MP BGP-4 (Multiprotocol BGP version 4), 679

MTU (maximum transmission unit), 52

multicast addresses
 IPv4, 53-54, 328, 492-494
 IPv6, 719

anycast addresses, 722-723
local scope multicast addresses,
719-720
solicited-node multicast addresses,
720-721

multilayer switches, 181, 249-252
 multiple interfaces, configuring, 195
 multiple subnet sizes, 312
 multiplexing, 106-108
 Multiprotocol BGP version 4 (MP BGP-4),
 679

N

NA (Neighbor Advertisement), 733
 name command, 253, 268
 name resolution, 488-489
 named ACLs, 625-629
 NAT (Network Address Translation), 642,
 647-648, 690
 dynamic NAT, 650-651, 655-659
 PAT (Port Address Translation), 652-653,
 660-662
 source NAT, 648
 static NAT, 648-650, 654-655
 troubleshooting, 662-664
 NAT Overload. *See* PAT (Port Address
 Translation)
 native VLANs, 248
 NDP (Neighbor Discovery Protocol), 676,
 730-731
 discovering duplicate addresses, 734-735
 discovering neighbor link addresses,
 733-734
 discovering routers, 731-732
 discovering SLAAC addressing info,
 732-733
 NA (Neighbor Advertisement), 733
 NS (Neighbor Solicitation), 733
 RA (Router Advertisement), 731
 RS (Router Solicitation), 731

ndp -an command, 734, 748
 Neighbor Advertisement (NA), 733
 Neighbor Discovery Protocol. *See* NDP
 neighbor link addresses, 733-734
 Neighbor Solicitation (NS), 733
 neighbors, testing
 LAN neighbors, 549-551
 WAN neighbors, 551-552
 netsh interface ipv6 show neighbors
 command, 734, 748
 netstat -rn command, 489, 497
 network access layer. *See* link layer
 (TCP/IP)
 Network Address Translation. *See* NAT
 network addresses. *See* network numbers
 network broadcast addresses, 332-334,
 491
 network command, 444-447, 463-464,
 468, 480-483, 496
 network file systems, 824
 network IDs, 332-334
 network interface cards (NICs), 62
 network interface layer. *See* link layer
 (TCP/IP)
 network layer
 OSI, 34
 TCP/IP, 25-28
 network numbers, 332-334
 network routes, 424
 Network Time Protocol. *See* NTP
 networking architecture, 18
 networking blueprint, 18
 networking diagrams, 18, 29
 next-hop IPv6 address, 758-760
 next-server command, 480
 NICs (network interface cards), 62
 no auto-summary command, 454-455,
 458, 465
 no cdp enable command, 796, 819
 no cdp run command, 819

- no debug all command, 145
- no description command, 197-198, 210
- no duplex command, 197-198, 210
- no enable password command, 819
- no enable secret command, 819
- no ip access-group command, 630
- no ip directed-broadcast command, 492
- no ip domain-lookup command, 185, 570
- no ip http server command, 819
- no ip subnet-zero command, 514
- no logging console command, 185, 188, 783
- no logging monitor command, 783
- no passive-interface command, 457, 468
- no password command, 173
- no service password-encryption command, 806
- no shutdown command, 182, 195-198, 209, 268, 288-289, 297, 391, 400, 421, 785, 838
- no speed command, 197-198, 210
- nonvolatile RAM (NVRAM), 141, 824
- nonworking states, troubleshooting, 278-279
- NS (Neighbor Solicitation), 733
- NTP (Network Time Protocol), 787-788
 - client/server configuration, 789-791
 - loopback interfaces, 791-793
 - setting time and timezone, 788-789
- ntp master command, 800
- ntp server command, 791, 800
- ntp source command, 800
- numbered ACLs, 629-630
- numbers
 - DDN (dotted-decimal notation), 27, 87
 - magic number, 370
 - network numbers, 332-334
 - port numbers, 107-108
 - SEQ (sequence number), 24
 - sequence numbers, 627-629
 - subnet numbers, 310, 320, 360-361, 513
 - finding subnets with 9-16 subnet bits, 520-522*
 - finding subnets with 17 or more subnet bits, 522*
 - finding subnets with exactly 8 subnet bits, 519-520*
 - finding subnets with less than 8 subnet bits, 515-519*
 - finding with binary math, 362-363*
 - finding with decimal math, 370-372*
 - finding with magic number, 515*
 - zero subnet, 514*
- numeric reference table
 - binary-to-hexadecimal conversion, 892
 - decimal-to-binary conversion, 889-891
 - hexadecimal-to-binary conversion, 892
- NVRAM (nonvolatile RAM), 141, 824

O

- objects, 117
- octets, 87
- on-link, 733
- ONE Licensing (Cisco), 854
- one-size subnets, 311-312
- opaque file systems, 824
- Open Shortest Path First (OSPF), 94
- Open Systems Interconnection. *See* OSI
- operational view of subnetting, 306
- OSI (Open Systems Interconnection), 19, 32-35
- OSPF (Open Shortest Path First), 94
- OSPFv3, 676, 679
- outgoing interfaces, IPv6 static routes with, 756-757
- outside global addresses, 649-650
- outside local addresses, 649-650
- overlapping routes, 575-578

overlapping subnets

with VLSM, 532-536, 581-583

without VLSM, 579-581

overloading NAT (Network Address Translation), 652-653, 660-662**P**

packaging (IOS), 850

one IOS image per feature set, 851

one IOS image per model/series, 850

universal images, 851-853

packet filtering. See ACLs (access control lists)**packet forwarding (IPv4), 81-83**

data link layer encapsulation, 83-84

host forwarding logic, 82, 93-94

IP routing tables, 83, 94-95

routing protocols, 85-86, 96-98

PAK (product authorization key) licensing, 848

Cisco License Manager, 854-855

Cisco ONE Licensing, 854

Cisco Product License Registration Portal, 855-857

IOS packaging, 850-853

software activation

*with Cisco License Manager, 854-855**manual software activation, 855-860**with universal images, 852-853***PAR (Positive Acknowledgment and Retransmission), 113****partial mesh topology, 229, 233****passive-interface command, 452-453, 457, 464, 468****passive-interface default command, 457, 468****passive interfaces, 464-465****password command, 139, 145, 170-171, 187, 805, 818****password faith command, 136****passwords**

CLI (command-line interface), 135-136

*local username/password configuration, 173-175**simple password configuration, 169-173*

console passwords, 169

enable passwords, 169

security, 804

*encoding with hashes, 806-809**encrypting with service password-encryption command, 805-806**hiding passwords for local usernames, 810*

recovery/reset, 835-838

shared passwords, 169

Telnet passwords, 169

PAT (Port Address Translation), 660-663**path command, 845****path selection, 82****PBX (private branch exchange), 262****PCPT (Pearson IT Certification Practice Test) exam software, 874****PDU (protocol data units), 35****permanent keyword, 425, 430****permanent technology package licenses, 859-861****permit command, 596, 602-603, 625-628, 641****physical console connection, 130-132****physical layer (OSI), 34****physical standards (Ethernet LANs), 233-234**

choosing, 235-236

enterprise wireless LANs, 238-240

Ethernet types, media, and segment lengths, 235

history of, 234

home office wireless LANs, 236-237

table of, 234

PID (product ID), 855

- ping command, 100, 276, 543-544, 569-572, 637, 748
 - IPv6, 744-745
 - ping with names and IP addresses, 552-553
 - self-ping, 637-639
 - testing LAN neighbors with extended ping, 550-551
 - testing LAN neighbors with standard ping, 549-550
 - testing longer routes from near source of problem, 545-547
 - testing reverse routes with extended ping, 547-549
 - testing WAN neighbors with standard ping, 551-552
 - ping6 command, 743-744, 748
 - pinouts
 - cabling pinouts for 10BASE-T and 100BASE-T, 48-50
 - cabling pinouts for 1000BASE-T, 51
 - definition of, 49
 - point-to-point line. *See* leased-line WANs
 - POP3 (Post Office Protocol version 3), 109
 - Port Address Translation (PAT), 660-663
 - port-security command, 205
 - ports
 - Ethernet ports, 46
 - port numbers, 107-108, 618-621
 - router auxiliary ports, 398-399
 - security, 202-203, 287-288
 - configuration*, 203-205
 - err-disabling recovery*, 288-289
 - MAC addresses*, 207-208
 - protect mode*, 289-292
 - restrict mode*, 289-292
 - shutdown mode*, 288-289
 - verifying*, 205-206
 - violation actions*, 207
 - switch ports, 150
 - POST (power-on self-test), 830
 - Post Office Protocol version 3 (POP3), 109
 - powers of 2 numeric reference table, 894
 - practice exams
 - additional test questions, 877
 - exam scores, 881
 - question review, 877-879
 - test-taking tips, 874-877
 - predictability in interesting octet, 369-370
 - prefix length (IPv6), 683-685
 - prefix masks, 343-346
 - prefix part of IP addresses, 330, 340, 347-350
 - presentation layer (OSI), 34
 - private addresses, 646-647, 690-692
 - private branch exchange (PBX), 262
 - private internets, 647
 - private IP networks, 315-316
 - private line. *See* leased-line WANs
 - privilege level 15, 829
 - privileged EXEC mode, 133-135
 - problem isolation with traceroute, 275-277, 554-559
 - product authorization key (PAK) licensing. *See* PAK (product authorization key) licensing
 - product ID (PID), 855
 - Product License Registration Portal (Cisco), 855-857
 - protect mode, 289-292
 - protocol data units (PDUs), 35
 - public addresses (IPv4), 690-692
 - public IP networks, 313-315
- ## Q-R
-
- question review, 877-879
 - quit command, 145

- RA (Router Advertisement), 731**
- RAM (random access memory), 141**
- ranges**
 - for global unicast addresses, 695
 - of usable addresses, 361-362
- read-only memory (ROM), 141**
- recovery**
 - err-disabling recovery, 288-289
 - password recovery/reset, 835-838
- Regional Internet Registries (RIRs), 675**
- registered public IP networks, 313-315**
- releases (IOS), 850**
- reload command, 133-134, 143-145, 156, 834, 840, 846**
- remark command, 626, 641**
- remote subnets, 411**
- replies**
 - ARP, 99
 - HTTP, 23
 - ICMP echo replies, 100
- requests**
 - ARP (Address Resolution Protocol) requests, 99
 - HTTP GET requests, 117
 - ICMP echo requests, 100
- reserved networks, 329, 334**
- resetting passwords, 835-838**
- resident subnets, 358**
- restrict mode, 289-292**
- reverse engineering from ACL to address range, 608-610**
- reverse routes, testing, 547-549**
- reversed source/destination IP address, 634-635**
- right-to-use licenses, 861-862**
- RIPng (RIP next generation), 679**
- RIPv2 (Routing Information Protocol Version 2), 434, 437**
 - autosummarization, 454-455
 - configuration, 443-447
 - discontiguous classful networks, 454-455
 - distance vector, 439-440
 - equal-cost routes, 453-454
 - full update messages, 440-441
 - IGPs (interior gateway protocols), 437-438
 - key features, 442-443
 - RIP updates, controlling, 452-453
 - route poisoning, 441-442
 - split horizon, 441
 - troubleshooting, 461-462
 - auto-summary issues, 465*
 - missing/incorrect network commands, 463-464*
 - other router issues, 466*
 - passive interfaces, 464-465*
 - summary, 466*
 - verification, 447
 - AD (administrative distance), 449-450*
 - show ip protocols command, 450-451, 456-458*
 - show ip route command, 447-449*
- RIRs (Regional Internet Registries), 675**
- RJ-45 ports, 46**
- ROAS (router-on-a-stick), 251, 416**
- ROM (read-only memory), 141**
- ROMMON, 830, 836**
- route poisoning, 441-442**
- router-on-a-stick (ROAS), 251, 416**
- router rip command, 468**
- Router Solicitation (RS), 731**
- router VLAN trunking, 416**
- routers, 41, 384**
 - ARP table, 415
 - auxiliary ports, 398-399
 - CLI (command-line interface), 390-391
 - default routers, 83, 93, 489-490
 - DHCP (Dynamic Host Configuration Protocol) configuration, 478-480

discovering with NDP (Neighbor Discovery Protocol), 731-732

dynamic unicast address configuration, 715

installation

- Cisco integrated services routers*, 387-388
- enterprise routers*, 386-388
- Internet access routers*, 389-390

IPv4, 403, 407

link-local address configuration, 717-718

ROAS (router-on-a-stick), 251, 416

router interfaces

- bandwidth*, 398
- clock rate*, 396-397
- displaying*, 391-393
- interface status codes*, 393-394
- IP addresses*, 394-396

router WAN interface status, 583

static unicast address configuration

- configuring full 128-bit address*, 707-708
- enabling IPv6 routing*, 708
- generating unique interface ID with modified EUI-64*, 711-714
- verifying*, 709-711

troubleshooting

- DHCP issues*, 571-572
- LAN issues*, 573-574

verifying IPv6 host connectivity from, 744-747

VLAN (virtual LAN) routing, 249-251

wireless routers, 236

routing. *See* **IPv4 routing**; **IPv6 routing**

Routing Information Protocol Version 2. *See* **RIPv2**

routing tables, 447-449

RS (Router Solicitation), 731

running-config file, 142

RXBOOT, 830

S

S0/0/0 status code, 394

same-layer interaction, 24-25

SCP (SSH Copy Protocol), 829-830

scp command, 829

sdm prefer lanbase-routing, 421

Secure Shell (SSH), 133, 176-179, 559-561, 813-814

security

- CLI (command-line interface), 168-169
 - external authentication servers*, 175-176
 - local username/password configuration*, 173-175
 - password security*, 135-136
 - simple password configuration*, 169-173
 - SSH (Secure Shell)*, 176-179
- device hardening
 - controlling Telnet and SSH access with ACLs*, 813-814
 - definition of*, 810
 - firewalls*, 814-816
 - login banner configuration*, 810-812
 - unused switch interface security*, 812-813
- IOS passwords, 804
 - encoding with hashes*, 806-809
 - encrypting with service password-encryption command*, 805-806
 - hiding for local usernames*, 810
- password recovery/reset, 835-838
- port security, 202-203, 287-288
 - configuration*, 203-205
 - err-disabling recovery*, 288-289
 - MAC addresses*, 207-208
 - protect mode*, 289-292
 - restrict mode*, 289-292
 - shutdown mode*, 288-289

- verifying*, 205-206
- violation actions*, 207
- security levels (log messages), 783
- security zones (firewall), 815-817
- segments, 31, 106
- self-ping, 637-639
- SEQ (sequence number), 24, 627-629
- serial line. *See* leased-line WANs
- serial number (SN), 855
- servers
 - AAA (authentication, authorization, and accounting) servers, 175-176
 - DHCP (Dynamic Host Configuration Protocol) servers, 478-484
 - external authentication servers, 175-176
 - NTP (Network Time Protocol), 789-791
 - Telnet servers, 133
 - web servers, 114
- service password-encryption command, 805-806, 819
- service providers, 64
- service sequence-numbers command, 800
- session layer (OSI), 34
- setup command, 843, 846
- Setup mode (IOS), 843
- shared passwords, 169
- shorter VLAN configuration example, 256-257
- show access-lists command, 604, 611, 627, 633, 641
- show arp command, 490, 497, 570
- show cdp command, 797, 801
- show cdp entry command, 794-796
- show cdp interface command, 797
- show cdp neighbors command, 794
- show cdp neighbors detail command, 794-796
- show cdp traffic command, 797
- show clock command, 801
- show command, 137
- show controllers command, 397, 401
- show crypto key mypubkey rsa command, 188
- show dhcp lease command, 183, 188
- show flash command, 824-827, 846
- show history command, 184, 188
- show interface switchport command, 293
- show interfaces command, 159, 196-197, 211, 278-280, 283, 297, 392-393, 396, 401, 413, 466, 567, 753
- show interfaces description command, 278, 297, 574
- show interfaces loopback command, 801
- show interfaces serial command, 392
- show interfaces status command, 158, 164, 193-194, 278-281, 297
- show interfaces switchport command, 259-262, 265, 269, 293-297
- show interfaces trunk command, 260-262, 266, 269, 296-297
- show interfaces vlan command, 183, 188
- show ip access-lists command, 604, 611, 628-630, 633, 641
- show ip arp command, 497
- show ip default-gateway command, 183, 188
- show ip dhcp binding command, 480, 497
- show ip dhcp conflict command, 486, 497
- show ip dhcp pool command, 480-481, 497
- show ip dhcp server statistics command, 480, 497
- show ip interface brief command, 392, 396, 401, 468
- show ip interface command, 466, 482, 604, 611, 633
- show ip nat statistics command, 655-662, 665
- show ip nat translations command, 655-665
- show ip protocols command, 450-451, 456-458, 468

- show ip route command, 360, 391, 413-414, 423, 426-428, 447-449, 468, 531-532, 575-578, 755
- show ip route ospf command, 575-576
- show ip route static, 424
- show ip ssh command, 179, 188
- show ipv6 interface brief command, 709-710, 717, 722, 726
- show ipv6 interface command, 709-710, 717, 720, 726, 738-739
- show ipv6 neighbors command, 745, 748
- show ipv6 route command, 716, 726, 754, 757, 770
- show ipv6 route connected command, 710, 756
- show ipv6 route local command, 755
- show ipv6 route static command, 757-763
- show ipv6 routers command, 746-748
- show license command, 857-863
- show license feature command, 858, 863
- show license udi command, 855-856, 863
- show lldp commands, 801
- show lldp entry command, 798
- show lldp interface command, 799
- show lldp neighbors command, 798
- show logging command, 781, 784, 801
- show mac address-table aging-time command, 161, 164
- show mac address-table command, 159, 164, 293, 297, 391
- show mac address-table count command, 161, 164
- show mac address-table dynamic address command, 164
- show mac address-table dynamic command, 137, 156-157, 162-164, 207-210, 285-286
- show mac address-table dynamic interface command, 160, 164
- show mac address-table dynamic vlan command, 164
- show mac address-table secure command, 207-210
- show mac address-table static command, 207, 210
- show mac address-table vlan command, 160
- show ntp associations command, 791, 801
- show ntp status command, 791, 801
- show port-security command, 211, 288, 297
- show port-security interface command, 205-206, 211, 288-291
- show process cpu command, 787
- show protocols command, 395-396, 401
- show running-config command, 135, 142, 145, 172-173, 183, 188, 195, 210, 603, 627-629, 754, 819, 824, 846
- show ssh command, 179, 188
- show startup-config command, 142-145, 824
- show version command, 833-835, 858-863
- show vlan brief command, 254-257, 293, 297
- show vlan command, 269, 293-294, 297
- show vlan id command, 255, 293, 297
- show vlans, 419
- show vtp status command, 257, 269, 293, 297
- shutdown command, 182, 195-196, 209, 268, 288-289, 297, 391, 400, 785, 788, 813, 819
- shutdown mode, 288-289
- Simple Mail Transfer Protocol (SMTP), 109
- Simple Network Management Protocol (SNMP), 109
- single-size subnets, 311-312
- site local addresses, 693
- size of subnets, 310-312
- SLAAC (Stateless Address Auto Configuration), 711, 731, 739-741

- slash masks, 343
- sliding windows, 112-113
- small office/home office (SOHO) LANs, 17, 41-42
- SMARTnet, 852
- SMTP (Simple Mail Transfer Protocol), 109
- SN (serial number), 855
- SNA (Systems Network Architecture), 19
- SNMP (Simple Network Management Protocol), 109
- sockets, 107
- software activation
 - with Cisco License Manager, 854-855
 - manual activation, 855-857
 - Cisco Product License Registration Portal*, 855-857
 - current license status, showing*, 857-859
 - permanent technology package licenses, adding*, 859-861
 - with right-to-use licenses, 861-862
 - with universal images, 852-853
- software configuration
 - common command prompts, 140
 - configuration files, 141-143
 - configuration mode, 138-139
 - configuration submodes and contexts, 139-141
- SOHO (small office/home office) LANs, 17, 41-42
- solicited-node multicast addresses, 720-721
- source IP, matching, 617-618
- source MAC addresses, 153
- source NAT (Network Address Translation), 648
- Spanning Tree Protocol (STP), 154-155
- speed command, 139-141, 193-194, 209, 279-281, 297, 391, 400, 574
- split horizon, 441
- SSH (Secure Shell), 133, 176-179, 559-561, 813-814
- SSH Copy Protocol. *See* SCP
- standard numbered IPv4 ACLs, 597
 - access-list command, 608
 - command syntax, 599
 - configuration examples, 602-606
 - list logic, 598-599
 - matching any/all addresses, 602
 - matching exact IP address, 599-600
 - matching subset of address, 600-601
 - reverse engineering from ACL to address range, 608-610
 - troubleshooting, 606-607
 - verification, 606-607
 - wildcard masks, 600-602
- star topology, 229, 233
- startup-config file, 142
- stateful inspection, 815
- Stateless Address Auto Configuration (SLAAC), 711, 731, 739-741
- stateless DHCPv6, 741
- static NAT (Network Address Translation), 648-650, 654-655
- static ranges per subnet, choosing, 323-324
- static routes
 - IPv4, 403, 413, 424-428
 - configuring*, 422-428
 - floating static routes*, 426
 - troubleshooting*, 428-430
 - IPv6, 756, 760-762
 - floating static routes*, 762-763
 - global unicast next-hop address*, 758-759
 - link-local next-hop address*, 759-760
 - outgoing interface*, 756-757
 - static default routes*, 760-761
 - static host routes*, 761-762
 - troubleshooting*, 765-768

- static unicast address configuration (IPv6), 707**
 - configuring full 128-bit address, 707-708
 - enabling IPv6 routing, 708
 - generating unique interface ID with modified EUI-64, 711-714
 - verifying, 709-711
- status codes**
 - interface status codes, 393-394
 - troubleshooting, 278-279
- sticky secure MAC addresses, 203**
- STP (Spanning Tree Protocol), 154-155**
- straight-through cable pinout, 48-49**
- subcommands, 139**
- subdivided networks. *See* subnets**
- subinterface numbers, 418**
- subinterfaces, 416**
- subnet blocks, 521**
- subnet masks, 310, 340**
 - borrowing host bits to create subnet bits, 317-318
 - calculating hosts and subnets in network, 350-352
 - choosing, 316-318, 506-512
 - classful IP networks before subnetting, 316-317
 - converting between formats, 343-346
 - finding, 510-512
 - formats for, 342-343
 - mask formats, 319-320
 - mismatched masks, 567-569
 - prefix part, 347-350
 - sample design, 319
 - VLSM (variable length subnet masking), 312, 530
 - adding new subnets to existing VLSM design, 536-538*
 - classful routing protocols, 530-531*
 - classless routing protocols, 530-531*
 - configuration, 531-532*
 - definition of, 528*
 - designing subnet plans with, 533-534*
 - finding VLSM overlaps, 532-536*
 - overlapping subnets, 581-583*
 - recognizing when VLSM is used, 579*
 - verification, 531-532*
- subnet numbers, 310, 320, 360-361, 513**
 - finding subnets with 9-16 subnet bits, 520-522
 - finding subnets with 17 or more subnet bits, 522
 - finding subnets with exactly 8 subnet bits, 519-520
 - finding subnets with less than 8 subnet bits, 515-519
 - finding with binary math, 362-363
 - finding with decimal math, 370-372
 - finding with magic number, 515
 - zero subnet, 514
- subnet part of IP addresses, 340, 349-350**
- subnet router anycast addresses, 699, 723**
- subnet zero, 514**
- subnets, 83, 91-93, 304. *See also* subnet masks**
 - analyzing with binary math, 362
 - binary practice problems, 364-366*
 - Boolean math, 367*
 - finding range of addresses, 367*
 - finding subnet broadcast addresses, 364*
 - finding subnet IDs, 362-363*
 - shortcut for binary process, 366-367*
 - analyzing with decimal math
 - analysis with easy masks, 368-369*
 - finding subnet broadcast addresses, 372-374*

- finding subnet IDs, 370-372*
- predictability in interesting octet, 369-370*
- reference table: DDN mask values and binary equivalent, 374*
- analyzing subnet needs
 - number of hosts per subnet, 309*
 - number of subnets, 308-309*
 - size of subnets, 310-313*
 - which hosts are in which subnet, 306-308*
- broadcast addresses, 310, 518
- building list of, 320-321
- calculating per network, 350-352
- definition of, 305, 358
- design choices
 - choosing IP network, 316*
 - classful networks, 315-316*
 - list of all subnets, 320-321*
 - public IP networks, 313-315*
 - subnet masks, 316-320, 506-512*
- DHCP Relay, 475-476, 481-482
- example of network with four subnets, 358-359
- IPv6
 - assigning to internetwork topology, 699-700*
 - with global unicast addresses, 696-699*
 - interface IDs, 698*
 - with unique local addresses, 701-702*
- operational versus design view of, 306
- overlapping subnets
 - without VLSM, 579-581*
 - with VLSM, 581-583*
- planning implementation, 321-324
- range of usable addresses, 361-362
- remote subnets, 411
- resident subnets, 358
- routing between VLANs, 415-419
- simple example, 305
- size, 310-312
- subnet blocks, 521
- subnet broadcast, 320, 361
- subnet numbers, 310, 320, 360-361, 513
 - finding subnets with 9-16 subnet bits, 520-522*
 - finding subnets with 17 or more subnet bits, 522*
 - finding subnets with exactly 8 subnet bits, 519-520*
 - finding subnets with less than 8 subnet bits, 515-519*
 - finding with binary math, 362-363*
 - finding with decimal math, 370-372*
 - finding with magic number, 515*
 - zero subnet, 514*
- subset of IP address, matching, 600-601
- switches, **41**. *See also* LAN switching
 - access switches, 228, 232
 - auto-mdix, 51
 - Cisco Catalyst switches, 128-129
 - collision domains and, 222-223
 - configuration files, 141-143
 - DHCP (Dynamic Host Configuration Protocol), 182-183
 - distribution switches, 228, 232
 - history buffer commands, 184
 - interfaces
 - Layer 1 problems, 282-284*
 - speed and duplex issues, 279-282*
 - status codes, 278-279*
 - troubleshooting, 278-284*
- IPv4
 - configuring on switch, 181-182*
 - dynamic IP address configuration with DHCP, 182-183*
 - host and switch IP settings, 179-181*
 - verifying on switch, 183-184*
- Layer 2 switches, 181, 249

- Layer 3 switches, 181, 249-252
- port security, 202-203, 287-288
 - configuration*, 203-205
 - err-disabled recovery*, 288-289
 - MAC addresses*, 207-208
 - restrict mode*, 289-292
 - shutdown mode*, 288-289
 - verifying*, 205-206
 - violation actions*, 207
- predicting where switches will forward frames, 284-287
- security, 168-169
 - external authentication servers*, 175-176
 - local username/password configuration*, 173-175
 - simple password configuration*, 169-173
 - SSH (Secure Shell)*, 176-179
- switch forwarding and filtering decisions, 150-153
- switch interface configuration, 190-192
 - autonegotiation*, 198-202
 - description*, 193-194
 - duplex*, 193-194
 - enabling/disabling interfaces*, 195-197
 - multiple interfaces*, 195
 - removing configuration*, 197-198
 - speed*, 193-194
- switch interfaces, 158-159
- voice switches, 262
- switching table. *See* MAC address table
- switchport access command, 226
- switchport access vlan command, 253, 256-257, 265-268, 293, 813, 819
- switchport mode access command, 203-205, 253, 256, 265-266, 813, 819
- switchport mode command, 210, 258, 268
- switchport mode dynamic auto command, 294
- switchport mode dynamic desirable command, 260
- switchport mode trunk command, 203, 258, 295, 417
- switchport nonegotiate command, 262, 268, 295
- switchport port-security command, 203-205
- switchport port-security mac-address command, 204-205, 210
- switchport port-security mac-address sticky command, 204-206, 210
- switchport port-security maximum command, 203, 210
- switchport port-security violation command, 203, 207, 210, 287, 297
- switchport trunk allowed vlan command, 269
- switchport trunk encapsulation command, 258, 268
- switchport trunk native vlan command, 268, 813, 819
- switchport voice vlan command, 264-266, 269
- SYN flags, 110
- Syslog, 780
 - configuration, 784-786
 - debug command, 786-787
 - log message format, 782
 - log message security levels, 783
 - sending messages to users, 780-781
 - storing log messages for review, 781-782
 - verification, 784-786
- Systems Network Architecture (SNA), 19

T

T1. *See* leased-line WANs

tables

- ARP (Address Resolution Protocol) tables, 100, 415, 490

- IP routing tables, 83, 94-95
- MAC address table, 153-154
 - aging*, 161
 - clearing*, 162
 - finding entries in*, 159-160
 - multiple switches*, 162-163
 - predicting contents of*, 284-286
 - showing*, 156-157
- routing tables, 447-449
- tagging (VLAN)**, 246-248
- TCP (Transmission Control Protocol)**, 23, 105-106
 - compared to UDP (User Datagram Protocol), 104
 - connection establishment and termination, 110-111
 - error recovery and reliability, 23-24, 111-112
 - flow control, 112-113
 - multiplexing, 106-108
 - popular applications, 108-109
 - port numbers, 107-108
 - segments, 106
 - sockets, 107
 - supported features, 104-105
- tcp keyword**, 618
- TCP/IP (Transmission Control Protocol/Internet Protocol)**, 14, 20-21. *See also* IPv4 addresses; IPv6 addresses; TCP (Transmission Control Protocol)
 - application layer, 22-23
 - compared to OSI, 32-33
 - data encapsulation terminology, 30-32
 - history of, 19-20
 - HTTP (Hypertext Transfer Protocol), 22-23
 - link layer, 28-30
 - network layer, 25-28
 - original versus modern TCP/IP models, 30
 - RFCs (Requests for Comments), 20
 - transport layer, 23-25
 - UDP (User Datagram Protocol), 104-105, 113-114
 - web browsing
 - DNS (Domain Name System) resolution*, 115-117
 - HTTP (Hypertext Transfer Protocol)*, 114, 117-118
 - identifying receiving application*, 118-119
 - URIs (Uniform Resource Identifiers)*, 114-115
- Telecommunications Industry Association (TIA)**, 235
- Telnet**, 133, 559
 - controlling access with ACLs, 813-814
 - examples, 560-561
 - passwords, 169
 - when to use, 559-560
- terminal history size command**, 184, 188
- terminal monitor command**, 781, 787, 801
- terminal no monitor command**, 801
- testing**. *See* troubleshooting
- TFTP (Trivial File Transfer Protocol)**, 109, 478, 828
- three-tier campus design**, 230-232
- TIA (Telecommunications Industry Association)**, 235
- time, setting**, 788-789
- time management for Cisco Certification Exam**, 869-870
- time-period command**, 845
- Time To Live (TTL)**, 554
- Time-to-Live Exceeded (TTL Exceeded)**, 554
- timezone**, 788-789
- topologies of campus LANs**
 - three-tier campus design, 230-232
 - topology design terminology, 232-233
 - two-tier campus design, 227-230

- traceroute command, 553-559, 572, 744-745, 748
- traceroute6 command, 743-744, 748
- tracert command, 748
- trailer fields (Ethernet), 52
- transferring files, 117-118
- Transmission Control Protocol. *See* TCP
- Transmission Control Protocol/Internet Protocol. *See* TCP/IP
- transmitting frames, 412
- transparent bridges, 221-222
- transport input all command, 178
- transport input command, 178, 187, 391, 818
- transport input none command, 178
- transport input ssh command, 178
- transport input telnet ssh command, 178
- transport layer (OSI), 34
- transport layer (TCP/IP), 23
 - adjacent-layer interaction, 24-25
 - same-layer interaction, 24-25
 - TCP (Transmission Control Protocol), 105-106
 - compared to UDP (User Datagram Protocol), 104*
 - connection establishment and termination, 110-111*
 - error recovery and reliability, 23-24, 111-112*
 - flow control, 112-113*
 - multiplexing, 106-108*
 - popular applications, 108-109*
 - port numbers, 107-108*
 - segments, 106*
 - sockets, 107*
 - supported features, 104-105*
 - UDP (User Datagram Protocol), 104-105, 113-114
- Trivial File Transfer Protocol (TFTP), 109, 478, 828
- troubleshooting
 - definition of, 271
 - DHCP (Dynamic Host Configuration Protocol), 481-485
 - Ethernet LANs, 282-284
 - interfaces
 - Layer 1 problems, 282-284*
 - speed and duplex issues, 279-282*
 - status codes, 278-279*
 - IPv4 ACLs (access control lists)
 - ACL behavior in network, 631-633*
 - ACL interactions with router-generated packets, 637-639*
 - common syntax mistakes, 635*
 - inbound ACL filters routing protocol packets, 635-636*
 - reversed source/destination IP address, 634-635*
 - troubleshooting commands, 633-634*
 - IPv4 routing, 564
 - default router IP address setting, 570*
 - DHCP issues, 571-572*
 - DNS problems, 569-570*
 - incorrect addressing plans, 579-583*
 - IP forwarding issues, 575-578*
 - LAN issues, 573-574*
 - mismatched IPv4 settings, 566-567*
 - mismatched masks, 567-569*
 - packet filtering with access lists, 584*
 - router WAN interface status, 583*
 - IPv6 addressing
 - verifying host connectivity from hosts, 741-744*
 - verifying host connectivity from nearby routers, 744-747*
 - methodologies, 274-275
 - with ping command, 543-544
 - ping with names and IP addresses, 552-553*

testing LAN neighbors with extended ping, 550-551
testing LAN neighbors with standard ping, 549-550
testing longer routes from near source of problem, 545-547
testing reverse routes with extended ping, 547-549
testing WAN neighbors with standard ping, 551-552
 port security, 287-292
 predicting where switches will forward frames, 284-287
 problem isolation with traceroute, 275-277, 554-559
 RIPv2, 461-466
 with SSH (Secure Shell), 559-561
 standard numbered ACLs (access control lists), 606-607
 static IPv4 routes, 428-430, 765-768
 with Telnet, 559-561
 with traceroute command, 553-559
 VLANs (virtual LANs), 292-296
trunking, 246, 416-417
 802.1Q, 248-249
 configuration, 258-262
 ISL (Inter-Switch Link), 248-249
 mismatched trunking operational states, 294-296
 VLAN tagging, 246-248
 VTP (VLAN Trunking Protocol), 257
TTL (Time To Live), 554
TTL Exceeded (Time-to-Live Exceeded), 554
 tutorials for Cisco Certification Exam, 868-869
 two-switch topology, 162-163
 two-tier campus design, 227-230

U

UDI (unique device identifier), 855
UDP (User Datagram Protocol), 23, 113-114
 compared to TCP (Transmission Control Protocol), 104
 port numbers, matching, 618-621
 supported features, 104-105
unabbreviated addresses (IPv6), 680
undebug all command, 145
undefined VLANs, 293
unicast addresses, 53, 328, 688
 dynamic unicast address configuration (IPv6), 715
 static unicast address configuration (IPv6)
 configuring full 128-bit address, 707-708
 enabling IPv6 routing, 708-711
 generating unique interface ID with modified EUI-64, 711-714
unicast IP addresses, 358, 491
Uniform Resource Identifiers (URI), 114-115
Uniform Resource Locators (URLs), 22
unique device identifier (UDI), 855
unique local addresses, 701
 definition of, 692-693
 importance of, 702-703
 subnetting with, 701-702
universal addresses, 53
universal images (IOS), 851-853
Universal Resource Identifiers (URIs), 22
unknown addresses (IPv6), 723
unknown unicast frames, flooding, 154
unshielded twisted-pair. *See* UTP (unshielded twisted-pair) cables
unused switch interface security, 812-813
updates (RIP), 452-453

upgrading IOS images, 824-830
 URIs (Uniform Resource Identifiers), 22, 114-115
 URLs (Uniform Resource Locators), 22
 usbflash file systems, 824
 User Datagram Protocol. *See* UDP
 user EXEC mode, 133-135
 user mode

- external authentication servers, 175-176
- passwords
 - local password configuration, 173-175*
 - simple password configuration, 169-173*

 username command, 173, 818, 829, 845
 username password command, 175, 810
 username privilege 15 command, 829
 username secret command, 174-175, 187, 810
 usernames

- hiding passwords for, 810
- local username configuration, 173-175

 users, sending messages to, 780-781
 UTP (unshielded twisted-pair) cables, 43-46

- cabling pinouts for 10BASE-T and 100BASE-T, 48-50
- cabling pinouts for 1000BASE-T, 51
- UTP Ethernet links, 46-47

V

variable-length subnet masks. *See* VLSM
 verification

- access interfaces, 292-293
- CDP (Cisco Discovery Protocol), 796-797
- data and voice VLANs, 264-266
- definition of, 271
- DHCP (Dynamic Host Configuration Protocol) servers, 480-481

Ethernet switching, 156
 host IPv4 settings, 486-490
 IOS code integrity, 827
 IOS images, 833-835
 IPv4 on switch, 183-184
 IPv6 host connectivity

- from hosts, 741-744*
- from nearby routers, 744-747*

 NAT (Network Address Translation)

- dynamic NAT, 657-659*
- static NAT, 655*

 port security, 205-206
 RIPv2, 447

- AD (administrative distance), 449-450*
- show ip protocols command, 450-451, 456-458*
- show ip route command, 447-449*

 standard numbered ACLs (access control lists), 606-607
 static unicast address configuration, 709-711
 Syslog, 784-786
 VLSM (variable length subnet masks), 531-532
 verify command, 827, 846
 verify /md5 command, 827, 846
 versions (IOS), 850
 virtual LANs. *See* VLANs
 VLANs (virtual LANs), 225-226, 244-246

- configuration, 252-253
 - data and voice VLANs, 264-266*
 - full VLAN configuration example, 253-256*
 - Layer 3 switches, 420-422*
 - shorter VLAN configuration example, 256-257*
 - trunking, 258-262*
- default VLANs, 253
- IP telephony, 262-267

- native VLANs, 248
- routing, 249, 415-419
 - with Layer 3 switch, 251-252*
 - with routers, 249-251*
- tagging, 246-248
- troubleshooting, 292
 - disabled VLANs, 294*
 - mismatched trunking operational states, 294-296*
 - undefined VLANs, 293*
 - verifying access interfaces, 292-293*
- trunking, 246
 - 802.1Q, 248-249*
 - configuration, 258-262*
 - ISL (Inter-Switch Link), 248-249*
 - troubleshooting, 294-296*
 - VLAN tagging, 246-248*
 - VTP (VLAN Trunking Protocol), 257*
- VLAN IDs, 246
- vlan command, 253, 265, 268
- VLAN IDs, 246
- VLAN Trunking Protocol (VTP), 257
- VLSM (variable length subnet mask), 312, 530
 - adding new subnets to existing VLSM design, 536-538
 - classful routing protocols, 530-531
 - classless routing protocols, 530-531
 - configuration, 531-532
 - definition of, 528
 - designing subnet plans with, 533-534
 - finding VLSM overlaps, 532-536
 - verification, 531-532
 - overlapping subnets, 581-583
 - recognizing when VLSM is used, 579
- voice switches, 262
- VTP (VLAN Trunking Protocol), 257
- vtp mode command, 257, 268

W-X-Y-Z

- WANs (wide-area networks), 38, 60
 - compared to LANs, 60
 - Ethernet WANs, 69-70
 - Ethernet emulation, 70-72*
 - Ethernet over MPLS (EoMPLS), 70-71*
 - Internet access, 72-77*
 - leased-line WANs
 - cabling, 64-65*
 - connecting LANs via, 62-63*
 - creating in lab, 66*
 - data-link protocols, 66-67*
 - HDLC (High-Level Data Link Control), 67*
 - leased line terminology, 63-64*
 - routing, 68-69*
 - WAN neighbors, testing, 551-552
- WC masks. *See* wildcard masks
- web browsers, 114
- web browsing
 - DNS (Domain Name System) resolution, 115-117
 - HTTP (Hypertext Transfer Protocol), 114, 117-118
 - identifying receiving application, 118-119
 - URIs (Uniform Resource Identifiers), 114-115
- web clients, 114
- web pages, 114
- web servers, 114
- wide-area networks. *See* WANs
- wildcard masks, 600-602
- windowing, 112-113
- wired LANs. *See* Ethernet LANs (local-area networks)
- wireless LANs, 38
 - enterprise wireless LANs, 238, 239, 240
 - home office wireless LANs, 236, 237

Wireless LAN Controllers (WLCs), 239

wireless routers, 236

WLANs (wireless LANs)

enterprise wireless LANs, 238-240

home office wireless LANs, 236-237

WLCs (Wireless LAN Controllers), 239

World Wide Web (WWW), 109

write erase command, 145, 843, 846

write-memory command, 841, 845

WWW (World Wide Web), 109

zero subnet, 514